

# Opulence



## SHOWER ENCLOSURES & TRAYS

ISSUE 4

from  
**CONTOUR**  
built-in independence

# THE OPULENCE COLLECTION

## *Inspiration in easy access bathrooms*

With over 60 years' experience, we know how important accessible bathrooms are for your well-being and independence in your home.

That's why, as one of the UK's leading accessible bathroom specialists, our priority is helping you to create an accessible bathroom that is better than you could ever imagine.

Contour Showers are proud to be setting the standard for quality and design with our Opulence shower enclosure range which offers a superior selection of luxurious yet affordable shower screens, shower enclosures, wet room solutions and shower trays.

### QUALITY & PRICE

When it comes to quality we don't cut corners. We design and manufacture the majority of our products inhouse so we are in control and can guarantee their quality. All our products are made from the finest materials, but, without a premium price tag. It is our mission to make sure you get a beautiful accessible shower enclosure which lasts a lifetime.

Our Opulence shower enclosures, wet room formers and shower trays have been rigorously tested and quality checked and are supplied complete with our lifetime guarantee, providing you with accessible products that will withstand the test of time!

### OUR PROMISE

- To help you create a **beautiful, accessible** bathroom.
- To only supply products manufactured to the **highest quality** and **safety standards**.
- To offer prices that are **great value** for money.
- For your peace of mind we provide comprehensive **lifetime guarantees** for all our shower enclosures and shower trays.



### SEE IT IN 3D

Need some help or advice?

Our expert team of Trusted Assessors and 3D designers can help you create the right, **beautiful, accessible** bathroom answering any questions you might have to help find the right solution for you.

To really bring your new bathroom design to life we can create a **FREE** 3D design, helping to ensure that your new accessible bathroom will meet all your needs before you place an order.



## Turn your bathroom into a wetroom

Getting in and out of a bath can become daunting, difficult or almost impossible, even with assistance. A wetroom can give your bathroom the designer look, whilst still being practical and providing easy access for people with limited mobility. Using a pre-formed wetroom shower former, waterproof tanking kit and a shower screen, you can easily adapt your bathroom quickly and cost effectively!



## Shower Enclosures

|   |         |
|---|---------|
| Choosing a shower enclosure               | 4       |
| Choosing a shower tray                    | 5       |
| Product highlights                        | 6 - 7   |
| Shower screens                            | 8 - 9   |
| Half height corner shower doors           | 10 - 11 |
| Half height alcove shower doors           | 12 - 13 |
| Top bi-fold stable door shower enclosures | 14 - 15 |

## Shower Trays

|                                   |    |
|-----------------------------------|----|
| Wetroom shower tray floor formers | 16 |
| Level access shower trays         | 17 |
| Low level, step-in shower trays   | 17 |

## Accessories

|                                    |    |
|------------------------------------|----|
| Mixer shower valves                | 18 |
| Shower seats                       | 18 |
| Grabrails & WC hinged arm supports | 18 |
| Antibacterial shower curtains      | 19 |
| Curtain rails                      | 19 |
| Toilet roll holders                | 19 |
| Towel rails & rings                | 19 |
| Glass shelves                      | 19 |




# CHOOSING THE RIGHT SHOWER ENCLOSURE


Choose from a comprehensive collection of inspiring & desirable easy to access shower enclosures to suit your bathroom space, personal taste & lifestyle requirements.

## ROOM LOCATION

Fit into a corner or an alcove?



Corner showers can take up as much, or as little, space as you want. They can be square or rectangular to create a spacious shower area to meet your needs.



Removing a bath can often leave an alcove, a space between 3 walls. By installing an alcove shower door you can maximise the shower space and create a large luxurious showering area.

## SHOWER ENCLOSURES WITH A SUBTLE DIFFERENCE TO ASSIST INDEPENDENT LIVING



**Half height shower doors** are the perfect solution if you require some assistance when showering or prefer not to feel enclosed.



**1900mm high shower enclosures** are multigenerational, meaning they have been designed like a traditional shower enclosure but, should assisted showering be required, the top bifold stable door can be opened outwards to allow assistance to be provided to young or old.

**Wetroom or shower tray?** For an exact fit, Opulence shower doors, enclosures and screens are supplied with either:

- Coved profile for vinyl flooring.
- Square profile for tiled floor or shower tray use.

This detail allows the shower screens to neatly butt up against the wall and floor / shower tray, see right.

**Please state your requirement when ordering.**



coved



square

## WALK-IN SHOWER SCREENS

Glass shower screen on its own or with a grab pole or flipper panel?

Used with a shower tray or in a wetroom, an 8mm glass shower screen will provide a modern, minimalist solution which is easy to get in and out of.

Add a floor to ceiling **grab pole** for additional stability when entering or exiting the shower or a **flipper panel** to reduce shower spray outside of the shower area.



Shower screen & grab pole



Shower screen & flipper panel

### PLEASE NOTE:

Due to the nature of all glass shower doors, we cannot guarantee they are 100% watertight. We do not recommend the use of power showers with easy access shower doors and shower trays.

# CHOOSING THE RIGHT SHOWER TRAY

When choosing a shower tray you should select a size & style for your bathroom & needs. The shape & size also needs to match your shower enclosure. It's worth thinking about which shape will best fit your bathroom too, keeping in mind how the enclosure doors open.

## SHOWER TRAY SHAPE

Fit into a corner or an alcove?



*square corner*

Square shower trays fit neatly into the corner of your bathroom, handy if you intend to keep your bath.



*rectangular corner*

Rectangular shower trays offer users more space by providing a larger showering area.



*alcove*

Alcove shower trays or bath replacement shower trays fit between three walls and in most cases can be cut to length to fit exactly into the space where your bath was previously.



*Falcon30 illustrated*




## shower tray or wetroom?

For your peace of mind, our shower trays have been thoroughly tested and awarded with the highest antislip classification possible. This is especially beneficial for younger children or elderly people who may be prone to slipping in the shower.

Wetroom floor formers are pre-formed shower tray bases which are sunk into the bathroom floor and then tiled over or covered with vinyl safety flooring to create a modern level access wet room, see left.



*level access wetroom*



*level access shower tray*



*30mm & 40mm step-in shower trays*

## ACCESS

### Walk-in Wetroom, Level Access or Low Step-in Entry Shower Tray?

Wetrooms & level access shower trays provide unobtrusive, walk in access with no threshold for the user to step up onto.

Wetrooms provide an alluring option and create the ultimate desirable bathroom with no obvious shower tray visible once fitted.

Level access shower trays offer a visibly defined shower area with an antislip surface which are still easy to walk into. They also have inbuilt tiling upstands for added water tightness.

At up to 40mm high, Falcon 30 or Falcon 40 step-in shower trays, with an antislip surface are ideal when a small step is manageable.

# THE OPULENCE COLLECTION

## Product highlights



The Opulence Collection will enhance any bathroom providing a luxurious shower experience for all. Whether you're planning a bathroom renovation or wanting to replace a bath for greater accessibility, you'll find something perfect to suit all members of the household in the Opulence Range.

Opulence shower screens and shower enclosures have been thoughtfully designed and include:

1. All enclosures have fixed wall panels, with 45mm adjustment for easy fitting, to bring the doors pivot point forward to avoid close fitting sanitaryware or furnishings.
2. Built to last with polished chrome finish, solid brass, chrome plated 180° rise & fall door hinges & fittings. Each wall profile has 45mm adjustment for easy fitting.
3. Watertight magnetic door seals.
4. Toughened safety glass with Easy Clean glass coating to keep your enclosure looking like new.

Oh, and they have a lifetime guarantee too!

CE



## SHOWER SCREENS

Our impeccable, 8mm toughened safety glass shower screens will give your bathroom a designer look and create a large, open walk-in shower space.

5. Easy fit, unique telescopic support tie bar.
6. Square or coved chrome wall profiles: Square profiles are for use with a tiled wetroom or shower tray. Coved profiles will accommodate the shape of coved vinyl safety flooring. (Square wall profile illustrated right). Compatible with any flat top or easy access shower tray and wetroom floor former.
7. Add a Flipper Panel to help to reduce splashes outside of the showering area.
8. Or, if you need a little assistance, a floor to ceiling Grab Pole will provide assistance when entering and exiting the shower.

SEE PAGE 8 & 9 FOR MORE DETAILS



Opulence



## HALF HEIGHT SHOWER DOORS

Modern, assisted shower doors for when the shower user may need some help showering or if they do not want to feel enclosed in a full height shower enclosure.

At 750mm high, half height showers doors are suitable for corner of alcove locations in a wetroom or with a shower tray.

All half height shower doors feature fixed panels of 8mm toughened safety and door sections of 6mm toughened safety glass.

- 9.** Easy to grip door handle.
- 10.** 180° rise & fall door hinges allow doors to smoothly open outwards.
- 11.** Alcove, half height shower doors can fit between three walls or in a space once occupied by a bath.
- 12.** A flip over latch can be added to prevent doors accidentally opening should they be leant against by the user or carer (*optional accessory*).

SEE PAGE 10 & 11 FOR MORE DETAILS



## TOP BIFOLD STABLE DOOR SHOWER ENCLOSURES

The unique characteristics of this style of shower enclosure support multigenerational living, catering for different generations with different needs who share the same home & bathroom facilities.

At 1900mm high, top bifold stable door shower enclosures are suitable for corner or alcove locations in a wetroom or with a shower tray.

Featuring fixed panels of 8mm toughened safety glass and door sections of 6mm toughened safety glass sections.

- 13.** Unique, chrome towel rail connects the bifold stable door shower enclosure top & bottom door sections. It is also a handy place to store your towel ready for when you need it!
- 14.** Easy grip door handles:  
Small internal handle with integrated finger channels for easy use.  
Outer handles rotate to allow top bifold door to open.
- 15.** Top bifold stable door opens outwards to allow access if assisted showering is required, leaving the bottom door section closed to retain water from the shower.  
You can also access your towel before getting out of the shower!

SEE PAGE 12 & 13 FOR MORE DETAILS



# SHOWER SCREENS, FLIPPER PANEL & GRAB POLES

Height: 1900mm.

Shower screens: 8mm toughened glass.

Flipper panel: 6mm toughened glass.



wetroom example with flipper panel

GD53 left hand corner illustrated with square wall profile for shower tray use.

## Other products illustrated:

Falcon 30 slimline shower tray  
Floor to ceiling grab pole  
Triton Exe bar mixer shower  
Straight grabrail

- Create a spacious, open shower area in a wetroom or with a shower tray.
- Easy fit, unique telescopic support tie bar. Width adjustment: 700 - 1200mm.
- Aluminium, satin chrome polished wall profiles with 45mm adjustment for easy fitting.
- Coved wall profile will accommodate coved vinyl flooring or use the Square profile for tiled floor or shower tray use (*please state when ordering*).
- Compatible with any wetroom floor former or shower tray with a minimum 40mm flat front edge area.
- Reversible for left or right hand installation.

**FLOOR TO CEILING GRAB POLE OPTION** 2.5m or 5.5m in length, 32mm diameter, a stainless steel Grab Pole connects to the screen edge to offer additional stability when entering or exiting the shower.

**FLIPPER PANEL OPTION** Pivoting, 6mm thick, 300mm wide Flipper Panel acts as a deflector to minimise water spray outside the shower area and pivots through 250°.



## COMPATIBLE SHOWER TRAY?

Wetroom, level access or step-in? See recommended trays opposite or page 16 - 17 for full details.



## GD53 SHOWER SCREEN ONLY



| POPULAR SIZES<br>Width (mm) | HANDED | RECOMMENDED TRAYS    |                  |                      |                   | CODE    |
|-----------------------------|--------|----------------------|------------------|----------------------|-------------------|---------|
|                             |        | SHOWERDEC<br>page 16 | SWIFT<br>page 17 | EAGLE TWO<br>page 17 | FALCON<br>page 17 |         |
| 700mm                       | N      | ✓                    | ✓                | ✓                    | ✓                 | GD53-70 |
| 800mm                       | N      | ✓                    | ✓                | ✓                    | ✓                 | GD53-80 |
| 900mm                       | N      | ✓                    | ✓                | ✓                    | ✓                 | GD53-90 |
| 1000mm                      | N      | ✓                    | ✓                | ✓                    | ✓                 | GD53-10 |
| 1200mm                      | N      | ✓                    | ✓                | ✓                    | ✓                 | GD53-12 |




left hand corner illustrated

## 300MM FLIPPER PANEL



| POPULAR SIZES<br>Width (mm) | HANDED | RECOMMENDED TRAYS    |                  |                      |                   | CODE       |
|-----------------------------|--------|----------------------|------------------|----------------------|-------------------|------------|
|                             |        | SHOWERDEC<br>page 16 | SWIFT<br>page 17 | EAGLE TWO<br>page 17 | FALCON<br>page 17 |            |
| 300mm Flipper Panel         | N      | ✓                    | ✓                | ✓                    | ✓                 | 09FH-300FP |




flipper panel illustrated with shower screen.  
shower screen supplied separately

## FLOOR TO CEILING GRAB POLE



| POPULAR SIZES<br>Width (mm)     | HANDED | RECOMMENDED TRAYS    |                  |                      |                   | CODE      |
|---------------------------------|--------|----------------------|------------------|----------------------|-------------------|-----------|
|                                 |        | SHOWERDEC<br>page 16 | SWIFT<br>page 17 | EAGLE TWO<br>page 17 | FALCON<br>page 17 |           |
| 2.5m Floor to Ceiling Grab Pole | N      | ✓                    | ✓                | ✓                    | ✓                 | GD-GP     |
| 5.5m Floor to Ceiling Grab Pole | N      | ✓                    | ✓                | ✓                    | ✓                 | GD-GP5500 |

Grab poles can be cut to required ceiling height (cut from the top down)



grab pole illustrated with shower screen.  
shower screen supplied separately



Gap between shower screen edge & grab pole: 40mm

# HALF HEIGHT CORNER SHOWER DOORS

Height: 750mm.

Fixed panels: 8mm toughened glass,

Door panels: 6mm toughened glass.



GD3 doors partially open

GD3 left hand illustrated with square wall profile for tiled floor use.

#### Other products illustrated:

ShowerDec wetroom floor former  
Straight grabrail  
Ropox shower seat with single leg  
McAlpine TSG52 square tiled floor gully  
Flip over door latch

- Square or rectangular enclosures with bifolding or bi-parting door access create a shower area as large or small as you require.
- Half height shower doors offer safe, assisted showering or remove the feeling of being enclosed when showering.
- Doors open outwards for easy access.
- Fixed wall panels, with 45mm adjustment for easy fitting, brings the doors pivot point forward to avoid close fitting sanitaryware or bathroom furnishings.
- Aluminium, satin chrome polished wall profiles.
- Coved wall profile will accommodate coved vinyl flooring or use the Square profile for tiled floor or shower tray use (*please state when ordering*).
- Solid brass, chrome plated, easy grip door handles, 180° rise & fall hinges & stabiliser brackets.
- Magnetic door closing.
- Suitable for wetrooms or shower trays.
- Handed & non-handed door styles available.




#### COMPATIBLE SHOWER TRAY?

Wetroom, level access or step-in? See recommended trays opposite or page 16 - 17 for full details.

## GD2 TWIN BIFOLDING DOORS



| POPULAR SIZES<br>Width x Depth (mm) | DOOR OPENING<br>Width x Depth | HANDED | RECOMMENDED TRAYS    |                  |                   | CODE         |
|-------------------------------------|-------------------------------|--------|----------------------|------------------|-------------------|--------------|
|                                     |                               |        | SHOWERDEC<br>page 16 | SWIFT<br>page 17 | FALCON<br>page 17 |              |
| 900 x 900mm                         | 700 x 700mm                   | N      | ✓                    | ✓                | ✓                 | GD2-90x90-01 |
| 1000 x 1000mm                       | 800 x 800mm                   | N      | ✓                    | ✓                | ✓                 | GD2-10x10-01 |
| 1200 x 800mm                        | 900 x 600mm                   | Y      | ✓                    | -                | ✓                 | GD2-12x80-02 |
| 1200 x 1200mm                       | 900 x 900mm                   | N      | ✓                    | ✓                | -                 | GD2-12x12-02 |
| 1300 x 800mm                        | 1100 x 600mm                  | Y      | ✓                    | ✓                | ✓                 | GD2-13x80-01 |



not handed unless door width & depth are unequal sizes


**DON'T FORGET:**

ShowerDec wetroom floor formers can be cut to size if required to match the size of your shower doors.

## GD3 BIFOLDING & BI-PARTING DOORS



| POPULAR SIZES<br>Width x Depth (mm) | DOOR OPENING<br>Width x Depth | HANDED | RECOMMENDED TRAYS    |                  |                   | CODE         |
|-------------------------------------|-------------------------------|--------|----------------------|------------------|-------------------|--------------|
|                                     |                               |        | SHOWERDEC<br>page 16 | SWIFT<br>page 17 | FALCON<br>page 17 |              |
| 1200 x 800mm                        | 900 x 600mm                   | Y      | ✓                    | -                | ✓                 | GD3-12x80-02 |
| 1300 x 800mm                        | 1000 x 600mm                  | Y      | ✓                    | ✓                | ✓                 | GD3-13x80-02 |
| 1500 x 800mm                        | 1100 x 600mm                  | Y      | ✓                    | -                | -                 | GD3-15x80-01 |




left hand illustrated

## GD4 BIFOLDING DOOR & A RETURN PANEL



| POPULAR SIZES<br>Width x Depth (mm) | DOOR OPENING<br>Width x Depth | HANDED | RECOMMENDED TRAYS    |                  |                   | CODE         |
|-------------------------------------|-------------------------------|--------|----------------------|------------------|-------------------|--------------|
|                                     |                               |        | SHOWERDEC<br>page 16 | SWIFT<br>page 17 | FALCON<br>page 17 |              |
| 1200 x 700mm                        | 900mm                         | Y      | ✓                    | -                | ✓                 | GD4-12x70-02 |
| 1200 x 800mm                        | 900mm                         | Y      | ✓                    | -                | ✓                 | GD4-12x80-02 |



left hand illustrated



# HALF HEIGHT ALCOVE SHOWER DOORS

Height: 750mm

Fixed panels: 8mm toughened glass

Door panels: 6mm toughened glass



*GD5 doors partially open*

*GD5 not handed illustrated, with square wall profile for shower tray use.*

**Other products illustrated:**

Eagle TWO shower tray

Mira Select Flex mixer shower

- Ideal for fitting in an alcove or to replace a bath tub, offering greater access to the shower area.
- Half height shower doors offer safe, assisted showering or remove the feeling of being enclosed when showering.
- Doors open outwards for easy access.
- Fixed wall panels, with 45mm adjustment for easy fitting, brings the doors pivot point forward to avoid close fitting sanitaryware or bathroom furnishings.
- Aluminium, satin chrome polished wall profiles.
- Coved wall profile will accommodate covered vinyl flooring or use the Square profile for tiled floor or shower tray use (*please state when ordering*).
- Solid brass, chrome plated, easy grip door handles, 180° rise & fall hinges & stabiliser brackets.
- Magnetic door closing.
- Suitable for wetrooms or shower trays.
- Handed & non-handed door styles available.




**COMPATIBLE SHOWER TRAY?**

Wetroom, level access or step-in? See recommended trays opposite or page 16 - 17 for full details.

## GD5 ALCOVE BI-PARTING DOORS



| POPULAR SIZES<br>Width (mm) | DOOR OPENING<br>Width | HANDED | COMPATIBLE WITH      |                      |                   | CODE      |
|-----------------------------|-----------------------|--------|----------------------|----------------------|-------------------|-----------|
|                             |                       |        | SHOWERDEC<br>page 16 | EAGLE TWO<br>page 17 | FALCON<br>page 17 |           |
| 1300mm                      | 900mm                 | N      | ✓                    | -                    | ✓                 | GD5-13-07 |
| 1500mm                      | 900mm                 | N      | ✓                    | ✓                    | ✓                 | GD5-15-01 |
| 1700mm                      | 1100mm                | N      | ✓                    | ✓                    | ✓                 | GD5-17-01 |



not handed illustrated


### TIP:

Shower trays compatible with alcove shower doors can be cut to length to fit exactly into an alcove or where your bath once was. (Falcon 1300mm long trays cannot be cut down)  
See pages 16 & 17 for details.

## GD6 ALCOVE BIFOLDING DOOR & A FIXED PANEL



| POPULAR SIZES<br>Width (mm) | DOOR OPENING<br>Width | HANDED | COMPATIBLE WITH      |                      |                   | CODE      |
|-----------------------------|-----------------------|--------|----------------------|----------------------|-------------------|-----------|
|                             |                       |        | SHOWERDEC<br>page 16 | EAGLE TWO<br>page 17 | FALCON<br>page 17 |           |
| 1500mm                      | 900mm                 | Y      | ✓                    | ✓                    | ✓                 | GD6-15-02 |
| 1700mm                      | 1100mm                | Y      | ✓                    | ✓                    | ✓                 | GD6-17-05 |



left hand panel, right hand door illustrated

## GD8 HALF HEIGHT SHOWER SCREEN



| POPULAR SIZES<br>Width (mm) | HANDED | COMPATIBLE WITH      |                  |                      |                   | CODE      |
|-----------------------------|--------|----------------------|------------------|----------------------|-------------------|-----------|
|                             |        | SHOWERDEC<br>page 16 | SWIFT<br>page 17 | EAGLE TWO<br>page 17 | FALCON<br>page 17 |           |
| 700mm                       | N      | ✓                    | ✓                | ✓                    | ✓                 | GD8-70-01 |
| 800mm                       | N      | ✓                    | ✓                | ✓                    | ✓                 | GD8-80-01 |
| 900mm                       | N      | ✓                    | ✓                | ✓                    | ✓                 | GD8-90-01 |




left hand screen illustrated

# TOP BIFOLD STABLE DOOR SHOWER ENCLOSURES

Height: 1900mm.

Fixed panels: 8mm toughened glass,

Door panels: 6mm toughened glass.



*top bifold stable door opens whilst the bottom door can remain closed.*

*GD52 left hand panel, right hand door illustrated with square wall profile for shower tray use.*

**Other products illustrated:**  
Falcon 30 slimline shower tray  
600mm Arch grabrail

- Square or rectangular enclosures create a shower area as large or small as you require.
- Supports multigenerational living, but can be used by all members of the household.
- Top bifold stable door section opens independently should showering assistance be required for a child or an elderly relative.
- Twin bifold stable door enclosures offer greater access to the shower area.
- Bottom door height at 850mm high, so stable door clears standard height pedestal wash basins when opened.
- Aluminium, satin chrome polished wall profiles.
- Coved wall profile will accommodate coved vinyl flooring or use the Square profile for tiled floor or shower tray use (*please state when ordering*).
- Solid brass, chrome plated, easy grip door handles & 180° rise & fall hinges.
- Magnetic door closing.
- Suitable for wetrooms or shower trays.
- Handed & non-handed door styles available.



**COMPATIBLE SHOWER TRAY?**  
Wetroom, level access or step-in? See recommended trays opposite or page 16 - 17 for full details.



## GD52 ALCOVE TOP BIFOLD STABLE DOOR & FIXED PANEL



| POPULAR SIZES<br>Width (mm) | DOOR OPENING<br>Width | HANDED | COMPATIBLE WITH      |                      |                   | CODE       |
|-----------------------------|-----------------------|--------|----------------------|----------------------|-------------------|------------|
|                             |                       |        | SHOWERDEC<br>page 16 | EAGLE TWO<br>page 17 | FALCON<br>page 17 |            |
| 1300mm                      | 700mm                 | Y      | ✓                    | -                    | ✓                 | GD52-13-01 |
| 1500mm                      | 900mm                 | Y      | ✓                    | ✓                    | ✓                 | GD52-15-01 |
| 1600mm                      | 700mm                 | Y      | ✓                    | ✓                    | ✓                 | GD52-16-01 |
| 1700mm                      | 900mm                 | Y      | ✓                    | ✓                    | ✓                 | GD52-17-04 |
| 1800mm                      | 900mm                 | Y      | ✓                    | ✓                    | ✓                 | GD52-18-07 |



left hand panel, right hand door illustrated


### TIP:

Shower trays compatible with alcove shower doors can be cut to length to fit exactly into an alcove or where your bath once was. (Falcon 1300mm long trays cannot be cut down)  
See pages 16 & 17 for details.

## GD50 TOP BIFOLD CORNER STABLE DOOR & FIXED PANEL



| POPULAR SIZES<br>Width x Depth (mm) | DOOR OPENING<br>Width | HANDED | COMPATIBLE WITH      |                  |                   | CODE          |
|-------------------------------------|-----------------------|--------|----------------------|------------------|-------------------|---------------|
|                                     |                       |        | SHOWERDEC<br>page 16 | SWIFT<br>page 17 | FALCON<br>page 17 |               |
| 900 x 900mm                         | 700mm                 | N      | ✓                    | ✓                | ✓                 | GD50-90x90-01 |
| 1000 x 1000mm                       | 800mm                 | N      | ✓                    | ✓                | ✓                 | GD50-10x10-01 |
| 1200 x 700mm                        | 900mm                 | Y      | ✓                    | -                | ✓                 | GD50-12x70-01 |
| 1200 x 800mm                        | 900mm                 | Y      | ✓                    | -                | ✓                 | GD50-12x80-01 |
| 1300 x 800mm                        | 900mm                 | Y      | ✓                    | ✓                | ✓                 | GD50-13x80-01 |




left hand panel, right hand door illustrated

## GD51 TWIN TOP BIFOLD CORNER STABLE DOOR ENCLOSURE



| POPULAR SIZES<br>Width x Depth (mm) | DOOR OPENING<br>Width x Depth | HANDED | COMPATIBLE WITH      |                  |                   | CODE          |
|-------------------------------------|-------------------------------|--------|----------------------|------------------|-------------------|---------------|
|                                     |                               |        | SHOWERDEC<br>page 16 | SWIFT<br>page 17 | FALCON<br>page 17 |               |
| 900 x 900mm                         | 700 x 700mm                   | N      | ✓                    | ✓                | ✓                 | GD51-90x90-01 |
| 1000 x 1000mm                       | 800 x 800mm                   | N      | ✓                    | ✓                | ✓                 | GD51-10x10-01 |
| 1200 x 1000mm                       | 900 x 800mm                   | Y      | ✓                    | -                | -                 | GD51-12x10-01 |
| 1200 x 1200mm                       | 900 x 900mm                   | N      | ✓                    | ✓                | -                 | GD51-12x12-01 |



not handed unless width & depth are unequal sizes



## WETROOM FLOOR FORMERS - SHOWERDEC

Fits beneath floor tiles or a vinyl floor covering to provide level access.



| SQUARE    | CODE        | RECTANGULAR | CODE        |
|-----------|-------------|-------------|-------------|
| 900x900   | SD900x900   | 1300x800    | SD1300x800  |
| 1000x1000 | SD1000x1000 | 1400x900    | SD1400x900  |
| 1200x1200 | SD1200x1200 | 1500x820    | SD1500x820  |
|           |             | 1500x1000   | SD1500x1000 |
|           |             | 1500x1200   | SD1500x1200 |
|           |             | 1800x820    | SD1800x820* |
|           |             | 1800x900    | SD1800x900* |

- ShowerDec@s are not handed.
- All ShowerDecs can be cut to width or length to suit almost any requirement.
- \*Can be cut down in length from 1800mm to fit where a bath was.
- For fitting in wooden or concrete floors (comprehensive instructions provided).
- Wetroom tanking membrane will be required when using with floor tiles, see below.
- Gravity waste supplied separately, see below.

## WETROOM TANKING MEMBRANE

Permanent waterproof protection for use prior to laying tiles onto a wetroom floor.



| SIZE                         | CODE     |
|------------------------------|----------|
| 5m <sup>2</sup> Tanking Kit  | 15WTK-05 |
| 10m <sup>2</sup> Tanking Kit | 15WTK-10 |

- 1mm thick butyl waterproof membrane.
- Can be cold applied & ready to tile immediately.
- Ideal for timber, masonry, concrete, plasterboard & gypsum.
- Can be installed over thermal board. Heating restricted to 32°.

### KIT CONTENTS:

5m x 1m or 10m x 1m Membrane  
 500ml Primer  
 10m Reinforcing Tape  
 1 x Jointing Compound  
 4 x Pre-formed Internal Corners

## GRAVITY WASTES

2 part, 50mm water seal trapped gullies for use with a ShowerDec floor former. Flow rate in excess of 40 litres per minute.



TSG52  
Standard Vinyl Gully



TSG52  
Round Vinyl Gully



TSG52  
Square Tile Gully  
(8mm depth)

| SIZE                    | CODE      |
|-------------------------|-----------|
| TSG52 Standard Gully    | 08GT52NSC |
| TSG52 Round Vinyl Gully | 08GT52-R  |
| TSG52 Square Tile Gully | 08GT52-S  |

- Standard TSG52 has a white ABS top cover.
- Round vinyl & square tile TSG52 have stainless steel covers.
- Square tile gully top cover is 150mm square & 8mm deep.

### CONCRETE FLOOR?

Other drainage options are available for solid floor installations, please ask for details.



## LEVEL ACCESS SHOWER TRAYS - SWIFT

No height difference between the shower tray & the bathroom floor when fitted. Provides a visible shower area. Incorporates unique Trueseal vinyl floor edging profile. **For tiled floor installations please ask for Trueseal to be omitted.**



| SQUARE    | CODE     | RECTANGULAR | CODE         |
|-----------|----------|-------------|--------------|
| 945x945   | SWIF945  | 1345x845    | SWIF1345     |
| 1045x1045 | SWIF1045 | 1345x945    | SWIF1345x945 |
| 1245x1245 | SWIF1245 | 1400x745*   | SWIF1400     |

- Square shower trays are not handed.
- Supplied with a gravity trap.
- \*SWIF1400 is not handed & has three tiling upstands for installing in an alcove (between 3 walls).
- Fit in wooden or concrete floors (*comprehensive instructions provided*).

**IMPORTANT** When ordering a shower screen or enclosure for a Swift shower tray please choose 'Coved' wall profile.

## LEVEL ACCESS ALCOVE SHOWER TRAYS - EAGLE TWO

No height difference between the shower tray & the bathroom floor when fitted. Can be cut to length to fit into an alcove. Incorporates unique Trueseal vinyl floor edging profile. **For tiled floor installations please ask for Trueseal to be omitted.**



| RECTANGULAR | CODE  |
|-------------|-------|
| 1850x745*   | ET745 |
| 1850x845*   | ET845 |

- Eagle TWO shower trays are not handed.
- Supplied with a gravity trap.
- \*Can be cut down in length from 1850 to 1500mm to replace a bath. End cap supplied for cut end.
- Fit in wooden or concrete floors (*comprehensive instructions provided*).

## STEP IN SHOWER TRAYS - FALCON

A shower tray for people who can manage a small step up into the shower area. Available in slimline 30mm high or 40mm high.



Anti-slip surface exceeds industry standards for safer showering.



| 30mm HIGH<br>SQUARE | CODE             | 40mm HIGH<br>SQUARE | CODE         |
|---------------------|------------------|---------------------|--------------|
| 900x900             | FALC30-900x900   | -                   | -            |
| 1000x1000           | FALC30-1000x1000 | -                   | -            |
| RECTANGULAR         |                  | RECTANGULAR         |              |
| 1300x700            | FALC30-1300x700  | 1000x700            | FALC1000x700 |
| 1400x800            | FALC30-1400x800  | 1200x800            | FALC1200x800 |
| 1500x700            | FALC30-1500x700  | 1200x700            | FALC1200x700 |
| 1800x700*           | FALC30-1800x700  | 1200x800            | FALC1200x800 |
| 1800x800*           | FALC30-1800x800  | 1300x800            | FALC1300x800 |
|                     |                  | 1400x700            | FALC1400x700 |
|                     |                  | 1700x700            | FALC1700x700 |

- Falcon shower trays are not handed.
- Supplied with a gravity trap.
- \*Can be cut down in length from 1850 to 1500mm to replace a bath. End cap supplied for cut end.
- Fit in wooden or concrete floors (*comprehensive instructions provided*).

### PLEASE NOTE:

Falcon30 & Falcon40 antislip patterns differ visually but both boast the same high antislip classification. Falcon 30 shower trays do not incorporate Biomaster antibacterial protection.



## ACCESSORIES - MIXER SHOWERS, SHOWER SEATS & HINGED ARM SUPPORTS

A thermostatic mixer shower mixes the hot & cold water supply to provide a constant temperature for your shower.

The TMV3 safety feature will prevent scalding should either the hot or cold water supply fail during use.



### MIRA SELECT FLEX MIXER SHOWER

- Thermostatic control for safer showering.
- 2m hose & 1m easy glide riser rail.
- Separate flow & temperature controls.
- Cool touch technology.

CODE

06MS10



### TRITON ELINA MIXER SHOWER

- Thermostatic, exposed concentric shower.
- Easy to grip & operate.
- Separate flow & temperature lever controls.
- Dual purpose grab riser rail.
- Rub clean, five spray pattern shower head.

CODE

06MS15



### TRITON EXE BAR MIXER SHOWER

- Thermostatic control for safer showering.
- Extended riser rail & shower hose kit.
- Easy grip lever temperature controls.
- Separate flow & temperature controls.
- Rub clean, three spray pattern shower head.

CODE

06MS17



### BRISITAN OPAC CARE MIXER SHOWER

- Fully thermostatic for safe showering.
- Single lever control for flow & temperature.
- Easy to grip & operate.
- Automatic shut off in the event of hot or cold water supply failure.

CODE

06MS22P



### SQUARE PADDED SHOWER SEAT

- Stainless steel mounting plate.
- Wall fixed seat, downward folding.
- Maximum load 165kg.
- Soft polyurethane seat pad.
- 355mm W x 325mm D.

CODE

07SS62



### ROPOX SHOWER SEAT WITH SINGLE LEG

- Easy to grasp edge to assist with transfer.
- Can be folded upright against the wall.
- Load tested to a weight of 200kg.
- Polyurethane seat does not feel cold or hard.
- 469 W x 552 D x 420-540mm H.

CODE

07SS40



### HINGED ARM SUPPORTS

- Locate next to a WC to assist standing or sitting.
- Folds up against the wall.
- Option available with a toilet roll holder.
- Tested to 170kg in 90° & 45° positions.
- Length: 760mm.
- Stainless steel wall plate: 100 W x 245mm D.

CODE

Hinged arm support 03SS-HAD760

Hinged arm support & toilet roll holder 03SS-HAD760TRH



### SINGLE HINGED ARM SUPPORT

- Locate next to a WC to assist standing or sitting.
- Stainless steel wall plate.
- Tested to 170kg in 90° & 45° positions.
- Length: 760mm.
- Wall plate width: 100 W x 140mm D.

CODE

03SS-HAS760

## ACCESSORIES - GRABRAILS, CURTAIN RAILS & CURTAINS

Stainless steel accessories with a contemporary design providing stylish assistance throughout the bathroom. Grabrails & hinged arm supports are manufactured from 35mm stainless steel, unless stated otherwise, are easy to grip as well as simple to clean.



### STRAIGHT GRABRAIL

- Sizes: 300, 450 or 600mm.
- Concealed fixings.

|       | CODE        |
|-------|-------------|
| 300mm | 03SS-GRS300 |
| 450mm | 03SS-GRS450 |
| 600mm | 03SS-GRS600 |



### ARCH GRABRAIL

- Sizes: 300, 450 or 600mm.
- Concealed fixings.


|       | CODE        |
|-------|-------------|
| 300mm | 03SS-GRA300 |
| 450mm | 03SS-GRA450 |
| 600mm | 03SS-GRA600 |



### WAVE GRABRAIL, left or right hand

- Sizes: 300, 450 or 600mm.
- Concealed fixings.


|              | CODE         |
|--------------|--------------|
| 300mm, left  | 03SS-GRW300L |
| 300mm, right | 03SS-GRW300R |
| 450mm, left  | 03SS-GRW450L |
| 450mm, right | 03SS-GRW450R |
| 600mm, left  | 03SS-GRW600L |
| 600mm, right | 03SS-GRW600R |



### STRAIGHT CURTAIN RAIL

- Polished, silver satin finish.
- Wall brackets supplied.

| A      | CODE        |
|--------|-------------|
| 1000mm | 02S1000-LUX |
| 1500mm | 02S1500-LUX |
| 2000mm | 02S2000-LUX |
| 2500mm | 02S2500-LUX |



### L SHAPED CURTAIN RAIL

- Polished, silver satin finish.
- Wall brackets & ceiling drop rod supplied.

| A      | B      | CODE         |
|--------|--------|--------------|
| 900mm  | 900mm  | 02L9-LUX     |
| 1000mm | 1000mm | 02L10-LUX    |
| 1200mm | 1200mm | 02L12-LUX    |
| 750mm  | 1000mm | 02L75X10-LUX |
| 750mm  | 1200mm | 02L75X12-LUX |
| 750mm  | 1500mm | 02L75X15-LUX |
| 750mm  | 1800mm | 02L75X18-LUX |
| 900mm  | 1000mm | 02L90X10-LUX |
| 900mm  | 1200mm | 02L90X12-LUX |
| 900mm  | 1500mm | 02L90X15-LUX |
| 900mm  | 1800mm | 02L90X18-LUX |



### SATIN STRIPED ANTIBACTERIAL SHOWER CURTAIN

- White, weighted 4oz, polyester curtains.
- Antibacterial treatment inhibits bacteria, unpleasant smells & textile staining.


| WIDTH  | DROP   | CODE        |
|--------|--------|-------------|
| 1800mm | 1400mm | 01SS-1814AB |
| 1800mm | 1800mm | 01SS-1818AB |
| 1800mm | 2000mm | 01SS-1820AB |
| 2130mm | 2130mm | 01SS-2121AB |
| 2500mm | 2000mm | 01SS-2520AB |



### DOUBLE TOILET ROLL HOLDER

- 260mm in length.
- 25mm stainless steel.
- Concealed fixings.

|                           | CODE     |
|---------------------------|----------|
| Double toilet roll holder | 03SS-TRD |



### HANDED TOILET ROLL HOLDER

- Where space is limited.
- Size: 300 H x 170mm W.
- 25mm stainless steel.
- Concealed fixings.

|                       | CODE     |
|-----------------------|----------|
| LH toilet roll holder | 03SS-TRL |
| RH toilet roll holder | 03SS-TRR |



### TOWEL RING

- Solid stainless steel.
- 160mm W.
- Concealed fixings.

|            | CODE      |
|------------|-----------|
| Towel ring | 03SS-TOWR |



### DOUBLE TOWEL RAIL

- Sizes: 450, 600 & 750mm.
- 19mm stainless steel.
- Concealed fixings.

|                | CODE        |
|----------------|-------------|
| 450 towel rail | 03SS-TOW450 |
| 600 towel rail | 03SS-TOW600 |
| 750 towel rail | 03SS-TOW750 |



### GLASS SHELVES

- Sizes: 457 & 600mm.
- 6mm toughened glass.
- Stainless steel wall fixings.
- Concealed fixings.

|                 | CODE    |
|-----------------|---------|
| 457 Glass shelf | 03SH457 |
| 600 Glass shelf | 03SH600 |

# CONTOUR

built-in independence

## GLASS SHOWER DOOR ORDERING CHECKLIST

To ensure your order is processed as efficiently as possible, below is an example as to how to place an order.

### HALF HEIGHT EXAMPLE

|                                  |                     |
|----------------------------------|---------------------|
| Pick your door style             | <b>GD2</b>          |
| Overall door size?               | <b>1300x800</b>     |
| Door product code?               | <b>GD2-13x80-01</b> |
| Left hand or Right hand?         | <b>Left hand</b>    |
| Square or coved wall profile?    | <b>Coved</b>        |
| Optional door latch?             | <b>No</b>           |
| Optional curtain rail & curtain? | <b>No</b>           |

**FULL HEIGHT ENCLOSURES:** Order in the same manner except, instead of the optional door latch you can choose the optional towel rail.



Sales Department  
**0800 500 3001**



Email  
**info@independent4life.co.uk**



Technical Support  
**0845 402 9924**



Website  
**www.independent4life.co.uk**