









We believe that how a shower performs is just as important as how it looks. That's why we blend ingenious innovation with beautiful human design.

A pioneer in bathroom plumbing, we are renowned globally for breakthrough shower and tap design, product development, distinctive aesthetics with a focus on performance without compromise. Our dedication to water conservation and quality products has been recognised with a host of global awards for design and innovation.















Deva has been supplying showers and taps to the UK market for over 30 years and offers a wide range of products at the right price.

This brochure includes all the vital information you need when specifying our products and the easy to use new-look icons allow you to quickly identify each products benefits. For more information visit our websites or contact us direct.

NEXT DAY DELIVERY

ON ORDERS RECEIVED
BEFORE 4PM (3PM ON FRIDAYS)[†]

FREEPHONE 0800 195 1602

FAX ORDER LINE: 08444 068690
EMAIL: sales@uk.methven.com
OPENING TIMES:

8am - 5pm Monday - Friday



METHVEN Showers

METHVEN Tapware

DEVA SHOWERS

DEVA BATHROOM TAPS

DEVA KITCHEN TAPS

DEVA COMMERCIAL



As a company born in the South Island of New Zealand, nature has always provided our inspiration. Though we never take it for granted, especially when it comes to water.

Pure, fresh water is a necessity of life yet increasingly scarce. That's why at Methven we make taking care of water a primary focus in every product we develop.

A shower typically accounts for around 30% of household water use. So, our innovative shower technologies have been designed to deliver a luxurious experience whist preserving water.

When you're as passionate about water as we are, making the most of it comes as second nature.

Making magic with water since

1886

Our love of water began the day George Methven began producing brass and iron hardware in New Zealand, back in 1886. Ever since, we've been captivated by its power to transform: to change our moods, lift our spirits, to make us feel refreshed and renewed.

It's a passion that has inspired generations of Methven engineers and designers in a quest to create the ultimate experience of water.

Today, we offer a range of exceptional water experiences that all share one vision. The ability to create a treat for the senses.

This is what sets Methven apart. Because when you experience Methven, you truly experience water.



Our Shower Technologies

Conventional



METHVEN Needle Jet **Airstream**



Experience vitality with Airstream™

A conventional needle jet spray was originally designed to allow water to flow as freely as possible and deliver the maximum amount of water.

At Methven we believe in optimising water performance creating the best showering experience but, while using less water thereby reducing our environmental impact.

A refreshing combination of air and water that delivers a rain like feel to your shower.

Fully integrated into the base of the handset, Airstream technology allows air to be drawn in and mixed with water at high pressure.

Each air infused droplet then emerges from the shower head as a larger, softer, rain like drop.





METHVEN Satinjet[®]



Experience the sensation that is Satinjet®

A sensation for both mind and body.

Satinjet uses unique twin-jet technology to create optimum water droplet size and pressure.

Delivering 300,000 of these droplets per second*, Satinjet creates a truly immersive, full body shower experience.

*Spray Analysis and Research Services -Test #2010T89+1 Kiri Satinjet at 250kPa

METHVEN Aurajet



Experience the unforgettable feeling of Aurajet®

It looks and feels out of this world.

Hidden nozzles generate individual jets of water that collide against precisely angled surfaces within Aurajet's open, seemingly floating, shower head.

The result is a stunning fan of luxuriously dense droplets, delivering 20% more spray force than a conventional shower, and twice the amount of water contact with your skin*. Its enveloping warmth and heavenly feeling has to be felt to be believed.

*Compared to a conventional Methven shower at 9L per minute

Confidence In Methven / Accreditations



ISO 9001 CERTIFIED

We believe that quality of service, before and after sale, is of the utmost importance. It's for this reason that we constantly strive to improve both our service to you and our product offering by listening to your comments and suggestions. By doing this it has helped us achieve and retain the renowned ISO9001 since 1995 – proving to you that we are a quality assured company.



Certificate Number 86

ISO 14001 CERTIFIED

We believe in looking after the environment by actively seeking to reduce energy consumption, while improving energy efficiency and using renewable or recyclable materials wherever we can. Besides developing our own ideas, whether they are new innovations in design or environmental issues, we also work closely with trade bodies to further ensure you're getting the best products and service possible. In recognition of our focus on the environment, we have achieved ISO 14001 accreditation; demonstrating our commitment towards environmental issues and our pledge to reducing the impact our business has on the environment.



FREE RIBA APPROVED SEMINARS

We also offer free continuing professional development training on water saving, sustainability and regulatory requirements in partnership with the Royal Institute of British Architects (RIBA) Enterprises.

For more information call 0800 195 1602 or email cpd@uk.methven.com.



BATHROOM MANUFACTURERS ASSOCIATION (BMA)

Methven UK are members of the Bathroom Manufacturers Association. They ensure the industry has a recognised voice with UK government, industry regulators and European standards bodies. The BMA provide an authoritative voice for the industry on all matters affecting manufacturing and supply.



KUKREG4

The Kiwa UK Regulation 4 Product Approval Scheme (KUKreg4) is a robust method for demonstrating compliance with the Water Supply (Water Fittings) Regulations 1999. The regulations set legal requirements for the design, installation, operation and maintenance of water fittings, systems and appliances, specifically in order to prevent the contamination of drinking water as well as preventing misuse, waste, undue consumption and erroneous measurement.











WRAS WATER REGULATIONS ADVISORY SCHEME

The Water Regulations Advisory Scheme (WRAS) represents more than twenty water companies and:

- · Coordinates consistent advice
- · Promotes the water regulations
- · Offers advice to industry and consumers
- · Maintains directory of approved products

Products are tested against various requirements, grouped by:

- · Mechanical tests (against TCS')
- · Material / hygienic tests (against BS 6920)

Methven are strong supporters of WRAS approved products and offer a comprehensive portfolio of both Deva and Methven products which adhere to, and are approved to the stringent standards.

TMV APPROVAL

Thermostatic products are an integral part of the Methven and Deva by Methven ranges. For complete peace of mind they maintain a safe water temperature for users and will cut off if the cold water supply fails.

We use third party thermostatic valve accreditation partners to independently test the suitability of product against current legislation. Approval at TMV2 standard means the product complies with BS EN 1111/1287 and indicates suitability for use in the domestic home whilst approval at TMV3 meets

NHS D 08 and indicates suitability for commercial installations such as care homes and hospitals.

Methven are proud to offer products in our portfolio which adhere to these standards having undergone the initial rigorous testing procedure and on-going audit requirements. We advocate continuous in-service testing at regular intervals to ensure there has been no temperature change ensuring maximum safety standards.

TMV approved products are highlighted with the relevant icon and correct at the time of going to print.

Confidence In Us







The confidence we have in our products mean we are delighted to offer a comprehensive set of warranties for all of our products in our Methyen and Deva brands.

All details are laid out below, for the latest warranty information see www.methven.com and www.deva-uk.com or call us on 0800 195 1602.

METHVEN

Methven Brand Warranty (subject to the terms and conditions)				
Product	Parts	Labour		
Aurajet® Shower Heads & Handsets	Lifetime Replacement*			
Satinjet* & Airstream Shower Heads & Handsets	Lifetime Replacement*			
Tapware**	20 Years	2 Years		
Thermostatic Valves	5 Years	2 Years		
Shower Accessories	1 Year			
Replacement Components & Parts	1 Year			



Deva by Methven Brand Warranty (subject to the terms and conditions)				
Product	Parts	Labour		
Chrome tapware**	12 Years	2 Years		
Shower valves	5 Years	2 Years		
Shower accessories	1 Year			
Electrical products (including sensor taps)	2 Years	2 Years		
Replacement components and parts	1 Year			
Finish				
Outer Coloured Finishes (excluding Chrome)	5 Years	2 Years		

^{*} For the lifetime of the original purchaser ** All other finishes 5 Years Parts, 2 Years Labour. Any product that has not been fitted in a private dwelling located in the United Kingdom or the Republic of Ireland will be subject to our Commercial Warranty of 12 months parts and labour, as set out in Condition 8 of Methven's Terms and Conditions of Sale. For full terms and conditions see www.methven.com

Methven will not be required to repair or replace products under this warranty where: • the system the products are fitted to contains debris • the product has been damaged by misuse, accident, or neglect • harsh detergents or abrasive cleaners have been used on the product • the product has been tampered with or repaired in any way other than in accordance with this warranty • the product has discolouration, corrosion or rusting from 'hard' water and/or other environmental factors

Water Hardness & Warranty

What is hard water?


The simple definition of water hardness is the amount of dissolved calcium and magnesium in the water. Hard water is high in dissolved minerals, largely calcium and magnesium.

Hard water and warranty

Hard water is a factor beyond our control. If limescale accumulates it can impact the functionality and finish of your taps and showers and affect the warranty conditions.

Here's a few simple steps to take to avoid damage to your products:

- · Clean your taps regularly with warm water and a soft cloth to prevent stains.
- · Never use harsh abrasive cleaners as these can damage the products finish.
- In particularly hard water areas consider the installation of a water softener to counteract the effects of limescale.



This map is a guide to water hardness by region, for absolute confirmation of the water hardness in your area please contact your local water authority.

Water Saving Flow Regulators



Our flow regulators are cheap and easy to fit and will save you money on your water and heating bills year after year.



Showers

Seal Flow Regulator

Features

- · Replaces the standard seal in hoses and flexi-tails to reduce water consumption
- · Regulates flow constantly to the L/min shown

Code	Description	Ex.VAT	Inc.VAT
HSR 2	Flow regulator for shower hose – 2 L/min	£3.95	£4.74
HSR 3	Flow regulator for shower hose – 3 L/min	£3.95	£4.74
HSR 4	Flow regulator for shower hose – 4 L/min	£3.95	£4.74
HSR 6	Flow regulator for shower hose – 6 L/min	£3.95	£4.74
HSR 8	Flow regulator for shower hose – 8 L/min	£3.95	£4.74
HSR 9	Flow regulator for shower hose – 9 L/min	£3.95	£4.74

Code	Description	Ex.VAT	Inc.VAT
FRAV 9	Flow regulator to fit a shower head - 9 L/min	£3.95	£4.74
FRHS-8	Flow regulator for shower handset – 8 L/min	£3.95	£4.74



For Mono Basin And Mono Sink Mixers

Features

- · Reduces flow to the L/min shown
- · Replaces standard anti-splash in mono basin, kitchen mixers and basin pillar taps
- · Regulates flow constantly

Code	Description	Ex.VAT	Inc.VAT
FR101-3	Flow Regulator for Basin Pillar Taps - 3 L/min	£6.33	£7.60
FR101-4	Flow Regulator for Basin Pillar Taps - 4 L/min	£6.33	£7.60
FR101-6	Flow Regulator for Basin Pillar Taps - 6 L/min	£6.33	£7.60
FR113-4	Flow Regulator for Mono Basin and Sink Mixers - 4 L/min	£6.33	£7.60
FR113-5	Flow Regulator for Mono Basin and Sink Mixers - 5 L/min	£6.33	£7.60

Flow Regulator

Features

- · Outlet regulator at 1.0 bar+
- Regulates flow constantly to the L/min shown

Code	Description	Ex.VAT	Inc.VAT
FR106-12	Flow Regulator for Bath Shower Mixers above 1.0 Bar	£10.28	£12.34
FR106-7	Flow Regulator for Bath Shower Mixers above 1.0 Bar	£10.28	£12.34

Meet Part G: Deliver Under 110 Litres Per Person Per Day

Includes bath & shower



Unrestricted Home



Methven home

Part G Water Calculator	Capacity/Flow rate	Ltr/Person/ Day
WC Single Flush	6	26.52
Basin taps	10	17.38
Shower	15	65.55
Bath	100	11
Kitchen Tap	10	14.76
Dishwasher		4.5
Washing machine		17.16
Normalisation factor	X 0.91	142.75
External water use	5	5
Total		147.75


Part G Water Calculator	Capacity/ Flow rate	Ltr/ Person/ Day	Saving/ Day
WC Dual Flush (6+4/2)	4.5	20.6	5.92
Basin taps	4	7.9	9.48
Shower	5.5	30.8	34.75
Bath	100	11	-
Kitchen Tap	6	13	1.76
Dishwasher		4.5	
Washing machine		17.16	
Normalisation factor	X 0.91	95.50	47.25
External water use	5	5	
Total		100.5	

Our product saving after normalisation = 38.07 litres

Includes shower only (no bath)



Unrestricted Home



154.50

External water use

Total



Methven home

Part G Water Calculator	Capacity/ Flow rate	Ltr/ Person/ Day	Saving/ Day
WC Dual Flush (6+4/2)	4.5	20.6	5.92
Basin taps	4	7.9	9.48
Shower	5.5	24.04	59.96
Kitchen Tap	6	13	1.76
Dishwasher		4.5	
Washing machine		17.16	
Normalisation factor	X 0.91	89.36	60.17
External water use	5	5	
Total		94.4	

Our product saving after normalisation = 45.9 litres

Homeowner Savings

Changing your showerhead to 8 litres per minute



Annualised Savings	15 LPM	8 LPM
Cost of water per shower (£)	£247.13	£131.80
Cost of Gas per shower (£)	£243.67	£129.96
Total cost	£490.80	£261.76
Carbon per shower (kg)	707 96	377.58
Cash saving (£) vs 15 LPM		£229.04
Water saving (I) vs 15 LPM		37.443.8
Energy saving (kWh) vs 15 LPM		1,5367
CO ₂ E saving (kg) vs 15 LPM		330.4

^{*}Calculated for average household size of 2.4 people, showering once per day, for 11 months of the year, for 6.5 mins, using a gas combi boiler, with an outlet temp of 40°C and inlets of 10°C cold and 60°C hot. Energy and water cost as of May 2022.

Water Savings Calculator

The average household could save up to £310 per year by using a Methven shower*

Here at Methven, we believe in making the smart choice when it comes to water-saving products. Our online calculator shows how switching from a conventional needle jet shower to one of our showering technologies will help you to save money.

Methven's tapware and showering range meets energy saving targets and complies with Part G water conservation regulations. With a choice of stylish taps that deliver 4 to 6 litres per minute and showers with a flow rate of up to 8 litres per minute, Methven is future-proofing homes and reducing water and energy usage, all without any compromise on performance.



Scan to see how much you can save



^{*}based on average household of 2.4 people, reducing flow rate from 15 to 5.5 PLM, shower time = 6m 36s, 11 months/year, May'22 energy prices



EASY FIT SHOWER RAIL

SIMPLE INSTALLATION,
IDEAL FOR RETROFIT
USING EXISTING HOLES.
NO NEED FOR DRILLING.










Methven Supports The Unified Water Label Scheme




Methven Showers Choose Your Style

SINGLE BAR SHOWERS



DUAL BAR SHOWERS





Satinjet° KIRI MK2 PAGE 26



Satinjet° KIRI LOW FLOW PAGE 27



Aurajet⁻ AIO S PAGE 28



Aurajet-AIO PAGE 28



Aurajet⁻ AIO PAGE 29

Satinjet° KAHA PAGE 32



Satinjet° WAIPORI PAGE 33



SHOWER

PACK

Satinjet° KIRI MK2 PAGE 33

BAR VALVES



COOL TOUCH BAR VALVE

PAGE 34



COOL TOUCH BAR VALVE

PAGE 34



SQUARE BAR VALVE

PAGE 34




SOL BAR SHOWER

PAGE 35

Methven Showers Choose Your Style

KAHA



KAHA CONCEALED MIXER VALVE (SINGLE OUTLET)

PAGE 36

KAHA CONCEALED MIXER VALVE (2 OUTLETS)

PAGE 36

KAHA CONCEALED MIXER VALVE (3 OUTLETS)

PAGE 37

KIRI



KIRI CONCEALED MIXER VALVE (SINGLE OUTLET)

PAGE 38



KIRI CONCEALED MIXER VALVE (2 OUTLETS)

PAGE 38



KIRI CONCEALED MIXER VALVE (3 OUTLETS)

PAGE 39

METHVEN V EST 1886












Satinjet° Maku Cool Touch Bar Shower



- Includes Satinjet Maku handset
- Fitted with 8l/min flow regulator
- 38°C temperature hot stop with override facility
- Valve is safe and cool to touch making it ideal for families
- Includes easy fit connections
- Riser rail features adjustable brackets ideal for retrofit



VALVE:

Thermostatic

OPERATION:

Separate flow and temperature controls

INLET CONNECTIONS:

15mm Compression

WORKING PRESSURE:

0.3 - 5.0 bar

Water Label






MCTS Chrome & Graphite

Ex.VAT £188.16 Inc.VAT £225.79



Satinjet° Waipori Bar Shower



- Includes Satinjet Waipori handset
- Rectangular head for a wide spray pattern
- 38°C temperature hot stop with override facility
- Fitted with 8l/min flow regulator



VALVE:

Thermostatic

OPERATION:

Separate flow and temperature controls

INLET CONNECTIONS:

15mm Compression

WORKING PRESSURE:

0.5 - 5.0 bar







WAIBS Chrome & Graphite

Ex.VAT £237.09 Inc.VAT £284.51






Lifetime warranty on shower head



Satinjet° Kiri Cool Touch Bar Shower



- Water efficient without compromising performance
- · Includes Satinjet Kiri handset
- · Fitted with 8l/min flow regulator
- · 38°C temperature hot stop with override facility
- Valve is safe and cool to touch making it ideal for families
- Includes easy fit connections

VALVE:

Thermostatic

OPERATION:Separate flow and temperature controls

INLET CONNECTIONS:

15mm Compression

WORKING PRESSURE:

0.3 - 5.0 bar

Water Label



8 l/min





KCTS Chrome & Graphite

Ex.VAT £253.21 Inc.VAT £303.85



•

Variable

$Satinjet^{\circ} \text{ Kiri MK2 Cool Touch Bar Shower With } \\ \text{Easy Fit Kit}$

- Water efficient without compromising performance
- · Includes Satinjet Kiri MK2 handset
- Fitted with 8l/min flow regulator
- · 38°C temperature hot stop with override facility
- Valve is safe and cool to touch making it ideal for families
- · Includes easy fit connections
- Easy to fit shower rail simply twist and lock brackets into place, see page 18

VALVE: Thermostatic

diustable Centres

mermostatic

OPERATION:Separate flow and temperature controls

INLET CONNECTIONS:

15mm Compression

WORKING PRESSURE:

0.5 - 5.0 bar

0.5 - 5.0 bar

Water Label















KRCTSEFCP Chrome

KRCTSEFBK Matte Black

EX.VAT £274.41 Inc.VAT £329.29 EX.VAT £329.29 Inc.VAT £395.15





Satinjet° Kaha Cool Touch Bar Shower With Easy Fit Kit

- · Water efficient without compromising performance
- · Includes Satinjet Kaha handset
- Fitted with 8l/min flow regulator
- · Choose from Satinjet body shower or massage sprays
- · 38°C temperature hot stop with override facility
- · Valve is safe and cool to touch making it ideal for families
- Includes easy fit connections
- Easy to fit shower rail simply twist and lock brackets into place, see page 18

VALVE:

Thermostatic

OPERATION:

Separate flow and temperature controls

INLET CONNECTIONS:

15mm Compression

WORKING PRESSURE:

0.5 - 5.0 bar

Water Label



8 i/mir










Ex.VAT £287.48 Inc.VAT £344.98



Variable

Satinjet° Kiri MK2 Low Flow Cool Touch Bar Shower With Easy Fit Kit



- Includes Satinjet Kiri Low Flow MK2 handset
- Fitted with 5.5l/min flow regulator
- · Delivers a great shower experience at a lower flow rate
- · 38°C temperature hot stop with override facility
- · Valve is safe and cool to touch making it ideal for families
- Includes easy fit connections
- Easy to fit shower rail simply twist and lock brackets into place, see page 18

VALVE:

Thermostatic

OPERATION:

Separate flow and temperature controls

INLET CONNECTIONS:

15mm Compression

WORKING PRESSURE:

1.0 - 5.0 bar

Unified

♦ 5.5 l/min





KRLFCTSEFLP Chrome

Ex.VAT £300.45 Inc.VAT £360.54







Lifetime warranty on shower head



Satinjet° Kiri Low Flow Cool Touch Bar Shower With Easy Fit Kit



- Includes Satinjet Kiri Low Flow handset
- Fitted with 5.5l/min flow regulator
- Delivers a great shower experience at a lower flow rate

Water efficient without compromising performance

- 38°C temperature hot stop with override facility
- Valve is safe and cool to touch making it ideal for families
- Includes easy fit connections
- Easy to fit shower rail simply twist and lock brackets into place, see page 18

VALVE:

Thermostatic

OPERATION:

Separate flow and temperature controls INLET CONNECTIONS:

15mm Compression

WORKING PRESSURE:

1.0 - 5.0 bar

Water Label

♦ 5.5 l/min









KLFCTSEFCP Chrome & Graphite Ex.VAT £300.45 Inc.VAT £360.54



Our Shower Technologies

METHŮEN Satinjet°

The unmistakable feeling of 300,000 droplets per second.







Lifetime warranty on shower head



Aurajet" Aio S Cool Touch Bar Shower With **Easy Fit Kit**

- Water efficient without compromising performance
- Includes Aurajet Aio S handset
- Fitted with 5.7l/min flow regulator
- Handset resists the build up of limescale
- 38°C temperature hot stop with override facility
- Valve is safe and cool to touch making it ideal for families
- Includes easy fit connections
- Easy to fit shower rail simply twist and lock brackets into place, see page 18

VALVE:

Thermostatic

OPERATION:

Separate flow and temperature controls

INLET CONNECTIONS:

15mm Compression

WORKING PRESSURE:

1.0 - 5.0 bar

Water Label

♦ 5.7 l/min









Ex.VAT £319.80 Inc.VAT £383.76 Ex.VAT £354.98 Inc.VAT £425.98



Aurajet" Aio Cool Touch Bar Shower With Easy Fit Kit



- Water efficient without compromising performance
- Includes Aurajet Aio handset fitted with 8l/min flow regulator
- Handset resists the build up of limescale
- Valve is safe and cool to touch making it ideal for families
- 38°C temperature hot stop with override facility
- Includes easy fit connections
- Easy to fit shower rail simply twist and lock brackets into place, see page 18

VALVE:

Thermostatic

OPERATION:

Separate flow and temperature controls

INLET CONNECTIONS:

15mm Compression

WORKING PRESSURE:

1.0 - 5.0 bar













AOCTSEFCP Chrome














Lifetime warranty on shower head



Aurajet Aio Cool Touch Bar Shower

- Unique, halo shaped head for a designer look
- Water efficient without compromising performance
- · Includes Aurajet Aio handset fitted with 8l/min flow regulator
- · Handset resists the build up of limescale
- Valve is safe and cool to touch making it ideal for families
- 38°C temperature hot stop with override facility
- Includes easy fit connections
- Riser rail features adjustable brackets ideal for retrofit

VALVE:

Thermostatic

OPERATION:

Separate flow and temperature controls

INLET CONNECTIONS:

15mm Compression

WORKING PRESSURE:

1.0 - 5.0 bar

Unified Water Label



8 l/min





AOCTSCPUK Chrome


Ex.VAT £375.09 Inc.VAT £450.11





Methven Showers Dual Bar Showers





Aurajet" Aio Cool Touch Diverter Shower

- · Unique, halo shaped head for a designer look
- · Water efficient without compromising performance
- · Includes Aurajet Aio handset fitted with 8l/min flow regulator
- Handset resists the build up of limescale
- · Valve is safe and cool to touch making it ideal for families
- 38°C temperature hot stop with override facility
- Includes easy fit connections

VALVE:

Thermostatic

OPERATION:

Separate flow and temperature controls

INLET CONNECTIONS:

15mm Compression

WORKING PRESSURE:

1.0 - 5.0 bar





AOKCTSDEF Chrome

Ex.VAT £451.59 Inc.VAT £541.91



610mm

850mm

300mm


72mm

1100mm



300mm

Satinjet° Kiri MK2 Cool Touch Diverter Shower



- Includes 300mm overhead at 8l/min and Satinjet Kiri MK2 handset at 8l/min
- 38°C temperature hot stop with override facility
- · Valve is safe and cool to touch making it ideal for families
- Includes easy fit connections
- · Overhead can be adjusted/swivelled to suit your family
- Riser rail features adjustable bracket ideal for retrofit
- · Lever handle for ease of use

VALVE: Thermostatic

mermostatic

OPERATION:

Separate flow and temperature controls

INLET CONNECTIONS:

15mm Compression

WORKING PRESSURE:

1.0 - 5.0 bar









SJKRDS01BK Matte Black



Ex.VAT **£520.00** Inc.VAT **£624.00** Ex.VAT **£575.00** Inc.VAT **£690.00**




Methven Showers Dual Bar Showers





Lifetime warranty on shower head



$Aurajet^*$ Aio S Cool Touch Diverter Shower

- Water efficient without compromising performance
- Includes 300mm overhead at 8l/min and Aurajet Aio S handset at
 - 38°C temperature hot stop with override facility
- Valve is safe and cool to touch making it ideal for families
- Includes easy fit connections
- Overhead can be adjusted/swivelled to suit your family
- Riser rail features adjustable bracket ideal for retrofit
- Lever handle for ease of use

Thermostatic

OPERATION:

Separate flow and temperature controls INLET CONNECTIONS:

15mm Compression

WORKING PRESSURE:

1.0 - 5.0 bar

Water Label









AJASDS01CP Chrome

Ex.VAT £539.80 Inc.VAT £647.76

570mm 72mm 234mm 1100mm Adjustable Riser Height 850mm 234mm

Satinjet° Kiri MK2 Cool Touch Diverter Shower

- Water efficient without compromising performance
- Includes Satinjet overhead at 9l/min and Satinjet Kiri MK2 handset
- 38°C temperature hot stop with override facility
- Valve is safe and cool to touch making it ideal for families
- Includes easy fit connections
- Overhead can be adjusted/swivelled to suit your family
- Riser rail features adjustable bracket ideal for retrofit
- Lever handle for ease of use

VALVE:

Thermostatic

OPERATION:

Separate flow and temperature controls INLET CONNECTIONS:

15mm Compression

WORKING PRESSURE:

1.0 - 5.0 bar









KRCTADEF Chrome

EX.VAT £558.23 Inc.VAT £669.88

150mm 313mm

Methven Showers Dual Bar Showers





Satinjet° Waipori Cool Touch Diverter Shower

- Water efficient without compromising performance
- Includes 300mm overhead at 8l/min and Satinjet Waipori handset
- Valve is safe and cool to touch making it ideal for families
- 38°C temperature hot stop with override facility
- Includes easy fit connections
- Overhead height can be adjusted to suit your family

VALVE: Thermostatic

OPERATION:

Separate flow and temperature controls

INLET CONNECTIONS:

15mm Compression

WORKING PRESSURE:

1.5 - 5.0 bar

Water Label





SJWDS01CP Chrome

Ex.VAT £598.00 Inc.VAT £717.60

570mm 72mm 234mm 1100mm 850mm 234mm 150mm

Satinjet° Kaha Cool Touch Diverter Shower

- Water efficient without compromising performance
- Includes Satinjet overhead at 9l/min and Satinjet Kaha handset at
- Choose from Satinjet body shower or massage sprays
- 38°C temperature hot stop with override facility
- Valve is safe and cool to touch making it ideal for families
- Includes easy fit connections
- Riser height can be adjusted to suit your family
- Lever handle for ease of use

VALVE:

Thermostatic

OPERATION:

Separate flow and temperature controls

INLET CONNECTIONS:

15mm Compression

WORKING PRESSURE: 1.0 - 5.0 bar





KHCTADEF Chrome

Ex.VAT £608.69 Inc.VAT £730.43

313mm

Methven Showers Dual Bar Shower & Shower Pack





Lifetime warranty on shower head



Satinjet° Waipori Cool Touch Diverter Shower

- Includes Satinjet overhead at 9l/min and Waipori Satinjet handset at 8l/min
- 38°C temperature hot stop with override facility
- Valve is safe and cool to touch making it ideal for families
- Includes easy fit connections
- Overhead height can be adjusted to suit your family

VALVE: Thermostatic

OPERATION: Separate flow and temperature controls INLET CONNECTIONS:

15mm Compression

WORKING PRESSURE:

1.5 - 5.0 bar

Water Label






WCTSDEF Chrome & Graphite

Ex.VAT £609.48 Inc.VAT £731.38





Satinjet° Kiri MK2 Concealed Shower Pack



- Includes Kiri MK2 Satinjet handset at 8l/min
- Includes 300mm overhead at 8l/min
- Front access filters no need to disconnect shower from water supply during maintenance
- Diverter cartridge to two outlets
- Easy to fit shower rail simply twist and lock brackets into place, see page 14



Thermostatic

OPERATION:

Separate flow and temperature controls INLET CONNECTIONS:

WORKING PRESSURE:

1.0 - 5.0 bar

Water Label













CSPR02 Chrome

EX.VAT £793.76 Inc.VAT £952.51




Methven Showers Bar Valves



Cool Touch Bar Valve

- 38°C temperature hot stop with override facility
- Valve is safe and cool to touch making it ideal for families
- Includes easy fit connections



VALVE: Thermostatic

OPERATION:

Separate flow and temperature controls INLET CONNECTIONS:

15mm Compression

WORKING PRESSURE:

0.2 - 5.0 bar








CTBV03 Chrome

Ex.VAT £134.54 Inc.VAT £161.45

Cool Touch Bar Valve

- 38°C temperature hot stop with override facility
- Valve is safe and cool to touch making it ideal for families
- Includes easy fit connections
- Lever handle for ease of use



VALVE: Thermostatic

OPERATION:

Separate flow and

temperature controls

INLET CONNECTIONS:

15mm Compression

WORKING PRESSURE:

0.2 - 5.0 bar






CTBV02 Chrome CTBVO2BK Matte Black

Ex.VAT £151.25 Inc.VAT £181.50 Ex.VAT £173.94 Inc.VAT £208.73

Square Bar Valve

- 38°C temperature hot stop with override facility
- Includes easy fit connections



VALVE:

Thermostatic

OPERATION:

Separate flow and temperature controls INLET CONNECTIONS:

15mm Compression

WORKING PRESSURE:

0.3 - 5.0 bar





MSBV01 Chrome

Ex.VAT £180.36 Inc.VAT £216.43


Methven Showers





Sol Bar Shower

- · Ultimate thermostatic performance
- Ideal for care homes
- Includes easy fit connections



VALVE: Thermostatic

OPERATION: Separate flow and

temperature controls

INLET CONNECTIONS:

15mm Compression

WORKING PRESSURE:

0.2 - 5.0 bar





Ex.VAT £392.02 Inc.VAT £470.42




Methven Showers Kaha









Kaha Concealed Mixer Valve (Single Outlet)

- · 38°C temperature hot stop with override facility
- Front access filters no need to disconnect shower from water supply during maintenance
- · Available with brass or ABS concealing plate
- · Concealed shower spindle extension available see page 177

VALVE:

Thermostatic OPERATION:

Separate flow and temperature controls

INLET CONNECTIONS:

1/2" BSI

WORKING PRESSURE:

0.2 - 5.0 bar



Matte Black





KAHA 1DA Chrome (ABS plate)
KAHA 1DBK Matte Black




Ex.VAT £397.32 Inc.VAT £476.78

Diate) EX.VAT £344.73 Inc.VAT £413.68
EX.VAT £490.81 Inc.VAT £588.97







57 70 138



Kaha Concealed Mixer Valve (2 outlets)

- 38°C temperature hot stop with override facility
- Front access filters no need to disconnect shower from water supply during maintenance
- Diverter cartridge to two outlets
- · Available with brass or ABS concealing plate
- · Concealed shower spindle extension available see page 177



Thermostatic

OPERATION: Separate flow and temperature controls INLET CONNECTIONS:

1/2" BSP


WORKING PRESSURE: 0.2 - 5.0 bar

0.2 - 5.0 bar









KAHA 2DA Chrome (ABS plate)
KAHA 2DBK Matte Black




EX.VAT £461.59 Inc.VAT £553.91
EX.VAT £409.00 Inc.VAT £490.80
EX.VAT £555.08 Inc.VAT £666.10

Methven Showers Kaha







Kaha Concealed Mixer Valve (3 Outlets)

- · 38°C temperature hot stop with override facility
- Front access filters no need to disconnect shower from water supply during maintenance
- Diverter cartridge to two outlets and separate stopcock for bath fill
- · Available with brass or ABS concealing plate
- · Concealed shower spindle extension available see page 177

VALVE: INLET CONNECTIONS: Thermostatic ½" BSP

OPERATION: WORKING PRESSURE:
Separate flow and temperature controls





- KAHA 3D Chrome (Brass)
- KAHA 3DA Chrome (ABS plate)
- KAHA 3DBK Matte Black

EX.VAT £636.88 Inc.VAT £764.26
EX.VAT £584.29 Inc.VAT £701.15
EX.VAT £730.37 Inc.VAT £876.44




Methven Showers Kiri



Kiri Concealed Mixer Valve (Single Outlet)

- · 38°C temperature hot stop with override facility
- Front access filters no need to disconnect shower from water supply during maintenance
- · Available with brass or ABS concealing plate



VALVE: Thermostatic

OPERATION: Separate flow and

Separate flow and temperature controls

INLET CONNECTIONS:

1/2" BSP

WORKING PRESSURE:

0.2 - 5.0 bar






KIRI 1D Chrome (Brass)
KIRI 1DA Chrome (ABS plate)

EX.VAT £397.32 Inc.VAT £476.78 EX.VAT £344.73 Inc.VAT £413.68

Kiri Concealed Mixer Valve (2 outlets)

- \cdot 38°C temperature hot stop with override facility
- Front access filters no need to disconnect shower from water supply during maintenance
- Diverter cartridge to two outlets
- · Available with brass or ABS concealing plate
- · Concealed shower spindle extension available see page 177





VALVE: Thermostatic

OPERATION: Separate flow and temperature controls INLET CONNECTIONS:

1/2" BSP

WORKING PRESSURE: 0.2 - 5.0 bar





KIRI 2D Chrome (Brass)

KIRI 2DA Chrome (ABS plate)

EX.VAT **£461.59** Inc.VAT **£553.91**EX.VAT **£409.00** Inc.VAT **£490.80**


Methven Showers Kiri





Kiri Concealed Mixer Valve (3 Outlets)





- 38°C temperature hot stop with override facility
- Front access filters no need to disconnect shower from water supply during maintenance
- Diverter cartridge to two outlets and separate stopcock for bath
- Available with brass or ABS concealing plate
- Concealed shower spindle extension available see page 177

VALVE: Thermostatic

OPERATION: Separate flow and temperature controls INLET CONNECTIONS:

1/2" BSP

WORKING PRESSURE:

0.2 - 5.0 bar





- KIRI 3D Chrome (Brass)
- KIRI 3DA Chrome (ABS plate)

Ex.VAT £636.88 Inc.VAT £764.26 Ex.VAT £584.29 Inc.VAT £701.15




Pick n Mix

Mix and match with our shower accessories to create your own configuration, overheads for drenching & handsets for rinsing



Ex.VAT £67.73 Inc.VAT £81.28



Satinjet° Maku Shower Kit

Water efficient without compromising performance


- Includes Satinjet Maku handset
- Fitted with 8l/min flow regulator
- · Suitable for all showers
- · Ideal for electric showers
- Riser rail features adjustable brackets ideal for retrofit





Satinjet° Kiri Shower Kit

MK1 Chrome & Graphite








Lifetime warranty on shower head









Satinjet° Kiri Shower Kit - 1 metre

- Water efficient without compromising performance
- · Includes 1 metre shower rail
- Includes Satinjet Kiri handset
- · Fitted with 8l/min flow regulator
- Riser rail features adjustable brackets ideal for retrofit

INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.3 - 5.0 bar

Water Label





K1MSK Chrome & Graphite

Ex.VAT £104.49 Inc.VAT £125.39

$Airstream^*$ 3 Mode Easy Fit Shower Kit



- Easy click 3 function spray
- Simple push button operation to change between Airstream full body, massage and combination spray
- Easy to fit shower rail simply twist and lock brackets into place, see page 18
- · Riser rail features adjustable brackets ideal for retrofit

INLET CONNECTIONS: 1/2"BSP

WORKING PRESSURE:

0.3 - 5.0 bar




3

EKIT01/A Chrome & White

Ex.VAT £109.88 Inc.VAT £131.86









Lifetime warranty on shower head



Satinjet° Maku Easy Fit Shower Kit

- Water efficient without compromising performance
- · Includes Satinjet Maku handset
- · Fitted with 8l/min flow regulator
- · Suitable for all showers
- Ideal for electric showers
- Easy to fit shower rail simply twist and lock brackets into place, see page 18

INLET CONNECTIONS:

WORKING PRESSURE:

1/2" BSP

0.3 - 5.0 bar

Water Label







EKITO4/M Chrome & Graphite

Ex.VAT £116.56 Inc.VAT £139.87



Satinjet° Kiri MK2 Easy Fit Shower Kit

- · Water efficient without compromising performance
- Includes Satinjet Kiri handset
- Fitted with 8l/min flow regulator
- Easy to fit shower rail simply twist and lock brackets into place, see page 18

INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.3 - 5.0 bar

Water Label







EKITO9/KR Chrome


EKITO9/KRBK Matte Black

EX.VAT £123.44 Inc.VAT £148.13 EX.VAT £164.92 Inc.VAT £197.90














Lifetime warranty on shower head





600mm MAX

Aurajet" Aio S Easy Fit Shower Kit



- Water efficient without compromising performance
- Handset resists the build up of limescale
- Includes Aurajet Aio S handset
- Fitted with 5.7l/min flow regulator
- Easy to fit shower rail simply twist and lock brackets into place, see page 18

INLET CONNECTIONS:
1/2" BSP

WORKING PRESSURE:


1.0 - 5.0 bar

Water Label

♦ 5.7 l/min



EX.VAT £140.00 Inc.VAT £168.00 EX.VAT £178.00 Inc.VAT £213.60





Airstream Rail Shower

- · Features Airstream for softer, lighter, more voluminous showering
- Simple lever to change between Airstream full body, massage and combination spray
- · Includes male threaded connector

INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.5 - 5.0 bar



KMKITBK Matte Black

Ex.VAT £140.15 Inc.VAT £168.18






Satinjet° Kaha Easy Fit Shower Kit



- Includes Satinjet Kaha handset
- Fitted with 8l/min flow regulator
- Choose from Satinjet body shower or massage sprays
- Easy to fit shower rail simply twist and lock brackets into place, see page 18



INLET CONNECTIONS:

1/2" BSP

WORKING PRESSURE:

0.3 - 5.0 bar





EKITO8/KH Chrome

EX.VAT £161.03 Inc.VAT £193.24





- Unique, halo shaped head for a designer look
- Water efficient without compromising performance
- Includes Aurajet Aio handset
- Fitted with 8l/min flow regulator
- Handset resists the build up of limescale
- Easy to fit shower rail simply twist and lock brackets into place, see page 18
- Riser rail features adjustable brackets ideal for retrofit



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

1.0 - 5.0 bar

Water Label



EKITO6/AIO Chrome




Ex.VAT £182.24 Inc.VAT £218.69





Lifetime warranty on shower head



Aurajet Aio Rail Shower

- Unique, halo shaped head for a designer look
- · Water efficient without compromising performance
- · Includes Aurajet Aio handset
- · Fitted with 8l/min flow regulator
- Handset resists the build up of limescale
- Riser rail features adjustable brackets ideal for retrofit

INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 1.0 - 5.0 bar

Unified Water Label









Ex.VAT £246.05 Inc.VAT £295.26

Beat The Rising Cost Of Living


Annualised Savings	8 LPM
Cash saving (£) vs 15 LPM	£229.04
Water saving (I) vs 15 LPM	37.443.8
Energy saving (kWh) vs 15 LPM	1,5367
CO₂E saving (kg) vs 15 LPM	330.4

To find out more visit www.uk.methven.com/interactive-calculator










- · Unique, halo shaped head for a designer look
- · Water efficient without compromising performance
- Fitted with 12l/min flow regulator in overhead and 8l/min in handset
- · Handset and head resist the build up of limescale
- Integrated diverter
- · Quick fit connector for easy installation
- Perfect with Kaha or Kiri single outlet shower valve see pages 36



INLET CONNECTIONS: WORKING PRESSURE: 1/2" BSP 1.0 - 5.0 bar





AOSSCPUK Chrome

Ex.VAT £740.64 Inc.VAT £888.77







Easy Fit Shower Rail



- Easy to fit shower rail simply twist and lock brackets into place, see page 18
- · Riser rail features adjustable brackets ideal for retrofit
- · Button operation on slider adjustment

EFSR005 Chrome
EFSR005BK Matte Black

EX.VAT £76.47 Inc.VAT £91.76 EX.VAT £111.00 Inc.VAT £133.20






Satinjet° Maku Handset



- Water efficient without compromising performance
- Ideal for use with electric showers
- Fitted with 8l/min flow regulator
- Lifetime warranty



Water Label

8 l/min

INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.3 - 5.0 bar


MAHPCPUK Chrome & Graphite

Ex.VAT £31.24 Inc.VAT £37.49

Satinjet° Kiri Handset



- Water efficient without compromising performance
- Fitted with 8l/min flow regulator
- Lifetime warranty







8 l/min

INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.3 - 5.0 bar

SJK23 Chrome & Graphite


Ex.VAT £37.63 Inc.VAT £45.16

Satinjet° Kiri Shower Rose



- Water efficient without compromising performance
- Adjustable head to angle spray exactly where you want it
- Fitted with 8l/min flow regulator
- Lifetime warranty













INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.3 - 5.0 bar

SJK005 Chrome & Graphite

Ex.VAT £37.63 Inc.VAT £45.16

Satinjet° Kiri Low Flow Handset



- Water efficient without compromising performance
- Delivers a great shower experience at a lower flow rate
- Fitted with 5.5l/min flow regulator
- Lifetime warranty









Water Label

♦5.5 l/min

INLET CONNECTIONS:

WORKING PRESSURE: 1.0 - 5.0 bar

SJK23-LF Chrome & Graphite

Ex.VAT £37.63 Inc.VAT £45.16






Satinjet° Kiri Low Flow Shower Rose



- Water efficient without compromising performance
- Adjustable head to angle spray exactly where you want it
- Delivers a great shower experience at a lower flow rate
- Fitted with 5.5l/min flow regulator
- Lifetime warranty









\$5.5 I/min

INLET CONNECTIONS:

1/2" BSP

WORKING PRESSURE:

1.0 - 5.0 bar

SJK005-LF Chrome & Graphite

Ex.VAT £37.63 Inc.VAT £45.16

Satinjet° Kiri MK2 Handset



- Water efficient without compromising performance
- Fitted with 8l/min flow regulator
- Lifetime warranty







Unified Water Label

8 l/min

INLET CONNECTIONS:

1/2" BSP 0.3 - 5.0 bar

WORKING PRESSURE:

KRHSCPUK Chrome KRHSBK Matte Black

Ex.VAT £42.93 Inc.VAT £51.52 Ex.VAT £58.00 Inc.VAT £69.60

Satinjet° Kiri Low Flow MK2 Handset



- Water efficient without compromising performance
- Delivers a great shower experience at a lower flow rate
- Fitted with 5.5l/min flow regulator
- Lifetime warranty





Water Label

♦5.5 l/min

INLET CONNECTIONS:

1/2" BSP

WORKING PRESSURE:

1.0 - 5.0 bar

KRLFHSCP Chrome

Ex.VAT £42.93 Inc.VAT £51.52

Our Shower Technologies

METHŮEN Satinjet°





The unmistakable feeling of 300,000 droplets per second.






Satinjet° Kiri MK2 Shower Rose



- Water efficient without compromising performance
- Adjustable head to angle spray exactly where you want it
- Fitted with 8l/min flow regulator
- Lifetime warranty











INLET CONNECTIONS:

WORKING PRESSURE:

1/2" BSP

0.3 - 5.0 bar

KRWSCPUK Chrome


Ex.VAT £42.93 Inc.VAT £51.52

Satinjet° Kiri Low Flow MK2 Shower Rose



- Water efficient without compromising performance
- Delivers a great shower experience at a lower flow rate
- Adjustable head to angle spray exactly where you want it
- Fitted with 5.5l/min flow regulator
- Lifetime warranty







Water Label

♦5.5 l/min

INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

1.0 - 5.0 bar

KRLFWSCP Chrome

Ex.VAT £42.93 Inc.VAT £51.52

Airstream[®] Handset



- Features Airstream for softer, lighter, more voluminous showering
- Easy click 3 function spray
- Simple push button operation to change between Airstream full body, massage and combination spray



WORKING PRESSURE:

1/2" BSP

INLET CONNECTIONS:

1.0 - 5.0 bar

AIR1HSCPWHUK Chrome & White

Ex.VAT £47.33 Inc.VAT £56.80

Satinjet° Waipori Handset



- Water efficient without compromising performance
- Rectangular head for a wide spray pattern
- Fitted with 8l/min flow regulator
- Lifetime warranty









INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.3 - 5.0 bar

WAHPCPUK Chrome & Graphite

Ex.VAT £50.17 Inc.VAT £60.20






Satinjet° Waipori Shower Rose



- Water efficient without compromising performance
- Rectangular head for a wide spray pattern
- Adjustable head to angle spray exactly where you want it
- Fitted with 8l/min flow regulator
- Lifetime warranty







INLET CONNECTIONS: 1/2" BSP


WORKING PRESSURE: 0.3 - 5.0 bar

WASRCPUK Chrome & Graphite Ex.VAT £50.17 Inc.VAT £60.20

Microphone Handset



- Minimalist design
- Ideal for rinsing and cleaning
- Fitted with 8l/min flow regulator







8 l/min

INLET CONNECTIONS: 1/2" BSP


WORKING PRESSURE:

0.3 - 5.0 bar

MH2CP Chrome (Brass)

Ex.VAT £55.50 Inc.VAT £66.60

Airstream[®] 3 Mode Handset



- Features Airstream for softer, lighter, more voluminous showering
- Simple lever to change between Airstream full body, massage and combination spray
- Rub clean nozzles



1/2" BSP

INLET CONNECTIONS:

WORKING PRESSURE:

0.5 - 5.0 bar

HANMO9BK Matte Black

Ex.VAT £64.41 Inc.VAT £77.29

Aurajet" Aio S Handset





- Unique, halo shaped head for a designer look
- Water efficient without compromising performance
- Fitted with 5.7l/min flow regulator
- Handset resists the build up of limescale
- Lifetime warranty







\$5.7 l/min

INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 1.0 - 5.0 bar

AJAHS01CP Chrome AJAHS01BK Matte Black


Ex.VAT £70.00 Inc.VAT £84.00 Ex.VAT £85.00 Inc.VAT £102.00



Satinjet° Kaha Handset



- Choose from Satinjet body shower or massage sprays
- Water efficient without compromising performance
- Fitted with 8l/min flow regulator
- Lifetime warranty









INLET CONNECTIONS:

WORKING PRESSURE:

1/2" BSP

0.3 - 5.0 bar

KHHSCPUK Chrome


Ex.VAT £84.43 Inc.VAT £101.32

Satinjet° Kaha Shower Rose



- Choose from Satinjet body shower or massage sprays
- Water efficient without compromising performance
- Fitted with 8l/min flow regulator
- Adjustable head to angle spray exactly where you want it
- Lifetime warranty









Water Label

8 l/min

INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.3 - 5.0 bar

KHWSCPUK Chrome

Ex.VAT £90.47 Inc.VAT £108.56

Aurajet[™] Aio Handset





- Unique, halo shaped head for a designer look
- Water efficient without compromising performance
- Fitted with 8l/min flow regulator
- Handset resists the build up of limescale
- Lifetime warranty













INLET CONNECTIONS: 1/2" BSP


WORKING PRESSURE: 1.0 - 5.0 bar

AOHSCPUK Chrome

Ex.VAT £110.04 Inc.VAT £132.05

Wall Mounted Shower Arm and Head

- Adjustable head to angle spray exactly where you want it
- Easy to clean nozzles
- Includes male threaded connector





INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.3 - 5.0 bar


KSABK Matte Black

Ex.VAT £121.31 Inc.VAT £145.57






Satinjet° Square Fixed Head Shower



- Water efficient without compromising performance
- Adjustable head to angle spray exactly where you want it
- Supplied with 9l/min flow regulator
 - Lifetime warranty



Satinjet° Round Fixed Head Shower


- Water efficient without compromising performance
- Adjustable head to angle spray exactly where you want it
- Supplied with 9l/min flow regulator
- Lifetime warranty



300mm Round Overhead Shower




- Easy to clean nozzles
- Adjustable head to angle spray exactly where you want it
- Fitted with 8l/min flow regulator



300mm Square Overhead Shower



- Easy to clean nozzles
- Adjustable head to angle spray exactly where you want it
- Fitted with 8l/min flow regulator




8 l/min

Methven Showers Heads



Aurajet™ Aio Overhead Shower



- Ultra wide spray coverage
- Resists the build up of limescale
- Fitted with 12l/min flow regulator
- Quick fit connector for easy installation
- Perfect with Kaha or Kiri single outlet shower valve see pages 36






INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 1.0 - 5.0 bar

AOOSCPUK Chrome

Ex.VAT £307.89 Inc.VAT £369.47



Methven Showers Arms & Accessories





Wall-Mounted Shower Arm



- Brass construction
- · Comes complete with 1/2" BSP connection
- · Pair with any shower head

INLET CONNECTIONS:

1/2" BSP

SAW148 Chrome

Ex.VAT £37.63 Inc.VAT £45.16

Over Head Wall Shower Arm

- · Brass construction
- · Comes complete with 1/2" BSP connection
- Pair with any shower head




INLET CONNECTIONS:

1/2" BSP

SAW320 Chrome

Ex.VAT £37.63 Inc.VAT £45.16

Ceiling Mounted Shower Arm 200mm



- · Brass construction
- · Pair with a round or square head

INLET CONNECTIONS:

1/2" BSP

ARMC05CP Chrome
ARMC05BK Matte Black

Ex.VAT £46.74 Inc.VAT £56.09 Ex.VAT £70.12 Inc.VAT £84.14

Over Head Wall Shower Arm

- · Brass construction
- Pair with a round or square head



INLET CONNECTIONS:

1/2" BSP

ARMW06CP Chrome
ARMW06BK Matte Black


EX.VAT £58.43 Inc.VAT £70.12 EX.VAT £81.80 Inc.VAT £98.16

Methven Showers Arms & Accessories



Ceiling Mounted Shower Arm 300mm

- Brass construction
- · Pair with a round or square head



INLET CONNECTIONS:


1/2" BSP

ARMCO6CP Chrome
ARMCO6BK Matte Black

EX.VAT £58.43 Inc.VAT £70.12 EX.VAT £81.80 Inc.VAT £98.16

Ceiling Mounted Shower Arm 500mm

- Brass construction
- · Pair with a round or square head



INLET CONNECTIONS:

1/2" BSP

ARMCO7CP Chrome

Ex.VAT £70.12 Inc.VAT £84.14

ARMC07BK Matte Black Ex.VAT £93.49 Inc.VAT £112.19

Wall Elbow Parking Bracket

Brass construction



INLET CONNECTIONS:


1/2" BSP

WEPB Chrome

Ex.VAT £66.99 Inc.VAT £80.39

Round Parking Bracket

· Brass construction



RPB Chrome

Ex.VAT £62.74 Inc.VAT £75.29


Methven Showers Accessories





Square Wall Union

- Brass construction
- · Comes complete with 1/2" BSP connection



INLET CONNECTIONS:

1/2" BSP

METHSQELB Chrome

Ex.VAT £68.98 Inc.VAT £82.78

Smooth Shower Hose

· Easy clean, twist free smooth hose



INLET CONNECTIONS:

1/2" BSP

HOS1.5PVS07 Chrome (1.5m)
HOSE2.0 Chrome (2m)

EX.VAT £33.99 Inc.VAT £40.79 EX.VAT £39.52 Inc.VAT £47.42

■ HOS1.5PVS07BK Matte Black (1.5m) Ex.VAT £42.00 Inc.VAT £50.40

Methven Taps Choose Your Style

BATHROOM







AMIO PAGE 62 WAI PAGE 64 KEA PAGE 68

KITCHEN





PAGE 74

ELLESMERE PAGE 75 DUNSTON PAGE 75









PAGE 70

KAHA PAGE 71 THERMOSTATIC PAGE 72




MATHESON PAGE 75

Methven Taps Amio



5 year warranty on non-chrome finishes

Amio Basin Mixer



- Ceramic cartridge for smooth operation
- Includes press top waste
- Compatible with Waterblade
- Works with flow regulator FR113-4 to achieve 4 litres per minute -

INLET CONNECTIONS:

WORKING PRESSURE:

1/2" BSP

0.1 - 5.0 bar



■ AMBCPUK Chrome

Ex.VAT £112.72 Inc.VAT £135.26 Ex.VAT £154.58 Inc.VAT £185.50


AMBBK Matte Black

Ceramic cartridge for smooth operation

Works with flow regulator FR113-4 to achieve 4 litres per minute see page 13

For wastes see pages 170-172

Amio Tall Basin Mixer



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.1 - 5.0 bar




AMTBCPUK Chrome AMTBBK Matte Black

Ex.VAT £161.03 Inc.VAT £193.24 Ex.VAT £208.70 Inc.VAT £250.44

Amio Mini Basin Mixer

- Ceramic cartridge for smooth operation
- Works with flow regulator FR113-4 to achieve 4 litres per minute see page 13
- For wastes see pages 170-172



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.1 - 5.0 bar



AMBMCPUK Chrome

AMBMBK Matte Black

Ex.VAT £90.17 Inc.VAT £108.20 Ex.VAT £121.74 Inc.VAT £146.09


Methven Taps Amio






5 year warranty on non-chrome finishes

Amio Deck Mounted Bath Filler





WORKING PRESSURE: INLET CONNECTIONS: 3/4" BSP 0.3 - 5.0 bar

AMBFCPUK Chrome AMBFBK Matte Black

Ex.VAT £171.75 Inc.VAT £206.10 Ex.VAT £231.88 Inc.VAT £278.26

Satinjet° Amio Deck Mounted Bath **Shower Mixer**

- Complete with Satinjet Maku handset & wall bracket
- Water efficient without compromising showering performance
- Handset fitted with 8l/min flow regulator
- Lifetime warranty on the handset
 - Ceramic disc handles ensure a smooth operation
 - Supplied with metal backnuts

WORKING PRESSURE: INLET CONNECTIONS: 3/4" BSP

0.3 - 5.0 bar



AMBSMCPUK Chrome & Graphite Ex.VAT £219.00 Inc.VAT £262.80 AMBSMBK Matte Black Ex.VAT £296.29 Inc.VAT £355.55





5 year warranty on non-chrome finishes

Wai Basin Mixer



- Contemporary square design
- Ceramic cartridge for smooth operation
- Fitted with a 4l/min flow regulator
- Slim stream directional aerator prevents splashback
- Includes press top waste



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.1 - 5.0 bar

Water Label 4 l/min



- WAIBCPUK Chrome
- WAIBBK Matte Black

Ex.VAT £123.99 Inc.VAT £148.79 Ex.VAT £175.29 Inc.VAT £210.35

Wai Tall Basin Mixer



- Contemporary square design
- Ceramic cartridge for smooth operation
- Fitted with a 4l/min flow regulator
- Slim stream directional aerator prevents splashback



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.1 - 5.0 bar

Water Label 4 l/min



WAITBCPUK Chrome

WAITBBK Matte Black

Ex.VAT £188.94 Inc.VAT £226.73


Ex.VAT £238.59 Inc.VAT £286.31

Wai Mini Basin Mixer



- Contemporary square design
- Ceramic cartridge for smooth operation
- Includes press top waste
- Fitted with a 4l/min flow regulator
- Slim stream directional aerator prevents splashback





INLET CONNECTIONS:

1/2" BSP

WORKING PRESSURE:

0.1 - 5.0 bar

Unified Water Label 4 l/min



- WAIBMCPUK Chrome
- WAIBMBK Matte Black

Ex.VAT £99.19 Inc.VAT £119.03 Ex.VAT £151.91 Inc.VAT £182.29






5 year warranty on non-chrome finishes

Wai Wall Mounted Basin Mixer



- Contemporary square design
- Ceramic cartridge for smooth operation
- Fitted with a 4l/min flow regulator
- · Slim stream directional aerator prevents splashback
- · Long reach spout ideal for free standing basins



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.1 - 5.0 bar

Water Label 4 l/min



WAIWMBCP Chrome

Ex.VAT £144.49 Inc.VAT £173.39

Wai Bath Filler

- · Contemporary square design
- · Ceramic disc handles ensure a smooth operation
- · Supplied with metal backnuts



INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE:

0.3 - 5.0 bar



WAIBFCPUK Chrome


EX.VAT £177.13 Inc.VAT £212.56 EX.VAT £223.99 Inc.VAT £268.79

Wai Wall Mounted Bath Filler

· Contemporary square design

WAIBFBK Matte Black

- · Ceramic cartridge for smooth operation
- · Long reach spout ideal for freestanding baths



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.3 - 5.0 bar



Ex.VAT £147.07 Inc.VAT £176.48

Wai 3 Hole Bath Filler



- Contemporary square design
- Ceramic disc handles ensure a smooth operation



INLET CONNECTIONS:

WORKING PRESSURE:

0.1 - 5.0 bar




3/4" BSP

WAI3BFCP Chrome

EX.VAT £217.70 Inc.VAT £261.24

Satinjet° Wai Bath Shower Mixer



- Contemporary square design
- Complete with Satinjet Waipori handset regulated to 8 litres per minute & wall bracket
- Water efficient without compromising showering performance
- Ceramic disc handles ensure a smooth operation
- Supplied with metal backnuts
- Lifetime warranty on handset


WORKING PRESSURE: INLET CONNECTIONS: 0.3 - 5.0 bar

3/4" BSP



WAIBSMCPUK Chrome & Graphite Ex.VAT £244.77 Inc.VAT £293.72 WAIBSMBK Matte Black Ex.VAT £292.14 Inc.VAT £350.57





- Contemporary square design
- Complete with Satinjet Waipori handset regulated to 8 litres per
- Water efficient without compromising showering performance
- Ceramic cartridge for smooth operation

INLET CONNECTIONS: WORKING PRESSURE: 3/4" BSP 0.3 - 5.0 bar



WAIFMBSM Chrome & Graphite WAIFMBSMBK Matte Black

Ex.VAT £586.08 Inc.VAT £703.30 Ex.VAT £785.28 Inc.VAT £942.34













Methven Taps Kea



Kea Basin Mixer

- · Ceramic cartridge for smooth operation
- · Slim stream aerator with directional flow
- · Fitted with 7 l/min flow regulator
- Compatible with Waterblade innovative technology which uses just 2.5l/min

7 l/min

· Includes press top waste



INLET CONNECTIONS:

1/2" BSP

WORKING PRESSURE:

0.3 - 5.0 bar

Water Label



KEBCPUK Chrome

Ex.VAT £136.74 Inc.VAT £164.09

Kea Mini Basin Mixer

- · Ceramic cartridge for smooth operation
- · Slim stream aerator with directional flow
- Works with flow regulator FR113-4 to achieve 4 litres per minute see page 13



INLET CONNECTIONS:

WORKING PRESSURE:

0.2 - 5.0 bar

(A)


1/2" BSP

KEBMCPUK Chrome

Ex.VAT £116.62 Inc.VAT £139.94

Kea Bath Filler

Ceramic disc handles ensure a smooth operation



INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE:

0.1 - 5.0 bar



KEBFCPUK Chrome


Ex.VAT £187.29 Inc.VAT £224.75

Methven Taps Kea





Satinjet° Kea Bath Shower Mixer



- · Complete with Satinjet Maku handset & wall bracket
- · Water efficient without compromising showering performance
- · Fitted with 8l/min flow regulator
- Lifetime warranty on the handset
- · Ceramic disc handles ensure a smooth operation

INLET CONNECTIONS:

WORKING PRESSURE:

3/4" BSP

0.3 - 5.0 bar





KEBSMCPUK Chrome & Graphite

Ex.VAT £222.62 Inc.VAT £267.14



Methven Taps Breeze



5 year warranty on non-chrome finishes

Breeze Basin Mixer

- · Ceramic cartridge for smooth operation
- · Includes press top waste
- · Twin stud clamp kit for secure fitting



INLET CONNECTIONS: WORKING PRESSURE:

1/2" BSP

0.1 - 5.0 bar



BRBCPUK Chrome

BRBBKUK Matte Black (without waste)


EX.VAT £161.83 Inc.VAT £194.20 EX.VAT £197.11 Inc.VAT £236.53

BRBWBK Matte Black with press top waste

Ex.VAT **£249.80** Inc.VAT **£299.76**

Breeze Wall Mounted Basin Mixer

- · Ceramic cartridge for smooth operation
- Sealed faceplate
- · Solid easy to grip handle



INLET CONNECTIONS:

WORKING PRESSURE: 0.1 - 5.0 bar

1/2" BSP




BRWMBCP Chrome

BRWMBBK Matte Black

EX.VAT £199.59 Inc.VAT £239.51 EX.VAT £266.11 Inc.VAT £319.33

Satinjet° Breeze Bath Shower Mixer



- Complete with Satinjet Maku handset & wall bracket
- · Water efficient without compromising showering performance
- · Fitted with 8l/min flow regulator
- · Lifetime warranty on the handset
- · Ceramic disc handles ensure a smooth operation
- Supplied with metal backnuts

INLET CONNECTIONS:
3/4" BSP

WORKING PRESSURE:

0.1 - 5.0 bar



BRBSMCPUK Chrome & Graphite Ex.VAT £257.96 Inc.VAT £309.55

Methven Taps Kaha






Ex.VAT £219.52 Inc.VAT £263.42

Kaha Basin Mixer With Swivel Base

- · Swivels at base, ideal for smaller basins
- · Ceramic cartridge for smooth operation
- · Fitted with a 7l/min flow regulator


KAHA 113 Chrome

· Slim stream directional aerator prevents splashback









Methven Taps Thermostatic



Thermostatic Wall Mounted Bath **Shower Mixer**

- · Thermostatic valve with 38°C temperature stop (with override)
- Easy to use lever handles



VALVE: Thermostatic

OPERATION: Separate flow and temperature controls INLET CONNECTIONS:

3/4" BSP

WORKING PRESSURE:


1.0 - 5.0 bar



TLVBSMWMBO Chrome

Ex.VAT £286.91 Inc.VAT £344.29

Thermostatic Pillar Mounted Bath **Shower Mixer**



- Thermostatic valve with 38°C temperature stop (with override)
- Easy to use lever handles

VALVE:

Thermostatic

OPERATION: Separate flow and

temperature controls

INLET CONNECTIONS:

3/4" BSP

WORKING PRESSURE:

1.0 - 5.0 bar








TLVBSMNK Chrome

Ex.VAT £305.23 Inc.VAT £366.28

Satinjet[®] Thermostatic Pillar Mounted **Bath Shower Mixer**

- Complete with Satinjet Kiri handset & wall bracket
- Water efficient without compromising showering performance
- Fitted with 8l/min flow regulator
- Lifetime warranty on the handset
- Thermostatic valve with 38°C temperature stop (with override)
- Easy to use lever handles



VALVE: Thermostatic

OPERATION:

Separate flow and temperature controls INLET CONNECTIONS:

3/4" BSP

WORKING PRESSURE:

1.0 - 5.0 bar





TLVBSM Chrome & Graphite

Ex.VAT £376.03 Inc.VAT £451.24


Methven Taps Thermostatic





Thermostatic Pillar Mounted Bath Shower Mixer

- Complete with single mode handset
- Thermostatic valve with 38°C temperature stop (with override)
- · Adjustable riser rail ideal for retrofit
- · Easy to use lever handles



VALVE: Thermostatic

OPERATION:

INLET CONNECTIONS:
3/4" BSP

WORKING PRESSURE:

Separate flow and 1.0 - 5.0 bar temperature controls








Ex.VAT £427.32 Inc.VAT £512.78

Satinjet° Thermostatic Pillar Mounted Bath Shower Mixer



- · Complete with Satinjet Kiri handset & wall bracket
- · Water efficient without compromising showering performance
- · Fitted with 8l/min flow regulator
- Lifetime warranty on the handset
- · Thermostatic valve with 38°C temperature stop (with override)
- · Adjustable riser rail ideal for retrofit
- · Easy to use lever handles

VALVE:

Thermostatic

OPERATION:

Separate flow and temperature controls

INLET CONNECTIONS:

3/4" BSP

WORKING PRESSURE:

1.0 - 5.0 bar

Water Label 8







TLVBSM2B Chrome & Graphite

Ex.VAT **£443.19** Inc.VAT **£531.83**

Satinjet° Thermostatic Pillar Mounted
Bath Shower Mixer



- Complete with Kiri Low Flow Satinjet handset & kit
- Water efficient without compromising showering performance
- $\boldsymbol{\cdot}$ $\,$ Delivers a great shower experience at a lower flow rate
- Thermostatic valve with 38°C temperature stop (with override)
- Easy to fit shower rail simply twist and lock brackets into place see page 18
- Fitted with 5.5l/min flow regulator

VALVE: Thermostatic

mermostatic

OPERATION: Separate flow and temperature controls INLET CONNECTIONS:

3/4" BSP

WORKING PRESSURE:

1.0 - 5.0 bar

Water Label







TLVEFLF2 Chrome & Graphite

Ex.VAT £448.45 Inc.VAT £538.14

Methven Taps Kitchen





Hawei Sink Mixer



- Optimised to operate at 6 litres per minute in order to save water
- $\,$ Pull down nozzle is ideal for rinsing pots and pans
- · Ceramic cartridge for smooth operation
- · Tilt and turn temperature & flow control



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.5 - 5.0 bar

6 l/min

H

Water Label

HASMCP Chrome

Ex.VAT £222.03 Inc.VAT £266.44

Methven Taps Kitchen






5 year warranty on non-chrome finishes

Ellesmere Sink Mixer



- Optimised to operate at 6 litres per minute in order to save water
- Pull down nozzle is ideal for rinsing pots and pans
- Ceramic cartridge for smooth operation
- Tilt and turn temperature & flow control



WORKING PRESSURE: INLET CONNECTIONS: 1/2" BSP 0.3 - 5.0 bar

Water Label 6 l/min




ELSMCP Chrome ELSMBK Matte Black Ex.VAT £233.71 Inc.VAT £280.45 Ex.VAT £268.77 Inc.VAT £322.52

Dunston Sink Mixer



- Optimised to operate at 6 litres per minute in order to save water
- Pull down nozzle is ideal for rinsing pots and pans
- Ceramic disc handles ensure a smooth operation



INLET CONNECTIONS:

WORKING PRESSURE:

0.5 - 5.0 bar

6 l/min

DUSMCP Chrome

Ex.VAT £245.40 Inc.VAT £294.48

Matheson Sink Mixer



- Optimised to operate at 6 litres per minute in order to save water
- Pull down nozzle is ideal for rinsing pots and pans
- Ceramic cartridge for smooth operation
- Tilt and turn temperature & flow control



INLET CONNECTIONS: WORKING PRESSURE: 1/2" BSP 0.3 - 5.0 bar

^{Unified} Water Label 6 l/min



MASMCP Chrome

EX.VAT £257.09 Inc.VAT £308.51











The Shower & Tap Brand.

Deva provide a wide range of products for both domestic and commercial applications. As one of the largest suppliers of showers and taps to the UK market and with over 30 years heritage, Deva has developed a reputation for providing excellent levels of service and customer care, bringing products to the market of the highest quality at the right price. From concept through to manufacture, we are backed by a testing programme unrivalled in our industry.

Deva deliver the latest styles of bathroom and kitchen taps, showers and shower accessories, next day – nationwide. We pride ourselves on our service first policy. Not only do we deliver 98% of orders next day in full, we also aim to provide the highest standards of customer service. Our in-house customer service technicians are fully trained to provide personal, friendly and in-depth support as well as our field based Area Sales Managers.

Deva became part of the Methven Group in 2007 and operates from Methven UK headquarters in Lancashire. Methven as a group, are innovative, design focussed and conscious to produce product ranges which meet both consumer need, legislation and regulatory requirements whilst minimising our impact to the environment.

HAVE CONFIDENCE IN US

Deva By Methven Brand Warranty (Subject To The Terms And Conditions)		
Product	Parts	Labour
Chrome Tapware**	12 Years	2 Years
Shower Valves	5 Years	2 Years
Shower Accessories & Wastes	1 Year	
Electrical products (Including Sensor Taps)	2 Years	2 Years
Replacement Components And Parts	1 Year	

^{*} For the lifetime of the original purchaser ** All other finishes 5 Years Parts, 2 Years Labour

Any product that has not been fitted in a private dwelling located in the United Kingdom or the Republic of Ireland will be subject to our Commercial Warranty of 12 months parts and labour, as set out in Condition 8 of Methven's Terms and Conditions of Sale. Excludes sensor and thermostatic products. For full terms and conditions see www.methven.com

SINGLE BAR SHOWERS



BELMONT

PAGE 82

PENNINGTON

PAGE 82

DERWENT PAGE 83

CONISTON

PAGE 83

KESTREL MK2

PAGE 84

DUAL BAR SHOWERS



PAGE 90

PAGE 89



COMBI

PAGE 84

GRASMERE

PAGE 85

RYDAL PAGE 85

BAR VALVES









VERTICAL L SHAPED

BAR VALVE PAGE 86

COOL TOUCH

COOL TOUCH PAGE 87

PAGE 86

SEQUENTIAL SHOWERS





VISION EXPOSED

PAGE 91

VISION CONCEALED

PAGE 91

MANUAL SHOWERS



LACE

PAGE 95

CONCENTRIC BAR SHOWERS





VISION CONCENTRIC CONCEALED

PAGE 92

VISION CONCENTRIC EXPOSED

PAGE 92





GEORGIAN CONCENTRIC EXPOSED

PAGE 93

GEORGIAN CONCENTRIC CONCEALED

PAGE 93





PAGE 94




GEORGIAN CONCENTRIC CONCEALED

Bar Showers

An at a glance guide for our new Deva bar showers





Single Bar Showers





Belmont Bar Shower with Single Mode Kit

- 38°C temperature hot stop with override facility
- Riser rail features adjustable bracket (max 610mm) ideal for retrofit
- · Double interlocked 1.5m hose
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12

VALVE: Thermostatic OPERATION: INLET CONNECTIONS: 15mm Compression WORKING PRESSURE:


0.3 - 5.0 bar

Separate flow and temperature controls



BLBS01 Chrome

Ex.VAT £120.00 Inc.VAT £144.00



Pennington Bar Shower with Single Mode Kit

- 38°C temperature hot stop with override facility
- Riser rail features adjustable bracket (max 610mm) ideal for retrofit
- Double interlocked 1.5m hose
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12

VALVE: INLET CONNECTIONS: Thermostatic ½" BSP

OPERATION: WORKING PRESSURE: Separate flow and temperature controls





PNBS01 Chrome

Ex.VAT **£140.00** Inc.VAT **£168.00**

Single Bar Showers







Derwent Cool Touch Bar Shower with Single Mode Kit

- Valve is safe and cool to touch making it ideal for families
- Riser rail features adjustable bracket (max 610mm) ideal for retrofit
- · 38°C temperature hot stop with override facility
- Includes fast fit valve connectors for quick & easy installation
- Double interlocked 1.5m hose
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12

VALVE: Thermostatic

OPERATION:
Separate flow and temperature controls

INLET CONNECTIONS: 15mm Compression

WORKING PRESSURE: 0.3 - 5.0 bar







DRBS01 Chrome

Ex.VAT **£145.00** Inc.VAT **£174.00**



Coniston Cool Touch Bar Shower with Muti Mode Kit

- · Valve is safe and cool to touch making it ideal for families
- Riser rail features adjustable bracket (max 610mm) ideal for retrofit
- 38°C temperature hot stop with override facility
- Includes fast fit valve connectors for quick & easy installation
- Double interlocked 1.5m hose
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12

256

VALVE:
Thermostatic
OPERATION:
Separate flow and

INLET CONNECTIONS: 15mm Compression WORKING PRESSURE: 0.5 - 5.0 bar

temperature controls

(H)(





CNBS01 Chrome

Ex.VAT £155.00 Inc.VAT £186.00

Single Bar Showers





Kestrel MK2 Cool Touch Bar Shower with Multi Mode Kit

- Valve is safe and cool to touch making it ideal for families
- 38°C temperature hot stop with override facility
- Riser rail features adjustable bracket (max 610mm) ideal for retrofit
- Includes fast fit valve connectors for quick & easy installation
- Double interlocked 1.5m hose
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12

VALVE: Thermostatic INLET CONNECTIONS: 15mm Compression

OPERATION: Separate flow and temperature controls WORKING PRESSURE: 0.3 - 5.0 bar

0.3 - 8





KESBS Chrome

Ex.VAT £163.34 Inc.VAT £196.01



Combi Cool Touch Bar Shower With Multi Mode Kit

- · Valve is safe and cool to touch making it ideal for families
- · 38°C temperature hot stop with override facility
- Double interlocked 1.5m hose
- · Riser rail features adjustable brackets ideal for retrofit
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12

VALVE: Thermostatic INLET CONNECTIONS: 15mm Compression

OPERATION: Separate flow and WORKING PRESSURE: 0.5 - 5.0 bar

temperature controls






COMBMEF Chrome

Ex.VAT **£228.46** Inc.VAT **£274.15**

Single Bar Showers







Grasmere Cool Touch Bar Shower with Multi Mode Kit

- Valve is safe and cool to touch making it ideal for families
- Riser rail features adjustable brackets ideal for retrofit
- 38°C temperature hot stop with override facility
- Includes fast fit valve connectors for quick & easy installation
- Push button mode selection
- Double interlocked 1.5m hose
- Works with flow regulator HSR8 to achieve 8 litres per minute see

VALVE: Thermostatic

15mm Compression OPERATION: WORKING PRESSURE:

Separate flow and temperature controls

INLET CONNECTIONS:

0.5 - 5.0 bar







GRBS01 Chrome

Ex.VAT £250.00 Inc.VAT £300.00



Rydal Cool Touch Bar Shower with Multi Mode Kit

- Valve is safe and cool to touch making it ideal for families
- 38°C temperature hot stop with override facility
- Push button mode selection
- Double interlocked 1.5m hose
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12

VALVE: Thermostatic INLET CONNECTIONS: 15mm Compression

OPERATION: Separate flow and WORKING PRESSURE: 1.0 - 5.0 bar

temperature controls






RYBS01 Chrome

Ex.VAT **£250.00** Inc.VAT **£300.00**



Vertical L Shaped Bar Shower Valve

- · 38°C temperature hot stop with override facility
- · Ideal for caravans and where space is limited



VALVE: INLET CONNECTIONS:
Thermostatic ½" BSP

OPERATION: WORKING PRESSURE:
Separate flow and 1.0 - 5.0 bar

H

VVERT01 Chrome

temperature controls


Ex.VAT **£143.84** Inc.VAT **£172.61**

Available January 2023



Bar Valve

• 38°C temperature hot stop with override facility



VALVE: INLET CONNECTIONS: Thermostatic ½" BSP

OPERATION: WORKING PRESSURE: Separate flow and temperature controls





BV01CP Chrome

Ex.VAT **£98.00** Inc.VAT **£117.60**

Bar Valves






Available January 2023



Cool Touch Bar Valve

- Valve is safe and cool to touch making it ideal for families
- 38°C temperature hot stop with override facility
- Includes fast fit valve connectors for quick & easy installation



VALVE: Thermostatic

OPERATION: Separate flow and temperature controls INLET CONNECTIONS: 15mm Compression

WORKING PRESSURE: 0.2 - 5.0 bar





CTBV04 Chrome

Ex.VAT £112.00 Inc.VAT £134.40


Available January 2023



Cool Touch Bar Valve

- Valve is safe and cool to touch making it ideal for families
- · 38°C temperature hot stop with override facility
- Includes fast fit valve connectors for quick & easy installation





VALVE: Thermostatic

OPERATION: Separate flow and temperature controls INLET CONNECTIONS: 15mm Compression

WORKING PRESSURE: 0.2 - 5.0 bar






CTBV06 Chrome

Ex.VAT £136.43 Inc.VAT £163.72

Dual Bar Showers







Dual Bar Showers







Dynamic Cool Touch Diverter Shower

- Valve is safe and cool to touch making it ideal for families
- 38°C temperature hot stop with override facility
- Integral diverter to fixed head and handset
- Double interlocked 1.5m hose
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12

VALVE:
Thermostatic
OPERATION:

INLET CONNECTIONS: 15mm Compression

OPERATION: WORKING PRESSURE: Separate flow and 1.0 - 5.0 bar

temperature controls







Ex.VAT **£437.81** Inc.VAT **£525.37**



- Valve is safe and cool to touch making it ideal for families
- 38°C temperature hot stop with override facility
- Integral diverter to fixed head and handset
- Riser height can be adjusted to suit your bathroom
- Smooth easy clean 1.5m hose
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12

VALVE:
Thermostatic

OPERATION:
Separate flow and temperature controls

15mm Compression WORKING PRESSURE: 1.0 - 5.0 bar

INLET CONNECTIONS:


 \mathbf{H}

SCTSDEF Chrome

Ex.VAT £485.24 Inc.VAT £582.29

Dual Bar Showers





Vision Cool Touch Diverter Shower

- Valve is safe and cool to touch making it ideal for families
- 38°C temperature hot stop with override facility
- Integral diverter to fixed head and handset
- Riser swivels 180° so you can select your optimal position.
- Riser height can be adjusted to suit your bathroom
- Lever handles for ease of use
- Double interlocked 1.5m hose
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12

VALVE: Thermostatic

INLET CONNECTIONS: OPERATION:

15mm Compression WORKING PRESSURE:

Separate flow and temperature controls 1.5 - 5.0 bar





Ex.VAT £504.14 Inc.VAT £604.97


Sequential Showers





Vision Exposed Sequential Shower

- Longer lever for ease of use
- Single control operates both on/off and temperature control
- Co-ordinate with shower accessories see pages 88-92



VALVE: Thermostatic

OPERATION: Single control for flow and temperature

INLET CONNECTIONS: 15mm Compression

WORKING PRESSURE: 0.1 - 5.0 bar




VSNVSEQT01 Chrome

Ex.VAT £434.69 Inc.VAT £521.63

Vision Concealed Sequential Shower Valve

- Longer lever for ease of use
- Single control operates both on/off and temperature control
- ABS concealing plate
- Co-ordinate with shower accessories see pages 96-99





VALVE: Thermostatic OPERATION:

Single control for flow and temperature

INLET CONNECTIONS: 15mm Compression WORKING PRESSURE:

0.1 - 5.0 bar





VSNVSEQT02 Chrome

Ex.VAT **£434.69** Inc.VAT **£521.63**


Concentric Showers



Vision Concentric Concealed Shower

- Easy to use lever handle
- Adjustable centres
- Co-ordinate with shower accessories see pages 96-99





VALVE: Thermostatic OPERATION:

Separate flow and temperature controls INLET CONNECTIONS: 15mm Compression WORKING PRESSURE:

0.1 - 5.0 bar






VSNCONC Chrome


Ex.VAT **£545.02** Inc.VAT **£654.02**

Vision Concentric Exposed Shower Valve

- Easy to use lever handle
- Adjustable centres
- Co-ordinate with shower accessories see pages 96-99
- Can be fitted with an adjustable or rigid riser







VALVE: Thermostatic

INLET CONNECTIONS: 15mm Compression WORKING PRESSURE: OPERATION: Separate flow and 0.1 - 5.0 bar

temperature controls





VSNCONEX Chrome

Ex.VAT £532.64 Inc.VAT £639.17

Concentric Showers







Georgian Concentric Exposed Shower Valve

- · Cross handle for temperature control and white lever for on/off
- Co-ordinate with shower accessories see pages 96-99
- Can be fitted with an adjustable or rigid riser







VALVE: Thermostatic

OPERATION: Separate flow and temperature controls INLET CONNECTIONS: 15mm Compression

WORKING PRESSURE: 0.1 - 5.0 bar






GEOCONEX Chrome

Ex.VAT **£625.19** Inc.VAT **£750.23**

Georgian Concentric Concealed Shower Valve

- Cross handle for temperature control and white lever for on/off
- · Co-ordinate with shower accessories see pages 96-99





165

VALVE: Thermostatic OPERATION: INLET CONNECTIONS: 15mm Compression WORKING PRESSURE:

Separate flow and temperature controls





0.1 - 5.0 bar

GEOCONC Chrome

Ex.VAT £648.56 Inc.VAT £778.27

Concentric Showers





Georgian Concentric Exposed Shower With Single Mode Kit

- Cross handle for temperature control and white lever for on/off
- Double interlocked 1.5m hose
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12

VALVE: Thermostatic


OPERATION: Separate flow and temperature controls INLET CONNECTIONS: 15mm Compression

WORKING PRESSURE: 0.1 - 5.0 bar



■ GEOCE02 Chrome

Ex.VAT £753.73 Inc.VAT £904.48



Georgian Concentric Concealed Shower With Single Mode Kit

- Cross handle for temperature control and white lever for on/off
- Double interlocked 1.5m hose
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12

VALVE: Thermostatic

OPERATION: Separate flow and temperature controls INLET CONNECTIONS: 15mm Compression WORKING PRESSURE: 0.1 - 5.0 bar

A



GEOCC01 Chrome

Ex.VAT £777.11 Inc.VAT £932.53

Manual Showers






Lace Manual Shower Valve

- · Ceramic cartridge for longer operation life
- Exposed and concealed valve options in one box
- Tilt and turn temperature and flow control
- Includes wall union for concealed installations
- Co-ordinate with shower accessories see pages 96-99





125

VALVE: Manual OPERATION:

Single lever flow and temperature control

INLET CONNECTIONS: 15mm Compression

WORKING PRESSURE: 0.3 - 5.0 bar



LACVMANM03 Chrome


Ex.VAT £155.83 Inc.VAT £187.00

Shower Kits



Core Single Mode Shower Kit

Double interlocked 1.5 metre hose



WORKING PRESSURE: 0.3 - 5.0 bar




SIGKITS01 Chrome

Ex.VAT £50.59 Inc.VAT £60.71

Pennington Single Mode Shower Kit



- Riser rail features adjustable bracket (max 610mm) ideal for retrofit
- Double interlocked 1.5m hose
- Rub clean nozzles



WORKING PRESSURE:

0.3 - 5.0 bar

(A) (1)


Ex.VAT **£62.50** Inc.VAT **£75.00**

Signature 5 Mode Shower Kit



KITS13 Chrome

• Double interlocked 1.5m hose



WORKING PRESSURE:

0.5 - 5.0 bar




KITM03 Chrome

Ex.VAT £75.08 Inc.VAT £90.10

Substance 3 Mode Shower Kit

- 3 individual spray patterns
- Riser rail features adjustable brackets ideal for retrofit
- Double interlocked 1.5m hose



WORKING PRESSURE:

0.3 - 5.0 bar




SIGKITM02 Chrome

Ex.VAT £83.78 Inc.VAT £100.54

Shower Kits












- Riser rail features adjustable brackets ideal for retrofit
- Double interlocked 1.5m hose
- Rub clean nozzles



WORKING PRESSURE: 0.5 - 5.0 bar



KITM08 Chrome

Ex.VAT **£95.00** Inc.VAT **£114.00**




- Double interlocked 1.5m hose
- Rub clean nozzles



Period Style Shower Kit


• Double interlocked 1.5 metre hose



Showers Kits



Minimalist Rigid Riser Kit With Diverter To Fixed Head and Handset




- Double interlocked 1.5 metre hose
- · Fixed head with swivel joint
- Rub clean nozzles
- · Built in diverter

WORKING PRESSURE: 1.0 - 5.0 bar



KITS09 Chrome

Ex.VAT £299.51 Inc.VAT £359.41



Shower Heads





5 year warranty on non-chrome finishes

2" (50mm) Brass Shower Head **With Swivel Joint**





INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.1 - 5.0 bar




HEAH01 Chrome

Ex.VAT £26.07 Inc.VAT £31.28

8" (200mm) Fixed Head With **Swivel Joint**

- Adjustable head to angle spray exactly where you want it
- Rub clean nozzles



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:


0.1 - 5.0 bar

HEAH06 Chrome

Ex.VAT £59.27 Inc.VAT £71.12

5" (125mm) Traditional Shower **Head With Swivel Joint**

· Adjustable head to angle spray exactly where you want it



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:


0.1 - 5.0 bar

HEAH02 Chrome HEAH02/G Gold

Ex.VAT £65.88 Inc.VAT £79.06 Ex.VAT £102.52 Inc.VAT £123.02

8" (200mm) Fixed Head With **Swivel Joint**

- Adjustable head to angle spray exactly where you want it
- Rub clean nozzles



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.1 - 5.0 bar




HEAH07 Chrome

Ex.VAT £72.43 Inc.VAT £86.92

Handsets







5 Mode Handset

- 5 individual spray patterns
- Rub clean nozzles

HANS12 Chrome






Ex.VAT **£24.00** Inc.VAT **£28.80**

Handsets












- 3 different spray patterns
- Push button spray selector
- Rub clean nozzles




WORKING PRESSURE: 1.0 - 5.0 bar



HANM13 Chrome


Ex.VAT **£39.00** Inc.VAT **£46.80**

Traditional Single Mode Handset




Shower Rails





Adjustable Riser Rail

- Riser rail features adjustable brackets ideal for retrofit
- · Easy to operate handset slider




SPE15 Chrome

Ex.VAT £33.85 Inc.VAT £40.62


Shower Rail

Easy to operate handset slider



SPE12 Chrome

Ex.VAT **£45.03** Inc.VAT **£54.04**




Accessories






Wall Plate For Bar Showers

- Brass construction
- · Wall fixing plate for added stability and ease of installation
- Suitable for most bar shower mixers



Easy Fix For Bar Showers

- For added stability and ease of installation
- Sold in pairs
- Trim supplied
- Metal shrouds






SPE11 Chrome

Ex.VAT **£41.88** Inc.VAT **£50.26**

Shower Fixing Bracket



- For added stability and ease of installation
- Brass construction

INLET CONNECTIONS: 15mm Compression

SPE16 Chrome


Ex.VAT **£91.68** Inc.VAT **£110.02**

Shower Accessories



Round Shower Arm

- · Brass construction
- Comes complete with 1/2" BSP connection
- Pair with a round or square head



INLET CONNECTIONS:

1/2" BSP

ARMW02 Chrome

Ex.VAT £35.55 Inc.VAT £42.66

Wall-Mounted Shower Arm

- Brass construction
- Comes complete with $\frac{1}{2}$ " BSP connection
- · Pair with a round or square head



INLET CONNECTIONS:

1/2" BSP

SAW148 Chrome

Ex.VAT £37.63 Inc.VAT £45.16

Over Head Wall Shower Arm

- Brass construction
- Comes complete with 1/2" BSP connection
- · Pair with a round or square head



INLET CONNECTIONS:

1/2" BSP

SAW320 Chrome

Ex.VAT **£37.63** Inc.VAT **£45.16**

Ceiling Mounted Shower Arm 200mm

- 200 G 1/2B
- · Brass construction
- · Pair with a round or square head



Shower Accessories





Square Ceiling Shower Arm 20cm



- Brass construction
- Comes complete with 1/2" BSP connection
- Pair with a round or square head



INLET CONNECTIONS:

1/2" BSP

ARMC04 Chrome

Ex.VAT £58.49 Inc.VAT £70.19

Square Shower Arm

- Brass construction
- Comes complete with 1/2" BSP connection
- Pair with a round or square head



INLET CONNECTIONS:

1/2" BSP

ARMW05 Chrome

Ex.VAT **£67.18** Inc.VAT **£80.62**

Wall Union Round



Brass construction

INLET CONNECTIONS: 1/2" BSP

SPE01 Chrome SPE01/G Gold

Ex.VAT **£26.35** Inc.VAT **£31.62** Ex.VAT **£46.43** Inc.VAT **£55.72**

Wall Union Round

- Brass construction
- Comes complete with $\frac{1}{2}$ " BSP connection







INLET CONNECTIONS:

1/2" BSP

SPE03 Chrome


Ex.VAT **£28.97** Inc.VAT **£34.76**

Shower Accessories



Square Wall Union

- · Brass construction
- Comes complete with 1/2" BSP connection



INLET CONNECTIONS:


1/2" BSP

METHSQELB Chrome

Ex.VAT **£68.98** Inc.VAT **£82.78**

Round Parking Bracket

Brass construction



RPB Chrome

Ex.VAT **£62.74** Inc.VAT **£75.29**

Smooth Shower Hose 1.5m

· Smooth easy clean 1.5m hose



(Q)

INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.1 - 5.0 bar

HOS1.5PVS07 Chrome

Ex.VAT £33.99 Inc.VAT £40.79

Standard Bore Hoses

Bore size



INLET CONNECTIONS:

WORKING PRESSURE: 0.1 - 5.0 bar

1/2" BSP


HOS1.5CPS01 Chrome (1.5m)

EX.VAT £15.82 Inc.VAT £18.98 EX.VAT £47.86 Inc.VAT £57.43

HOS1.5CPS01/G Gold (1.5m)

deva-uk.com





DEVA BATHROOM TAPS

Choose your style

BATHROOM TAPS

CONTEMPORARY











ADORE

PAGE 110

DEVA BATHROOM TAPS

LACE

PAGE 112

ETHOS

PAGE 114

MILAN

HENLEY

PAGE 118

PAGE 116

TRADITIONAL









SAVVI MK2

PAGE 128

SPARKLE MK2

PAGE 130

VISION PAGE 132

TUDOR PAGE 134

CORONATION











ZONOS

PAGE 119

MOTIF
PAGE 121

INSIGNIA

PAGE 123

SWOOP

PAGE 126

UTILITY









GEORGIAN

PAGE 138

CROSS HANDLE

PAGE 140

PROFILE PAGE 141 **LEVER**

PAGE 143

12 YEAR WARRANTY

Adore Basin Mixer



- · Ceramic cartridge for smooth operation and longer life
- · Tilt and turn temperature and flow control
- · Comes complete with press top waste
- Works with flow regulator FR113-4 to achieve 4 litres per minute see page 13
- Compatible with Waterblade innovative technology which uses just 2.5I/min

INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.1 - 5.0 bar





ADORE113 Chrome
ADORE113/501 Gold

EX.VAT £95.13 Inc.VAT £114.16 EX.VAT £144.33 Inc.VAT £173.20

Adore Mini Basin Mixer

- · Ceramic cartridge for smooth operation and longer life
- Tilt and turn temperature and flow control
- Also available with Press Top waste see code C
- Works with flow regulator FR113-4 to achieve 4 litres per minute see page 13



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.1 - 5.0 bar



A

ADORE313 Chrome

ADORE313C Chrome inc waste

EX.VAT **£68.91** Inc.VAT **£82.69**EX.VAT **£83.43** Inc.VAT **£100.12**

Adore Basin Taps



- Ceramic disc handles ensure a smooth operation and longer life
- Works with flow regulator FR101-4 to achieve 4 litres per minute see page 13

INLET CONNECTIONS:

WORKING PRESSURE: 0.1 - 5.0 bar





1/2" BSP

ADOREI01 Chrome
ADOREI01/501 Gold

Ex.VAT **£68.91** Inc.VAT **£82.69** Ex.VAT **£109.35** Inc.VAT **£131.22**

DEVA BATHROOM TAPS

0 **NEXT**


Adore






5 year warranty on non-chrome finishes

Adore Bath Taps



Ceramic disc handles ensure a smooth operation and longer life Optimised for bath filling







- ADORE102 Chrome ADORE102/501 Gold
- Ex.VAT £86.11 Inc.VAT £103.33 Ex.VAT £118.93 Inc.VAT £142.72

Adore Bath Shower Mixer

HOSE 1500 80 115 180

Ceramic disc handles ensure a smooth operation and longer life

- Comes complete with single mode shower kit and wall bracket
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12

INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE: 0.1 - 5.0 bar




ADORE106 Chrome ADORE106/501 Gold

Ex.VAT £164.03 Inc.VAT £196.84 Ex.VAT **£246.06** Inc.VAT **£295.27**

Adore Bath Filler

· Ceramic disc handles ensure a smooth operation and longer life



INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE: 0.1 - 5.0 bar



ADORE108 Chrome ADORE108/501 Gold

Ex.VAT £137.78 Inc.VAT £165.34 Ex.VAT £203.38 Inc.VAT £244.06

Lace



Lace Basin Mixer



- Ceramic cartridge for smooth operation and longer life
- · Tilt and turn temperature and flow control
- · Comes complete with press top waste
- Works with flow regulator FR113-4 to achieve 4 litres per minute see page 13
- Compatible with Waterblade innovative technology which uses just 2.5I/min

INLET CONNECTIONS:
1/2" BSP

WORKING PRESSURE:

0.1 - 5.0 bar



LACE113 Chrome

Ex.VAT £95.13 Inc.VAT £114.16

Lace Mini Basin Mixer

- · Ceramic cartridge for smooth operation and longer life
- · Tilt and turn temperature and flow control
- Works with flow regulator FR113-4 to achieve 4 litres per minute see page 13



INLET CONNECTIONS:

WORKING PRESSURE:

0.1 - 5.0 bar



1/2" BSP


LACE313 Chrome

Ex.VAT £68.91 Inc.VAT £82.69

Lace Basin Taps

- Ceramic disc handles ensure a smooth operation and longer life
- Works with flow regulator FR101-4 to achieve 4 litres per minute see page 13





INLET CONNECTIONS:

WORKING PRESSURE:

0.1 - 5.0 bar



1/2" BSP

LACE101 Chrome

Ex.VAT £68.91 Inc.VAT £82.69

Lace






Lace Bath Taps

- Ceramic disc handles ensure a smooth operation and longer life
- · Optimised for bath filling





180

INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE:


0.1 - 5.0 bar



LACE102 Chrome

Ex.VAT £86.11 Inc.VAT £103.33

Lace Bath Shower Mixer



- Ceramic disc handles ensure a smooth operation and longer life
- · Comes complete with single mode shower kit and wall bracket
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12

INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE:

0.1 - 5.0 bar




LACE106 Chrome

Ex.VAT £164.03 Inc.VAT £196.84

Lace Bath Filler

• Ceramic disc handles ensure a smooth operation and longer life



INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE: 0.1 - 5.0 bar



LACE108 Chrome

Ex.VAT £137.78 Inc.VAT £165.34

Ethos



Ethos Basin Mixer



- Ceramic cartridge for smooth operation and longer life
- Tilt and turn temperature and flow control
- Comes complete with press top waste
- Works with flow regulator FR113-4 to achieve 4 litres per minute see page 13
- Compatible with Waterblade innovative technology which uses just 2.5I/min

INLET CONNECTIONS:

1/2" BSP

WORKING PRESSURE:

0.1 - 5.0 bar




ETH113 Chrome

Ex.VAT £107.34 Inc.VAT £128.81

Ethos Mini Basin Mixer

- · Ceramic cartridge for smooth operation and longer life
- · Tilt and turn temperature and flow control
- Works with flow regulator FR113-4 to achieve 4 litres per minute see page 13



INLET CONNECTIONS:

WORKING PRESSURE:


0.1 - 5.0 bar

1/2" BSP

ETH313 Chrome

Ex.VAT £78.59 Inc.VAT £94.31

Ethos Bath Shower Mixer



- Ceramic disc handles ensure a smooth operation and longer life
- Comes complete with single mode shower kit and wall bracket
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12

INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE:

0.3 - 5.0 bar



ETH106 Chrome

Ex.VAT £193.23 Inc.VAT £231.88


Ethos





Ethos Bath Filler

• Ceramic disc handles ensure a smooth operation and longer life






Milan



Milan Basin Mixer With Pop Up Waste





Compatible with Waterblade - innovative technology which uses just 2.5I/min

INLET CONNECTIONS: 15mm Copper

WORKING PRESSURE:

0.1 - 5.0 bar



MILAN 113 Chrome

Ex.VAT £116.19 Inc.VAT £139.43

Milan Basin Taps

- Available with flow regulator FR101-4 to achieve 4 I/min see code MILAN101/FR101-4
- Metal backnuts on SPEC code



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.1 - 5.0 bar

MILAN 101 Chrome


MILAN101/FR101-4 Chrome 4I/min

Ex.VAT £47.42 Inc.VAT £56.90 Ex.VAT £47.42 Inc.VAT £56.90 Ex.VAT £51.39 Inc.VAT £61.67

MILAN SPEC101 Chrome · Optimised for bath filling

Milan Bath Taps

Metal backnuts on SPEC code



INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE:

0.1 - 5.0 bar



MILAN 102 Chrome

MILAN SPEC102 Chrome

Ex.VAT **£52.96** Inc.VAT **£63.55** Ex.VAT £56.92 Inc.VAT £68.30


Milan





Milan Bath Shower Mixer

- Comes complete with single mode shower kit and wall bracket
- HSR8 code achieves 8 I/min on the shower head



INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE:

0.1 - 5.0 bar



MILAN 106 Chrome
MILAN106/HSR8 Chrome

Ex.VAT **£165.97** Inc.VAT **£199.16**Ex.VAT **£165.97** Inc.VAT **£199.16**

Milan Bath Filler

83 25 50 0250

Optimised for bath filling


INLET CONNECTIONS: 34" BSP

WORKING PRESSURE: 0.1 - 5.0 bar



MILAN 108 Chrome

Ex.VAT £149.38 Inc.VAT £179.26



180

Henley




Henley Basin Mixer



- Ceramic cartridge for smooth operation and longer life
 - · Comes complete with press top waste
- Tilt and turn tempertaure and flow control
- · Fitted with a 4 I/min flow regulator





INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.5 - 5.0 bar

Water Label 4 I/min




■ HEN113 Chrome

Ex.VAT £128.22 Inc.VAT £153.86

Henley Bath Shower Mixer



- · Ceramic disc handles ensure a smooth operation
- Comes complete with single mode shower kit and wall bracket
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12



INLET CONNECTIONS:

WORKING PRESSURE:

0.1 - 5.0 bar



3/4" BSP

HEN106 Chrome

Ex.VAT £200.74 Inc.VAT £240.89

Henley Bath Filler



- Ceramic disc handles ensure a smooth operation
- · Optimised for bath filling



INLET CONNECTIONS:

WORKING PRESSURE:

0.1 - 5.0 bar



3/4" BSP

■ HEN108 Chrome

Ex.VAT **£176.31** Inc.VAT **£211.57**

Zonos





Zonos Basin Mixer



- Ceramic cartridge for smooth operation and longer life
- · Complete with press top waste
- Works with flow regulator FR113-4 to achieve 4 litres per minute see page 13
- Compatible with Waterblade innovative technology which uses just 2.5I/min

INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.1 - 5.0 bar




ZON113 Chrome

Ex.VAT £128.82 Inc.VAT £154.58

Zonos Mini Basin Mixer

- · Ceramic cartridge for smooth operation and longer life
- Works with flow regulator FR113-4 to achieve 4 litres per minute see page 13





INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.1 - 5.0 bar




ZON313 Chrome

Ex.VAT £96.62 Inc.VAT £115.94

Zonos Bath Shower Mixer

- Ceramic disc handles ensure a smooth operation and longer life
- Comes complete with single mode shower kit and wall bracket
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12



INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE:

0.3 - 5.0 bar



ZON106 Chrome


Ex.VAT £225.44 Inc.VAT £270.53

Zonos



Zonos Bath Filler

• Ceramic disc handles ensure a smooth operation and longer life



INLET CONNECTIONS: WORKING PRESSURE: 3/4" BSP 0.3 - 5.0 bar



ZON108 Chrome

Ex.VAT £171.75 Inc.VAT £206.10




Motif





Motif Basin Mixer



- · Ceramic disc handles ensure a smooth operation and longer life
- · Comes complete with press top waste
- Swivel spout
- Works with flow regulator FR113-4 to achieve 4 litres per minute see page 13

INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.3 - 5.0 bar




MOT113 Chrome

Ex.VAT £132.76 Inc.VAT £159.31

Motif Basin Taps

- Ceramic disc handles ensure a smooth operation and longer life
- Works with flow regulator FR101-4 to achieve 4 litres per minute see page 13



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.1 - 5.0 bar




MOT101 Chrome

Ex.VAT £99.57 Inc.VAT £119.48

Motif Bath Taps

- Ceramic disc handles ensure a smooth operation and longer life
- · Optimised for bath filling



INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE: 0.1 - 5.0 bar


MOT102 Chrome

Ex.VAT £116.19 Inc.VAT £139.43

Motif



Motif Bath Shower Mixer



- Ceramic disc handles ensure a smooth operation and longer life
- Comes complete with single mode shower kit and wall bracket
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12

INLET CONNECTIONS: WORKING PRESSURE: %" BSP 0.1 - 5.0 bar

(A) (1)


MOT106 Chrome

Ex.VAT £207.85 Inc.VAT £249.42

Motif Bath Filler



Ceramic disc handles ensure a smooth operation and longer life



INLET CONNECTIONS: 34" BSP

WORKING PRESSURE:

0.1 - 5.0 bar

(A)

MOT108 Chrome


Ex.VAT £182.55 Inc.VAT £219.06

Insignia





Insignia Basin Mixer



- · Ceramic cartridge for smooth operation and longer life
- Tilt and turn temperature and flow control
- · Comes complete with press top waste
- Works with flow regulator FR113-4 to achieve 4 litres per minute see page 13
- Compatible with Waterblade innovative technology which uses just 2.5I/min

INLET CONNECTIONS:
1/2" BSP

WORKING PRESSURE: 0.3 - 5.0 bar





INS113 Chrome

Ex.VAT £132.76 Inc.VAT £159.31

Insignia Basin Mixer

- Ceramic disc handles ensure a smooth operation and longer life
- · Comes complete with press top waste
- Works with flow regulator FR113-4 to achieve 4 litres per minute see page 13



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.3 - 5.0 bar



A

INS120 Chrome

Ex.VAT £132.76 Inc.VAT £159.31

Insignia Mini Basin Mixer



- Ceramic cartridge for smooth operation and longer life
- Tilt and turn temperature and flow control
- Fitted with a 4 I/min flow regulator
- · Comes complete with press top waste



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.3 - 5.0 bar

Water Label 4 I/min



INS2313 Chrome


Ex.VAT £106.21 Inc.VAT £127.45

Insignia



Insignia Basin Taps

- Ceramic disc handles ensure a smooth operation and longer life
- Works with flow regulator FR101-4 to achieve 4 litres per minute see page 13



INLET CONNECTIONS:

WORKING PRESSURE:

0.1 - 5.0 bar




INS101 Chrome

Ex.VAT £99.57 Inc.VAT £119.48

Insignia Bath Taps

- Ceramic disc handles ensure a smooth operation and longer life
- Optimised for bath filling



INLET CONNECTIONS:

WORKING PRESSURE:

0.1 - 5.0 bar




3/4" BSP

INS102 Chrome

Ex.VAT £116.19 Inc.VAT £139.43

Insignia Bath Shower Mixer

- Ceramic disc handles ensure a smooth operation and longer life Comes complete with single mode shower kit and wall bracket
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12



INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE:

0.1 - 5.0 bar





Ex.VAT £207.85 Inc.VAT £249.42


Insignia





Insignia Bath Filler

Ceramic disc handles ensure a smooth operation and longer life







Luxury Handwashing Half the Water

- Innovative technology that uses just 2.5l/min of water
- · Save water and money!
- Developers it helps you comply with Part G
- Exceptional performance, giving 'Blade' at all mains supply pressures


www.bamfordswaterblade.com

Swoop MK2



Swoop MK2 Basin Mixer

- · Ceramic cartridge for smooth operation and longer life
- Tilt and turn temperature and flow control
- · Comes complete with press top waste



INLET CONNECTIONS:

WORKING PRESSURE:

0.1 - 5.0 bar



1/2" BSP

SWO2113 Chrome

Ex.VAT **£141.71** Inc.VAT **£170.05**

Swoop MK2 Tall Basin Mixer

- · Ceramic cartridge for smooth operation and longer life
- Tilt and turn temperature and flow control



INLET CONNECTIONS:

WORKING PRESSURE:

0.2 - 5.0 bar



1/2" BSP


SWO2113/EX Chrome

Ex.VAT £161.03 Inc.VAT £193.24

Swoop MK2 Mini Basin Mixer

- · Ceramic cartridge for smooth operation and longer life
- Tilt and turn temperature and flow control





INLET CONNECTIONS:

½" BSP

WORKING PRESSURE:

0.2 - 5.0 bar



SWO2313 Chrome

Ex.VAT £109.50 Inc.VAT £131.40

Swoop MK2





Swoop MK2 Bath Shower Mixer

- Ceramic disc handles ensure a smooth operation and longer life
- · Comes complete with single mode shower kit and wall bracket



INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE: 0.1 - 5.0 bar



SWO2106 Chrome

Ex.VAT £257.64 Inc.VAT £309.17

Swoop MK2 Bath Filler

Ceramic disc handles ensure a smooth operation and longer life



INLET CONNECTIONS:

WORKING PRESSURE: 0.1 - 5.0 bar



3/4" BSP

SWO2108 Chrome


Ex.VAT £206.12 Inc.VAT £247.34

Savvi MK2



Savvi MK2 Basin Mixer

- · Ceramic cartridge for smooth operation and longer life
- Tilt and turn temperature and flow control
- · Comes complete with press top waste
- Works with flow regulator FR113-4 to achieve 4 litres per minute see page 13



INLET CONNECTIONS:
1/2" BSP

WORKING PRESSURE:

0.1 - 5.0 bar




SAVV2113 Chrome

Ex.VAT **£141.71** Inc.VAT **£170.05**

Savvi MK2 Mini Basin Mixer

- · Ceramic cartridge for smooth operation and longer life
- · Tilt and turn temperature and flow control
- Works with flow regulator FR113-4 to achieve 4 litres per minute see page 13



INLET CONNECTIONS:

WORKING PRESSURE:

0.1 - 5.0 bar

(A)

1/2" BSP

SAVV2313 Chrome

Ex.VAT £109.50 Inc.VAT £131.40

Savvi MK2 Bath Shower Mixer

- Ceramic disc handles ensure a smooth operation and longer life
- Comes complete with single mode shower kit and wall bracket
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12



INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE:

0.3 - 5.0 bar



SAVV2106 Chrome

Ex.VAT £257.64 Inc.VAT £309.17


Savvi MK2





Savvi MK2 Bath Filler

Ceramic disc handles ensure a smooth operation and longer life




Sparkle MK2



Sparkle MK2 Basin Mixer

- · Ceramic cartridge for smooth operation and longer life
- Tilt and turn temperature and flow control
- · Comes complete with press top waste



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.1 - 5.0 bar



SPA2113 Chrome

Ex.VAT £170.05 Inc.VAT £204.06

Sparkle MK2 Tall Basin Mixer

- · Ceramic cartridge for smooth operation and longer life
- Tilt and turn temperature and flow control



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.1 - 5.0 bar




SPA2113/EX Chrome

Ex.VAT £193.23 Inc.VAT £231.88

Sparkle MK2 Mini Basin Mixer

- Ceramic cartridge for smooth operation and longer life
- Tilt and turn temperature and flow control



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.1 - 5.0 bar



SPA2313 Chrome

Ex.VAT £131.40 Inc.VAT £157.68

Sparkle MK2





Sparkle MK2 Bath Shower Mixer

- Ceramic disc handles ensure a smooth operation and longer life
- · Comes complete with single mode shower kit and wall bracket



INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE: 0.3 - 5.0 bar




SPA2106 Chrome

Ex.VAT £309.18 Inc.VAT £371.02

Sparkle MK2 Bath Filler

Ceramic disc handles ensure a smooth operation and longer life



INLET CONNECTIONS:

WORKING PRESSURE: 0.3 - 5.0 bar



3/4" BSP

SPA2108 Chrome

Ex.VAT **£247.34** Inc.VAT **£296.81**

Vision



Vision Basin Mixer



- Ceramic cartridge for smooth operation and longer life
- · Tilt and turn temperature and flow control
- · Comes complete with press top waste
- Works with flow regulator FR113-4 to achieve 4 litres per minute see page 13
- Compatible with Waterblade innovative technology which uses just 2.5l/min

INLET CONNECTIONS:

WORKING PRESSURE:

15mm Copper

0.1 - 5.0 bar



VSN113 Chrome

Ex.VAT £207.85 Inc.VAT £249.42

Vision Tall Basin Mixer



- Ceramic cartridge for smooth operation and longer life
- Tilt and turn temperature and flow control
- Works with flow regulator FR113-4 to achieve 4 litres per minute see page 13
- Compatible with Waterblade innovative technology which uses just 2.5I/min

INLET CONNECTIONS:

WORKING PRESSURE:

0.1 - 5.0 bar




1/2" BSP

VSN113/EX Chrome

Ex.VAT £315.31 Inc.VAT £378.37

Vision Bath Shower Mixer

- Ceramic disc handles ensure a smooth operation and longer life
- Comes complete with single mode shower kit and wall bracket
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12



INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE:

0.1 - 5.0 bar



VSN206 Chrome

Ex.VAT £315.31 Inc.VAT £378.37


Vision





Vision Bath Filler

Ceramic disc handles ensure a smooth operation and longer life



INLET CONNECTIONS: 34" BSP WORKING PRESSURE: 0.1 - 5.0 bar



VSN208 Chrome

Ex.VAT £248.95 Inc.VAT £298.7





Luxury Handwashing Half the Water

- Innovative technology that uses just 2.5l/min of water
- · Save water and money!
- · Developers it helps you comply with Part G
- Exceptional performance, giving 'Blade' at all mains supply pressures

www.bamfordswaterblade.com

Tudor



5 year warranty on non-chrome finishes

Tudor Basin Mixer With Pop Up Waste



Comes complete with a lever operated pop up waste

Works with flow regulator FR113-4 to achieve 4 litres per minute - see page 13

INLET CONNECTIONS: 15mm Copper

WORKING PRESSURE:

0.1 - 5.0 bar




TUD113 Chrome TUD113/501 Gold

Ex.VAT £116.19 Inc.VAT £139.43 Ex.VAT £169.77 Inc.VAT £203.72

Tudor Basin Taps

DEVA BATHROOM TAPS

Works with flow regulators FR101-4 to achieve 4 litres per minute - see page 13



INLET CONNECTIONS:

WORKING PRESSURE:

0.1 - 5.0 bar




1/2" BSP

TUD01 Chrome TUD01/501 Gold Ex.VAT **£46.64** Inc.VAT **£55.97** Ex.VAT £81.18 Inc.VAT £97.42

Tudor Bath Taps

· Optimised for bath filling



INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE:

0.1 - 5.0 bar



TUD02 Chrome TUD02/501 Gold

Ex.VAT £49.80 Inc.VAT £59.76 Ex.VAT **£84.47** Inc.VAT **£101.36**

Tudor





5 year warranty on non-chrome finishes

· Comes complete with a lever operated pop up waste

Tudor Bidet Mixer With Pop Up Waste



INLET CONNECTIONS:
1/2" BSP


WORKING PRESSURE: 0.1 - 5.0 bar


A


TUD114 Chrome
TUD114/501 Gold

EX.VAT £132.76 Inc.VAT £159.31 EX.VAT £186.99 Inc.VAT £224.39

Tudor Pillar Mounted Bath Shower Mixer







INLET CONNECTIONS: 3/4" BSP


WORKING PRESSURE: 0.1 - 5.0 bar



TUD03 Chrome
TUD03/501 Gold

EX.VAT £199.17 Inc.VAT £239.00 EX.VAT £288.69 Inc.VAT £346.43

Tudor Pillar Mounted Bath Filler



INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE: 0.1 - 5.0 bar



TUD08 Chrome
TUD08/501 Gold


EX.VAT **£158.08** Inc.VAT **£189.70** EX.VAT **£229.64** Inc.VAT **£275.57**

Coronation



5 year warranty on non-chrome finishes

Coronation Mono Basin Mixer With Pop Up Waste



- · Comes complete with a lever operated pop up waste
- Works with flow regulator FR113-4 to achieve 4 litres per minute see page 13

INLET CONNECTIONS: 15mm Copper

WORKING PRESSURE:

0.1 - 5.0 bar



- CR24 Chrome
- CR24/501 Gold

EX.VAT **£207.85** Inc.VAT **£249.42**EX.VAT **£264.92** Inc.VAT **£317.90**

Coronation Basin Taps

DEVA BATHROOM TAPS

 Works with flow regulators FR101-4 to achieve 4 litres per minute - see page 13



INLET CONNECTIONS:

WORKING PRESSURE:

0.1 - 5.0 bar



1/2" BSP

CR19 Chrome
CR19/501 Gold

Ex.VAT **£99.57** Inc.VAT **£119.48** Ex.VAT **£136.14** Inc.VAT **£163.37**

Coronation Bath Taps

· Optimised for bath filling



INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE:

0.1 - 5.0 bar



CR20 Chrome
CR20/501 Gold

EX.VAT £124.88 Inc.VAT £149.86 EX.VAT £162.39 Inc.VAT £194.87

Coronation



page 12

3/4" BSP




5 year warranty on non-chrome finishes

· Comes complete with single mode shower handset

Works with flow regulator HSR8 to achieve 8 litres per minute - see

Coronation Pillar Mounted Bath Shower Mixer



INLET CONNECTIONS:

WORKING PRESSURE:

0.1 - 5.0 bar



CR23 Chrome

CR23/501 Gold

Ex.VAT **£414.91** Inc.VAT **£497.89**Ex.VAT **£512.58** Inc.VAT **£615.10**

Georgian




5 year warranty on non-chrome finishes

Georgian Basin Mixer With Pop Up Waste



Ceramic disc handles ensure a smooth operation and longer life

- Comes complete with a lever operated pop up waste
- Works with flow regulator FR113-4 to achieve 4 litres per minute see page 13





GE04 Chrome GE04/501 Gold EX.VAT **£248.95** Inc.VAT **£298.74**EX.VAT **£307.55** Inc.VAT **£369.06**

Georgian Basin Taps

DEVA BATHROOM TAPS

Ceramic disc handles ensure a smooth operation and longer life



INLET CONNECTIONS:

WORKING PRESSURE:

0.1 - 5.0 bar

(A)

1/2" BSP

GE01 Chrome
GE01/501 Gold

EX.VAT **£124.88** Inc.VAT **£149.86**EX.VAT **£162.39** Inc.VAT **£194.87**

Georgian Bath Taps

102 30

Ceramic disc handles ensure a smooth operation and longer life

Optimised for bath filling

INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE: 0.1 - 5.0 bar



GE02 Chrome
GE02/501 Gold

Ex.VAT £149.38 Inc.VAT £179.26 Ex.VAT £187.81 Inc.VAT £225.37


Georgian





5 year warranty on non-chrome finishes

Georgian Pillar Mounted Bath Shower Mixer



- Ceramic disc handles ensure a smooth operation and longer life
- · Comes complete with single mode shower handset
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12

INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE:

0.1 - 5.0 bar




GE03 Chrome

GE03/501 Gold

EX.VAT **£547.69** Inc.VAT **£657.23**EX.VAT **£650.35** Inc.VAT **£780.42**

Georgian Pillar Mounted Bath Filler



Ceramic disc handles ensure a smooth operation and longer life

INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE:

0.1 - 5.0 bar



GE08 Chrome
GE08/501 Gold

EX.VAT £381.73 Inc.VAT £458.08 EX.VAT £461.75 Inc.VAT £554.10 **Cross Handle**

5 year warranty on non-chrome finishes

Cross Handle Basin Taps

Additional set of red and blue indices included




INLET CONNECTIONS: WORKING PRESSURE: 1/2" BSP 0.1 - 5.0 bar

181X Chrome

Ex.VAT £39.52 Inc.VAT £47.42

Cross Handle Bath Taps

Additional set of red and blue indices included



INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE:

0.1 - 5.0 bar

182X Chrome

Ex.VAT **£41.88** Inc.VAT **£50.26**

Profile






5 year warranty on non-chrome finishes

Profile Basin Mixer With Pop Up Waste

- Includes lever operated pop up waste
 - Compatible with Waterblade innovative technology which uses just 2.5l/min
 - Works with flow regulator FR113-4 to achieve 4 litres per minute see page 13



INLET CONNECTIONS: 15mm Copper

WORKING PRESSURE: 0.1 - 5.0 bar




A

- DCM113 Chrome
- DCM113/501 Gold

Ex.VAT **£81.40** Inc.VAT **£97.68**Ex.VAT **£133.69** Inc.VAT **£160.43**

Profile Basin Taps

- Metal backnuts on SPEC code
 Works with flow regulators FP101
- Works with flow regulators FR101-4 to achieve 4 litres per minute see page 13



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.1 - 5.0 bar




A

- DCM101 Chrome
- DCM SPECIO1 Chrome
 - DCM101/501 Gold

EX.VAT £30.04 Inc.VAT £36.05 EX.VAT £33.99 Inc.VAT £40.79 EX.VAT £63.97 Inc.VAT £76.76

Profile Bath Taps

· Metal backnuts on SPEC code



INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE: 0.1 - 5.0 bar





- DCM102 Chrome
- DCM SPEC102 Chrome
- DCM102/501 Gold

EX.VAT £32.42 Inc.VAT £38.90 EX.VAT £36.37 Inc.VAT £43.64 EX.VAT £66.43 Inc.VAT £79.72


DEVA BATHROOM TAPS

Profile



5 year warranty on non-chrome finishes

Profile Bath Shower Mixer



- Comes complete with single mode shower kit and wall bracket
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12

INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE:

0.1 - 5.0 bar




(A) (1)

DCM106 Chrome
DCM106/501 Gold

EX.VAT £121.71 Inc.VAT £146.05
EX.VAT £208.31 Inc.VAT £249.97

Profile Bath Filler



INLET CONNECTIONS: 34" BSP

WORKING PRESSURE: 0.1 - 5.0 bar



(A)

DCM108 Chrome
DCM108/501 Gold

EX.VAT **£96.40** Inc.VAT **£115.68** EX.VAT **£165.66** Inc.VAT **£198.79**


Lever





Lever Action Basin Taps

- Ceramic disc handles ensure a smooth operation and longer life
- Works with flow regulators FR101-4 to achieve 4 litres per minute see page 13



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.1 - 5.0 bar




CNTL01 Chrome

Ex.VAT £52.16 Inc.VAT £62.59

Lever Action Bath Taps

Ceramic disc handles ensure a smooth operation and longer life



INLET CONNECTIONS: 34" BSP

WORKING PRESSURE: 0.1 - 5.0 bar



CNTL02 Chrome


Ex.VAT **£60.06** Inc.VAT **£72.07**

Lever



Lever Action Basin Mixer With Pop Up Waste

- · Includes lever operated pop up waste
- Works with flow regulator FR113-4 to achieve 4 litres per minute see page 13



INLET CONNECTIONS: 15mm Copper

WORKING PRESSURE: 0.1 - 5.0 bar



DLT113 Chrome

Ex.VAT £114.58 Inc.VAT £137.50

Lever Action Basin Taps

- Metal backnuts on SPEC code
- Available with 41/min flow regulator, see code DLT SPEC101-4



INLET CONNECTIONS:
1/2" BSP

WORKING PRESSURE:

0.1 - 5.0 bar




A

- DLT101 Chrome
- DLT SPEC101 Chrome
 DLT SPEC101-4 Chrome
- DLV101 Chrome 6" Lever

EX.VAT £47.42 Inc.VAT £56.90 EX.VAT £51.36 Inc.VAT £61.63 EX.VAT £57.69 Inc.VAT £69.23 EX.VAT £60.74 Inc.VAT £72.89

Metal backnuts on SPEC codes

Lever Action Bath Taps



INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE: 0.1 - 5.0 bar



A

DLT102 Chrome

DLT SPEC102 Chrome
DLV102 Chrome 6" Lever

EX.VAT £52.16 Inc.VAT £62.59
EX.VAT £56.11 Inc.VAT £67.33
EX.VAT £62.36 Inc.VAT £74.83

DEVA BATHROOM TAPS


Lever





Lever Action Bath Shower Mixer

- Comes complete with single mode shower kit and wall bracket
- · Metal backnuts on SPEC code
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12



INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE: 0.1 - 5.0 bar




(A)

DLT106 Chrome
DLT SPEC106 Chrome

EX.VAT **£161.23** Inc.VAT **£193.48**EX.VAT **£165.18** Inc.VAT **£198.22**

Lever Action Bath Filler

· Optimised for bath filling



INLET CONNECTIONS: 34" BSP

WORKING PRESSURE: 0.1 - 5.0 bar



A


DLT108 Chrome

Ex.VAT £132.76 Inc.VAT £159.31



Adore Sink Mixer

- Ceramic cartridge for smooth operation and longer life
- Tilt and turn temperature and flow control
- Swivel spout
- Flexi-tails version available see F code



INLET CONNECTIONS: WORKING PRESSURE: 0.1 - 5.0 bar 15mm Copper

ADOREI71 Chrome ADORE171F Chrome Ex.VAT £129.58 Inc.VAT £155.50 Ex.VAT £129.58 Inc.VAT £155.50

Lace Sink Mixer

- · Ceramic cartridge for smooth operation and longer life
- Tilt and turn temperature and flow control
- Swivel spout



INLET CONNECTIONS: 15mm Copper

WORKING PRESSURE:

0.1 - 5.0 bar


LACE171 Chrome

Ex.VAT £129.58 Inc.VAT £155.50

Ethos Sink Mixer

DEVA KITCHEN TAPS

- Ceramic cartridge for smooth operation and longer life
- Tilt and turn temperature and flow control
- Swivel spout



INLET CONNECTIONS: 1/2 BSP

WORKING PRESSURE:

0.1 - 5.0 bar



ETH104 Chrome ETH104BK Matte Black

Ex.VAT £198.00 Inc.VAT £237.60

Ex.VAT £173.41 Inc.VAT £208.09

Single Handle





5 year warranty on non-chrome finishes

Indi Sink Mixer



Ceramic cartridge for smooth operation and longer life

- Tilt and turn temperature and flow control
- Swivel spout
- Available with 61/min flow regulator, see -6 code



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.2 - 5.0 bar





IND104-6 Chrome 6I/min


IND104BC Brushed Chrome IND104BK Matte Black

Ex.VAT £198.19 Inc.VAT £237.83 Ex.VAT £208.72 Inc.VAT £250.46 Ex.VAT £232.61 Inc.VAT £279.13 Ex.VAT £232.61 Inc.VAT £279.13

Ashworth Sink Mixer



- Ceramic cartridge for smooth operation and longer life
- Tilt and turn temperature and flow control
- Swivel spout
- Fitted with a 61/min flow regulator



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.3 - 5.0 bar

Water Label 6 l/min



ASH104 Chrome

ASH104CO Copper


ASH104BB Brushed Brass ASH104BK Matte Black

EX.VAT £189.50 Inc.VAT £227.40 Ex.VAT £236.88 Inc.VAT £284.26 Ex.VAT **£236.88** Inc.VAT **£284.26**

Ex.VAT £236.88 Inc.VAT £284.26

Vision Sink Mixer With Arch Spout

- Ceramic cartridge for smooth operation and longer life
- Tilt and turn temperature and flow control
- Swivel spout



INLET CONNECTIONS: 15mm Copper

WORKING PRESSURE: 0.1 - 5.0 bar



VSN104 Chrome


Ex.VAT £257.64 Inc.VAT £309.17

Single Handle



5 year warranty on non-chrome finishes

Edge Sink Mixer



- · Ceramic cartridge for smooth operation and longer life
- Tilt and turn temperature and flow control
 - Swivel spout

INLET CONNECTIONS:

WORKING PRESSURE:

0.1 - 5.0 bar



1/2" BSP


EDGE118 Chrome

Ex.VAT £282.14 Inc.VAT £338.57

Slinky Mono Sink Mixer



- Ceramic cartridge for smooth operation and longer life
- Swivel spout and pull out rinser
- Tilt and turn temperature and flow control
- Two functions standard flow and spray



INLET CONNECTIONS:

WORKING PRESSURE:

1.0 - 5.0 bar



1/2" BSP

SLINKY218 Chrome

Ex.VAT £279.56 Inc.VAT £335.47

Dual Handle



Swivel spout

Dual Flow



5 year warranty on non-chrome finishes

Profile Sink Mixer



INLET CONNECTIONS: 15mm Copper

WORKING PRESSURE: 0.1 - 5.0 bar



A

DCM104 Chrome
DCP124/004 Beige
DCP124/005 White

EX.VAT £87.72 Inc.VAT £105.26
EX.VAT £116.19 Inc.VAT £139.43
EX.VAT £116.19 Inc.VAT £139.43

Lever Sink Mixer

- Ceramic disc handles ensure a smooth operation and longer life
- · Comes with under mount bracket
- Swivel spout



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.1 - 5.0 bar



(A

- LEV104 Chrome
- LEV104/BC Brushed Chrome

Ex.VAT **£91.68** Inc.VAT **£110.02**Ex.VAT **£156.22** Inc.VAT **£187.46**

Lever Action Sink Mixer

- Ceramic disc handles ensure a smooth operation and longer life
- Swivel spout
- Dual flow
- Easy to use lever handles



INLET CONNECTIONS: 15mm Copper

WORKING PRESSURE: 0.1 - 5.0 bar



DLT104 Chrome

Ex.VAT £131.19 Inc.VAT £157.43

Milan Sink Mixer

- Swivel spout
- Dual Flow



INLET CONNECTIONS: 15mm Copper

WORKING PRESSURE: 0.1 - 5.0 bar


A

MILAN 104 Chrome

Ex.VAT £135.93 Inc.VAT £163.12

Sauris Sink Mixer

- Ceramic disc handles ensure a smooth operation and longer life
- · Swivel spout
- Dual flow



INLET CONNECTIONS: 15mm Copper

WORKING PRESSURE:

0.1 - 5.0 bar


(A)

SMS172 Chrome
SMS172/004 Beige
SMS172/005 White

EX.VAT **£141.46** Inc.VAT **£169.75**EX.VAT **£165.97** Inc.VAT **£199.16**EX.VAT **£165.97** Inc.VAT **£199.16**

Venetian Sink Mixer

- Swivel spout
- Dual Flow



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.1 - 5.0 bar



\$M057 Chrome \$M057/501 Gold EX.VAT £149.38 Inc.VAT £179.26 EX.VAT £204.21 Inc.VAT £245.05

DEVA KITCHEN TAPS

Dual Handle



Swivel spout



5 year warranty on non-chrome finishes

Nelson Sink Mixer



INLET CONNECTIONS:

WORKING PRESSURE: 0.1 - 5.0 bar

A

1/2" BSP

NEL104 Chrome

NEL104BC Brushed Chrome

NEL104BK Matte Black


EX.VAT £154.58 Inc.VAT £185.50
EX.VAT £181.44 Inc.VAT £217.73
EX.VAT £181.44 Inc.VAT £217.73

Puffin Sink Mixer

Ceramic disc handles ensure a smooth operation and longer life

Ceramic disc handles ensure a smooth operation and longer life

- Swivel spout
- Dual flow



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.1 - 5.0 bar



PUF130/CP Chrome

Swivel spout

Ex.VAT £174.66 Inc.VAT £209.59

Metropolis Sink Mixer

370 270

350

· Ceramic disc handles ensure a smooth operation and longer life

INLET CONNECTIONS: WORKING PRESSURE: %" BSP 0.2 - 5.0 bar

(A)

MET 172 Chrome


MET172/BC Brushed Chrome

EX.VAT **£189.67** Inc.VAT **£227.60**EX.VAT **£254.20** Inc.VAT **£305.04**



Taurs Sink Mixer

5 year warranty on non-chrome finishes



Ceramic disc handles ensure a smooth operation and longer life

Swivel spout

INLET CONNECTIONS: 15mm Copper

WORKING PRESSURE:

0.1 - 5.0 bar



TAUR130 Chrome

Ex.VAT £197.60 Inc.VAT £237.12

Brixton Sink Mixer

- Ceramic disc handles ensure a smooth operation and longer life
- Swivel spout

1/2" BSP



INLET CONNECTIONS:

WORKING PRESSURE:

0.3 - 5.0 bar



BTN104 Chrome

Ex.VAT £215.81 Inc.VAT £258.97

Georgian Sink Mixer

- Swivel spout
- **Dual Flow**



INLET CONNECTIONS: 15mm Copper

WORKING PRESSURE:

0.1 - 5.0 bar

SM056 Chrome SM056/501 Gold

SM056/BZ Bronze SM056/NI Nickel

Ex.VAT **£282.14** Inc.VAT **£338.57** Ex.VAT **£342.00** Inc.VAT **£410.40** Ex.VAT £331.93 Inc.VAT £398.32 Ex.VAT **£423.60** Inc.VAT **£508.32**

DEVA KITCHEN TAPS

Bridge





Lever Action 3" Lever Bridge Sink Mixer With Adjustable Centres



- · Ceramic disc handles ensure a smooth operation and longer life
- Swivel spout
- Dual Flow
- · Features adjustable centre pillars for easy installation
- Long levers for easy use with closed fist or arm operation





Lever Action 6" Lever Bridge Sink Mixer With Adjustable Centres

- · Ceramic disc handles ensure a smooth operation and longer life
- Swivel spout
- Dual Flow
- · Features adjustable centre pillars for easy installation
- · Long levers for easy use with closed fist or arm operation



INLET CONNECTIONS: 1/9" BSP

WORKING PRESSURE:

0.1 - 5.0 bar




DLV305B Chrome

Ex.VAT £207.13 Inc.VAT £248.56

Lever Action 6" Lever Wall Mounted Bridge Sink Mixer

- Ceramic disc handles ensure a smooth operation and longer life
- Swivel spout
- Dual Flow



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.1 - 5.0 bar




DLV305WM Chrome

Ex.VAT **£226.23** Inc.VAT **£271.51**

5 year warranty on non-chrome finishes

Georgian Bridge Sink Mixer



- Swivel spout
- Features adjustable centre pillars for easy installation

INLET CONNECTIONS: WORKING PRESSURE: 1/2" BSP 0.1 - 5.0 bar



GE0305 Chrome

Ex.VAT **£274.25** Inc.VAT **£329.10**

Coronation Bridge Sink Mixer

- Swivel spout
- Dual flow

1/2" BSP

Features adjustable centre pillars for easy installation



INLET CONNECTIONS:

WORKING PRESSURE:

0.1 - 5.0 bar

CR305 Chrome CR305/501 Gold

Ex.VAT £275.80 Inc.VAT £330.96 Ex.VAT £355.44 Inc.VAT £402.53

Deck Mounted





Profile Deck Mounted Sink Mixer

- Swivel spout
- Dual Flow
- Metal backnuts on SPEC codes



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.1 - 5.0 bar




- A
- DCM105 Chrome
- **DCM SPEC105** Chrome

Ex.VAT £75.08 Inc.VAT £90.10 Ex.VAT £79.02 Inc.VAT £94.82

Lever Action Deck Mounted Sink Mixer

- Swivel spout
- Dual Flow
- · Metal backnuts on SPEC codes



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.1 - 5.0 bar



- A
- DLT105 Chrome
 DLV105 Chrome 6" Levers
- DLT SPEC105 Chrome

EX.VAT **£98.00** Inc.VAT **£117.60**EX.VAT **£111.18** Inc.VAT **£133.42**EX.VAT **£101.96** Inc.VAT **£122.35**

Lever Action Deck Mounted Sink Mixer

Swivel spout



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.1 - 5.0 bar



DLT172 Chrome

Ex.VAT £156.22 Inc.VAT £187.46


Taps



Profile Sink Taps

· Metal backnuts on SPEC codes





INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.1 - 5.0 bar



A)

EX.VAT £38.73 Inc.VAT £46.48
EX.VAT £42.66 Inc.VAT £51.19

DCM103 Chrome
DCM SPEC103 Chrome

Cross Handle Sink Taps

Additional set of red and blue indices included



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.1 - 5.0 bar




■ 183X Chrome

Ex.VAT £43.47 Inc.VAT £52.16

Lever Action Sink Taps

- Metal backnuts on SPEC codes
- Ceramic disc handles ensure smooth operation





INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.1 - 5.0 bar



A

DLT103 Chrome
DLV103 Chrome 6" Levers

DLT SPEC103 Chrome

Ex.VAT **£52.16** Inc.VAT **£62.59** Ex.VAT **£62.36** Inc.VAT **£74.83** Ex.VAT **£56.11** Inc.VAT **£67.33**







Milan Sink Taps



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.1 - 5.0 bar



MILAN 103 Chrome

Ex.VAT £58.49 Inc.VAT £70.19

Lever Action Contract Sink Pillar Taps

Ceramic disc handles ensure a smooth operation and longer life



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.1 - 5.0 bar




CNTL03 Chrome

Ex.VAT **£60.06** Inc.VAT **£72.07**

Coronation High Neck Sink Taps





INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.1 - 5.0 bar



CR27A Chrome

Ex.VAT £114.58 Inc.VAT £137.50



Cross Handle Bib Taps

Additional set of red and blue indices included



INLET CONNECTIONS: WORKING PRESSURE: 1/2" BSP 0.1 - 5.0 bar


A

095X Chrome

Ex.VAT £39.52 Inc.VAT £47.42

Lever Action 6" Bib Taps

· Ceramic disc handles ensure a smooth operation and longer life



INLET CONNECTIONS:

WORKING PRESSURE:

0.1 - 5.0 bar

(A)


1/2" BSP

DLV095 Chrome

Ex.VAT **£66.96** Inc.VAT **£80.35**

Lever Action 3" Bib Taps

• 2.0 bar maximum working pressure on DFV



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.1 - 5.0 bar



DLT095 Chrome

Ex.VAT £77.21 Inc.VAT £92.65

158

DEVA KITCHEN TAPS

Scan to go direct to our website







BATHROOM TAPS





SHOWER ACCESSORIES





KITCHEN TAPS





TAP ACCESSORIES





SHOWERS





WASTES





www.deva-uk.com

Follow us:

- facebook.com/DevaByMethven
- twitter.com/uk_deva

Non Concussive



Non Concussive Self Closing Pillar Basin Tap



- Sold as singles
- · Self closing basin tap
- Pre set automatic shut off after approximately 10 seconds
- Recommended for use with a blending valve see page 165
- Additional set of Hot & cold indices supplied
- Supplied with metal backnuts



WORKING PRESSURE:

0.1 - 3.0 bar


Water Label 12.4 l/min



CORM03 Chrome

Ex.VAT £41.88 Inc.VAT £50.26

Non Concussive Pre-Set Basin Taps



110

- Sold in pairs
- · Self closing basin taps
- Pre-set automatic shut off after approximately 10 seconds
- Recommended for use with a blending valve see page 165
- Compatible with Waterblade innovative technology which uses just 2.5l/min
- Supplied with metal backnuts
- Supplied with 61/min flow regulator for the tails

INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.3 - 3.0 bar

Water Label 6 l/min



NCT001 Chrome

Ex.VAT £91.68 Inc.VAT £110.02

Non Concussive Vision Self Closing Basin Tap



- Sold as singles
- Self closing basin taps
- Pre set automatic shut off after approximately 10 seconds
- Recommended for use with a blending valve see page 165
- Compatible with Waterblade innovative technology which uses just 2.5I/min
- Supplied with metal backnuts

INLET CONNECTIONS:
1/2" BSP

WORKING PRESSURE:

0.1 - 3.0 bar

Unified & 6.8 l/min





VSN123 Chrome

Ex.VAT £149.38 Inc.VAT £179.26

DEVA COMMERCIAL








Lever Action Sequential Mono Basin Mixer

- · Ceramic cartridge for smooth operation and longer life
- · Sold as a single mixer tap
- Operates under unequal pressure
- Can be purchased with a TBV008
- Recommended for use with a blending valve see page 165





INLET CONNECTIONS:
1/3" BSP

WORKING PRESSURE:

0.2 - 5.0 bar




SOL004 Chrome

Ex.VAT £161.03 Inc.VAT £193.24

Thermostatic Sequential Lever Mono Basin Mixer

- · Sequential flow and temperature control for ease of use
- · Prevents scalding by accurately controlling the water temperature





INLET CONNECTIONS:
1/3" BSP

WORKING PRESSURE: 0.2 - 5.0 bar



Continue to Nation


SOL003 Chrome

Ex.VAT £331.93 Inc.VAT £398.32

Non Concussive Pre-Set Exposed Shower Valve

- Suitable for sports centres, public facilities etc.
- Pre-set automatic shut off after approximately 20 seconds





VALVE: Manual INLET CONNECTIONS: 15mm Compression

WORKING PRESSURE: 0.2 - 5.0 bar



NCT002 Chrome

Ex.VAT £99.57 Inc.VAT £119.48


Mixed

Non Concussive Pre-Set Recessed Shower Valve

DEVA COMMERCIAL TAPS

- · Suitable for sports centres, public facilities etc
- · Pre-set automatic shut off after approximately 20 seconds





VALVE: Manual INLET CONNECTIONS: 15mm Compression WORKING PRESSURE:

0.2 - 5.0 bar



NCT003 Chrome

Ex.VAT £108.26 Inc.VAT £129.91

Anti-Vandal Shower Head

- Sturdy brass construction and compact rounded shape for both style and durability
- Suitable for sports centres, public facilities etc
- Can be fitted with FRAV 9 to achieve 9 litre per minute see page 12



INLET CONNECTIONS:

15mm Copper



AVSH001 Chrome


Ex.VAT £99.57 Inc.VAT £119.48

Anti-Vandal Shower System

- Sturdy brass construction and compact rounded shape for both style and durability
- Suitable for sports centres, public facilities etc
- Pre-set automatic shut off after approximately 20 seconds
- Can be fitted with FRAV 9 to achieve 9 litre per minute see page 12

VALVE: Manual INLET CONNECTIONS: 15mm Compression WORKING PRESSURE:

0.2 - 5.0 bar





AVSH002 Chrome

Ex.VAT £211.38 Inc.VAT £253.66






Mixed

Shattaf With Hose And Wall Bracket

Includes 1.2m metal hose & ABS wall bracket



INLET CONNECTIONS: 1/2" BSP


WORKING PRESSURE: 0.5 - 5.0 bar



SHA01 Chrome

Ex.VAT £23.83 Inc.VAT £28.60

Brass Shattaf With Hose And Wall Bracket



Includes 1.2m metal hose & ABS wall bracket

INLET CONNECTIONS: 1/9" BSP

WORKING PRESSURE: 0.5 - 5.0 bar



SHA02 Chrome

Ex.VAT £36.39 Inc.VAT £43.67

Dynamic Pillar Mounted Thermostatic Bath Shower Mixer

- 38°C temperature hot stop with override facility
- Comes complete with single mode shower kit and wall bracket
- Works with flow regulator HSR8 to achieve 8 litres per minute see page 12



INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE: 0.3 - 5.0 bar






DYN 106 Chrome

Ex.VAT £331.93 Inc.VAT £398.32

YEAR WARRANTY WARRANTY

Dynamic Pillar Mounted Thermostatic Bath Shower Mixer

- 38°C temperature hot stop with override facility
- · Comes complete with single mode shower kit
- Riser rail features adjustable brackets ideal for retrofit



INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE:

0.3 - 5.0 bar





DYN106/1B Chrome

Ex.VAT £401.88 Inc.VAT £482.26

Dynamic Wall Mounted Thermostatic Bath Shower Mixer

· 38°C temperature hot stop with override facility



INLET CONNECTIONS:

WORKING PRESSURE:

0.3 - 5.0 bar






DYN106 B.O. Chrome

Ex.VAT **£221.49** Inc.VAT **£265.79**

Dynamic Pillar Mounted Thermostatic Bath Shower Mixer

• 38°C temperature hot stop with override facility



INLET CONNECTIONS: 3/4" BSP

WORKING PRESSURE:

0.3 - 5.0 bar





DYN106NK Chrome

Ex.VAT £262.03 Inc.VAT £314.44

DEVA COMMERCIAL








Thermostatic 15mm Blending Valve

- Prevents scalding by accurately controlling the water temperature
- Approved at high and low pressure designations
- For single outlet



INLET CONNECTIONS: 15mm Copper

WORKING PRESSURE: 0.2 - 5.0 bar



Certified to NSI

TBV008 Chrome

Ex.VAT £60.00 Inc.VAT £72.00

Thermostatic 22mm Blending Valve

- · Prevents scalding by accurately controlling the water temperature
- Approved at high and low pressure designations
- · For single outlet



INLET CONNECTIONS: 22mm Compression

WORKING PRESSURE: 0.2 - 5.0 bar




Certified to NSF TMV2

TBV010 Chrome

Ex.VAT **£70.00** Inc.VAT **£84.00**

Pressure Equalising Valve

 The valve equalises the outlet pressure, by automatically adjusting the higher inlet pressure to level out the lower inlet pressure



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.2 - 5.0 bar




PEV002 Brass

Ex.VAT £136.72 Inc.VAT £164.06

Sensor



SENSOR 1/D



- Suitable for cold or premixed water
- Moisture and water resistant control unit
- Choice of battery or mains power
- Battery operation requires 4 x AA batteries
- Recommended for use with a blending valve see page 165
- Compatible with Waterblade innovative technology which uses just 2.5I/min

INLET CONNECTIONS:

WORKING PRESSURE:

0.5 - 5.0 bar




1/2" BSP



SENSOR1/D Chrome

Ex.VAT £373.82 Inc.VAT £448.58

SENSOR 4/D



- Suitable for cold or premixed water
- Moisture and water resistant control unit
- Choice of battery or mains power
- Battery operation requires 4 x AA batteries
- Recommended for use with a blending valve see page 165
- Compatible with Waterblade innovative technology which uses just 2.5I/min

INLET CONNECTIONS:

WORKING PRESSURE:

0.5 - 5.0 bar




1/2" BSP

SENSOR4/D Chrome

Ex.VAT £373.82 Inc.VAT £448.58

SENSOR 6/BT



- Suitable for hot and cold water
- Moisture and water resistant control unit
- Battery operated, requires 4 x AA batteries
- Recommended for use with a blending valve see page 165
- Compatible with Waterblade innovative technology which uses just 2.5I/min

INLET CONNECTIONS:

WORKING PRESSURE:

1/2" BSP

0.5 - 5.0 bar



SENSOR6/BT Chrome


Ex.VAT £373.82 Inc.VAT £448.58







SENSOR 7/D



- Moisture and water resistant control unit
- · Choice of battery or mains power
- Battery operation requires 4 x AA batteries
- Recommended for use with a blending valve see page 165
- Compatible with Waterblade innovative technology which uses just 2.5l/min



INLET CONNECTIONS:
1/8" BSP

WORKING PRESSURE:

0.5 - 5.0 bar






SENSOR7/D Chrome

Ex.VAT £375.09 Inc.VAT £450.11

SENSOR 11/D

- · Suitable for cold or premixed water
 - Moisture and water resistant control unit
- · Choice of battery or mains power
- Battery operation requires 4 x AA batteries
- Recommended for use with a blending valve see page 165



INLET CONNECTIONS:
1/3" BSP

WORKING PRESSURE:

0.5 - 5.0 bar




SENSOR11/D Chrome

Ex.VAT **£429.76** Inc.VAT **£515.71**

SENSOR 9/W

- Suitable for cold or premixed water
- Moisture and water resistant control unit
- Choice of battery or mains power
- Battery operation requires 4 x AA batteries





INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.5 - 5.0 bar



SENSOR9/W Chrome

Ex.VAT £437.81 Inc.VAT £525.37

Sensor



SENSOR 2/D



- · Suitable for cold or premixed water
- Moisture and water resistant control unit
- Choice of battery or mains power
- Battery operation requires 4 x AA batteries
- Recommended for use with a blending valve see page 165
- Compatible with Waterblade innovative technology which uses just 2.5I/min

INLET CONNECTIONS:

WORKING PRESSURE:

0.5 - 5.0 bar




1/2" BSP

SENSOR2/D Chrome

Ex.VAT £456.81 Inc.VAT £548.17

SENSOR 3/D



- · Suitable for cold or premixed water
 - Moisture and water resistant control unit
- Choice of battery or mains power
- Battery operation requires 4 x AA batteries
- Recommended for use with a blending valve see page 165
- Compatible with Waterblade innovative technology which uses just 2.5l/min

INLET CONNECTIONS:

WORKING PRESSURE:

0.5 - 5.0 bar



1/2" BSP

SENSOR3/D Chrome

Ex.VAT £456.81 Inc.VAT £548.17







Waste less water
Save money on water bills
Easy & hygienic to use
Choice of deck and wall mounted designs
Choice of battery or mains power

Wastes



1¼" Basin Slotted Waste

- · Complete with poly plug and chain
- · Slotted waste for basins with a built in overflow



DW300 Chrome

Ex.VAT £7.90 Inc.VAT £9.48

Free Flow 11/4" Basin Slotted Waste

- Allows water to flow continuously reducing the risk of flooding
- · Slotted waste for basins with a built in overflow



WSTGR114/S Chrome

Ex.VAT £12.06 Inc.VAT £14.47

1¼" Basin Slotted Waste

- · Complete with brass plug and chain
- · Slotted waste for basins with a built in overflow



DW300/017 Chrome DW300/501 Gold

Ex.VAT £12.64 Inc.VAT £15.17 Ex.VAT £45.92 Inc.VAT £55.10

Wastes





Free Flow 1¼" Basin Unslotted Waste

- Allows water to flow continuously reducing the risk of flooding
- For basins without an overflow



WSTGR114/UNS Chrome

Ex.VAT £12.78 Inc.VAT £15.34

11/4" Basin Slotted Press Top Waste

· Slotted waste for basins with a built in overflow




PTW300/017 Chrome
PTW300/MB Matte Black

EX.VAT £20.55 Inc.VAT £24.66
EX.VAT £25.73 Inc.VAT £30.88

1¼" Basin Unslotted Press Top Waste

Unslotted waste for basins without a built in overflow





WST12CP Chrome

Ex.VAT £23.03 Inc.VAT £27.64


Wastes



Free Flow 11/4" Basin Waste

- Allows water to flow continuously reducing the risk of flooding
- For basins without an overflow





WST13CP Chrome

Ex.VAT £31.95 Inc.VAT £38.34

1¼" Basin Flip Top Waste

· Slotted waste for basins with a built in overflow



FTW300/017 Chrome

Ex.VAT £33.19 Inc.VAT £39.83

11/2" Bath Waste - Plastic Body

Complete with overflow assembly and poly plug



FOV414 Chrome


Ex.VAT £8.69 Inc.VAT £10.43

Wastes





1½" Bath Waste



Complete with overflow assembly and brass plug



WST27/BATH Chrome

Ex.VAT £18.17 Inc.VAT £21.80

11/2" Bath Waste - Brass Body

Complete with overflow assembly and brass plug



DW404/017 Chrome DW404/501 Gold EX.VAT **£21.33** Inc.VAT **£25.60**EX.VAT **£54.96** Inc.VAT **£65.95**

1½" Bath Tidy Waste

Complete with overflow assembly and metal plug



BTW404/017 Chrome

Ex.VAT £26.86 Inc.VAT £32.23



11/2" Bath Press Top Waste

· Complete with overflow assembly and press top waste




PTW404/017 Chrome

Ex.VAT £39.52 Inc.VAT £47.42

11/2" Bath Waste

Pop up waste




PUW200 Chrome PUW200/501 Gold

Ex.VAT £41.88 Inc.VAT £50.26 Ex.VAT £76.28 Inc.VAT £91.54

11/2" Bath Fill And Overflow Waste

· Operated by overflow allowing hands free drainage



PUW206 Chrome PUW206BK Matte Black

Ex.VAT £149.38 Inc.VAT £179.26 Ex.VAT £187.86 Inc.VAT £225.43


Wastes





1 1/2" Grated Waste

Allows water to flow continuously reducing the risk of flooding



WSTGR112/UNS Chrome

Ex.VAT £18.46 Inc.VAT £22.15

13/4" Sink Waste With Overflow

Complete with poly plug and chain




FOV412 Chrome

Ex.VAT £9.47 Inc.VAT £11.36


Wastes



1¼" Bottle Trap With Wall Extension



1¼" Bottle Trap With Wall Extension



Square Bottle Trap With Wall Extension



TCP626 Chrome

Ex.VAT £80.39 Inc.VAT £96.47

Showers Spares






Exposed Elbows For Bar Showers

• Sold in pairs





INLET CONNECTIONS: 15mm Compression

SPE04 Chrome

Ex.VAT £50.59 Inc.VAT £60.71

Concealed Shower Spindle Extension

- To suit Methven concealed 1D & 2D showers
- Allows additional 30mm mounting depth





INLET CONNECTIONS: $\frac{1}{2}$ " BSP

WORKING PRESSURE: 0.35 - 5.0 bar



XTS1D2D Chrome

XTS1D2DBK Matte Black

EX.VAT **£113.60** Inc.VAT **£136.32** EX.VAT **£128.82** Inc.VAT **£154.58**

Wall Bracket




SPE06 Chrome

Ex.VAT **£24.51** Inc.VAT **£29.41**



Hose Retainer




SPE08 Chrome

Ex.VAT **£5.54** Inc.VAT **£6.65**

Hose Retainer Wall Mounted

Brass construction




SPE09 Chrome

Ex.VAT £15.02 Inc.VAT £18.02

Brass Straight Nipple And Back Nut $\frac{1}{2}$ "

• Converts female ½" BSP to male ½" BSP



INLET CONNECTIONS: 1/2" BSP

SPE13 Brass

Ex.VAT £11.08 Inc.VAT £13.30

Showers Spares





15mm Brass Non Return Valve

· Prevents water backflow



NRV15 Brass


Ex.VAT **£5.54** Inc.VAT **£6.65**

Tap Spares



Under Sink Mounting Triangle

• Provides a thicker mounting surface for tap fixing




USMT Plastic

Ex.VAT £7.09 Inc.VAT £8.51

10mm to 1/2 BSP Flexi Tails

· Sold in pairs



DSP FCH10 Chrome

Ex.VAT **£16.68** Inc.VAT **£20.02**

Wall Extensions

- Sold in pairs
- · For use with bib taps



INLET CONNECTIONS: 15mm Compression

095 WALL EXT Chrome

Ex.VAT £99.57 Inc.VAT £119.48

Tap Spares





Wall Mounting Unions

· Sold in pairs



RLE36 Chrome

Ex.VAT £15.98 Inc.VAT £19.18

Standard Valve 1/2"

• Sold in pairs - dispatched as 1 hot and 1 cold valve



V2 Brass

Ex.VAT **£12.64** Inc.VAT **£15.17**

Valve To Suit DLT Range 1/2"

Sold in pairs - dispatched as 1 hot and 1 cold valve



CDV001 Brass

Ex.VAT **£29.26** Inc.VAT **£35.11**

Tap Spares



Valve To Suit DLT Range 3/4"

- Sold in pairs dispatched as 1 hot and 1 cold valve
- Quarter trun



CDV200 Brass

Ex.VAT **£47.81** Inc.VAT **£57.37**

Profile Acrylic Tap Head

· Sold in pairs



DAC179 Acrylic

Ex.VAT £7.90 Inc.VAT £9.48

Chrome Plated Handle Option

• Sold in pairs







DCM179 Chrome

Ex.VAT £10.29 Inc.VAT £12.35

Tap Spares





Care Indice

- · Suitable for use with DLT and DLV codes
- Full colour indices and raised H and C lettering
- Ideal for the care market and for users with impaired vision
- Sold in pairs



SP01/CARE DLT

Ex.VAT £3.13 Inc.VAT £3.76

Lever Action 3" handle option

· Sold in pairs



DLV001 Chrome

Ex.VAT **£24.21** Inc.VAT **£29.05**

Lever Action 6" handle option

- Included with products showing DLV codes
- Sold in pairs



DLV002 Chrome


Ex.VAT **£48.24** Inc.VAT **£57.89**

Tap Spares



Universal Conversion Kit - Acrylic Handle

- · Sold in pairs
- Suitable to replace BS5412 basin, sink and bath taps
- BS1010



WORKING PRESSURE:

0.1 - 5.0 bar




ACK001 Acrylic

Ex.VAT £27.68 Inc.VAT £33.22

Universal Conversion Kit

- · Sold in pairs
- Suitable to replace BS5412 basin, sink and bath taps
- DC101



WORKING PRESSURE:

0.1 - 5.0 bar



MCK001 Chrome

Ex.VAT £28.45 Inc.VAT £34.14

Period Style Conversion Kit

- Sold in pairs
- Suitable to replace BS5412 basin, sink and bath taps



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.1 - 5.0 bar



VIC CONV.KIT Chrome

Ex.VAT £43.47 Inc.VAT £52.16


Tap Spares





Action 3" Conversion Kit

- · Sold in pairs
- Suitable to replace BS5412 basin, sink and bath taps



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE: 0.1 - 5.0 bar



DLTKIT Chrome

Ex.VAT **£56.18** Inc.VAT **£67.42**


6" Lever Conversion Kit



Sold in pairs

1/2" BSP

Suitable to replace BS5412 basin, sink and bath taps



INLET CONNECTIONS:

WORKING PRESSURE:

0.1 - 5.0 bar



DLVKIT Chrome

Ex.VAT **£54.07** Inc.VAT **£64.88**

Replacement kit to suit NCT001 Basin taps

- To suit NCT001 & CORM03
- Sold in singles
- Hot indice provided



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:

0.2 - 3.0 bar



NCTKIT Chrome

Ex.VAT **£42.27** Inc.VAT **£50.72**



Dcm179(Pr) + V2(Pr)

· Sold in pairs



INLET CONNECTIONS: 1/2" BSP

WORKING PRESSURE:


0.1 - 5.0 bar



DCMK001 Chrome

Ex.VAT £17.35 Inc.VAT £20.82

Cistern Lever




CL01 Chrome CL01/501 Gold

Ex.VAT £16.60 Inc.VAT £19.92 Ex.VAT £50.03 Inc.VAT £60.04

Victoriana Cistern Lever

· Ceramic handle



VIC481 Chrome

Ex.VAT **£41.89** Inc.VAT **£50.27**

Notes	Deva by METHVEN

TERMS AND CONDITIONS OF SALE

TERMS AND CONDITIONS OF SALE

1 Definitions

In these standard terms and conditions:

accordance with Condition 2.3:

It the following words and expressions will have the following meanings unless the context otherwise requires:

"Applicable Law" means any: (a) statute, statutory instrument, bye law, order Applications taw internst sity, log statute, statutory installment, bye law, other, regulation, directive, treaty, decree, decision of the European Council or law (including any common law or civil law judgment, demand, order or decision of any court, regulator or tribunal); and/or (b) legally binding rule, policy, guidance or any cour, regulator or industrial, antator top regards intiming time, boiley, guidance or recommendation issued by any governmental, statutory or regulatory body in each case which relates to the Contract and/or the Goods; "Business Day" means a day that is not a Saturday, Sunday or public or bank

holiday in England:

"Conditions" means these standard terms and conditions of sale together with any special terms agreed in writing between the Customer and Methyen;
"Contract" means the contract between Methyen and the Customer for the sale and purchase of the Goods formed in accordance with Condition 2;
"Customer" means the person whose Order for Goods is accepted by Methven in

"Data Protection Legislation" means (i) the General Data Protection Regulation ((EU) 2016/679) ("GDPR") unless and until the GDPR is no longer directly applicable in the UK, together with any national implementing laws, regulations and secondary legislation as amended or updated from time to time in the UK, including the Data Protection Act 2018 ("DPA"); and then (ii) any successor legislation to the GDPR and the DPA.

"Delivery Point" means the place where delivery of the Goods is to take place

under Condition 5.1 as set out in the Order;
"Force Majeure Event" means any (a) act of God; (b) war, insurrection, riot, civil commotion, act or threat of terrorism; (c) lightning, earthquake, fire, flood, storm or extreme weather condition; (d) theft, malicious damage; (e) strike, lockout or industrial dispute (whether affecting the workforce of Methven and/or any other preson); (f) breakdown or failure of plant or machinery; (g) inability to obtain essential supplies or materials; (f) change in Applicable Law; (f) failure or default of a supplier or sub-contractor of Methwen; or (g) event or circumstance to the extent it is beyond the reasonable control of Methwen;

"Goods" means any goods which Methven supplies to the Customer (including any of them or any part of them) under a Contract;

"Insolvent" the Customer is Insolvent where it: (a) ceases, threatens to cease insolvent the customer is insolvent where it, (a) ceases, intendents to cease or, in Methven's reasonable opinion appears likely to cease, to trade; (b) goes into liquidation or bankruptcy (or has a petition for its winding up or bankruptcy presented or passes a resolution for its winding up), (c) goes into administration (or is subject to an administration order or an application for an administration order made in respect of it), (d) has a receiver or administrator appointed over some or all of its assets or proposes an arrangement or compromise with its creditors; or (e) is the subject of anything analogous to the foregoing under the laws of any

(e) is the subject of anything analogous to the foregoing under the laws of any applicable jurisdiction;
"Methyen" means Methyen UK Limited (registered number 06290166) whose registered office is at 2 New Bailey, 6 Stanley Street, Salford. M3 5GS; "Order" means a request by the Customer to purchase Goods from Methven; and "Prices" means the price(s) of the Goods set out in Methven's price list in force at the date of dispatch of the Goods or such other price(s) as agreed by the

- parties in writing;
 1.2 all headings are for ease of reference only and will not affect the construction or interpretation of the Conditions:
- unless the context otherwise require
- 1.3.1 references to the singular include the plural and vice versa and references to any gender include every gender;
- 13.2 references to a "nerson" include any individual, body corporate, association partnership, firm, trust, organisation, joint venture, government, local or munici authority, governmental or supra-governmental agency or department, state or agency of state or any other entity (in each case whether or not having separate
- legislation made under it and will be construed as references to such statute
- regisation provision and ion subordinate legislation as modified, amended, extended statutory provision and advantage and advantage and advantage and advantage and advantage consolidated, re-enacted and/or replaced and in force from time limb, and 15 any words following the words "include", "including", "in particular" or any similar words or expression and accordingly time and accordingly limb or limit the meaning of the words preceding them.

Formation and Incorporation

- Subject to Condition 2.7, these Conditions apply to all Orders and Contracts To the supply of Goods by Methwen to the Customer. Methwen's acceptance of any Order placed by the Customer is strictly conditional upon the Customer's acceptance of these Conditions and by placing an Order the Customer confirms its unconditional acceptance of these Conditions to the exclusion of all other terms and conditions which the Customer purports to apply under the Order, confirmation of order or similar document (including those stipulated or referred to by the Customer purports to apply under the Order, confirmation of order or similar document (including those stipulated or referred to by the Customer purports to apply under the Order, confirmation of order or similar document (including those stipulated or referred to by the Customer purports of the Order of the tomer during the course of pre-contract discussions and/or negotiations) whether
- or not such document is referred to in the Contract.

 2.2 Methven may update these Conditions from time to time. The current of the Contract o of Methyen's Conditions (as updated) can be found at www.methyen.com/uk (the
- "URL").
 2.3 Each Order or acceptance by the Customer of a quotation for Goods will be deemed to be an offer by the Customer to purchase Goods upon the most recent version of these Conditions (as available at the URL) at the time that the Order is placed or the quotation for Goods is accepted. The Contract is formed when the order is accepted by Methven by way of a written acknowledgement of order or by processing the Order (whichever the earlier)
- processing the Order (winchever the earnier).

 2.4 The Customer must ensure that the terms of its Order and any applicable specification are complete and accurate.

 2.5 Acceptance of delivery of the Goods will be deemed conclusive evidence of
- the Customer's acceptance of these Conditions
- 2.6 Methyen may cancel the Contract at any time prior to delivery.

 2.7 Save as otherwise expressly provided in the Contract, no variation to the Con-
- 2.7 Save as otherwise expressly provided in the Collect, in Variation to the Con-tract (including these Conditions) will be effective unless it is in writing and signed by a duly authorised representative on behalf of Methven. Any oral undertakings or instructions issued and/or received by Methven's employees shall not bind Methven
- unless it has confirmed them in writing.

 2.8 A quotation shall only be valid for a period of 30 Business Days from its date of issue, unless otherwise agreed in writing by Methven.
- Description and Specification

- 3.1 All samples and information, prices, specifications, descriptions and/or colour of illustrations shown in Methwen's catalogues, advertisements, brochures, on Methven's website or in any other communications from or on behalf of Methven from time to time are indicative, subject to change without notice and shall under o circumstances form part of the Contract or otherwise bind Methyen Methyen may make any changes to the specification, design, materials or finishes of the Goods which:
- 3.2.1 are required to conform with any Applicable Laws: o
- 3.2.2 do not materially affect their quality or performance.
 3.3 Where Goods are made to the Customer's own specification or design ("Specification"), the Customer undertakes full responsibility for the suitability and (Specification), the Customer undertakes full responsibility for the sundantial fitness of the Specification and will indemnify, keep indemnified and hold harmless Methven in full and on demand against all actions, claims, costs, demands, expenses and damages (including without limit for legal actions) however suffered or incurred by Methven in the event that any claim or claims are made or alleged against Methwen relating to the Specification and/or the manufacture, use, sale, import and/or export of any Goods based on the Specification.

- 4.1 Except as set out in Condition 4.3 or as otherwise agreed in writing by the parties, the Prices are exclusive of insurance, carriage and delivery costs which will be payable by the Customer in addition to the Prices. Any sum payable under the Contract is exclusive of value added tax (and any other similar or equivalent taxes. duties, fees and levies imposed from time to time by any government or other authority) which will be payable in addition to that sum in the manner and at the rate prescribed by law from time to time.
- A2. Methyen will be entitled to vary the Prices:
 4.2.1 following any request by the Customer to change the delivery date(s), quantities or types of Goods ordered;
- 4.2.2 following any changes in the specification made at the request of the Customer and agreed by Methven; 4.2.3 to cover any extra expense as a result of the Customer's instructions or lack of nstructions and/or a failure of the Customer to give Methven adequate or accurate

information;
4.2.4 to comply with the requirements referred to in Condition 3.2.1, 4.2.5 to cover any increase in the cost to Methyen of manufacturing or selling the Goods including foreign exchange fluctuations, increases in taxes and duties and/or the application of any new taxes or duties including import tariffs, and increases in

labour, materials and/or manufacturing costs; and/or 4.2.6 to cover any increase in the cost to Methven of supplying any Goods and/ or complying with any of its obligations under the Contract where such increase are caused in whole or in part (directly or indirectly) by any factor(s) outside the reasonable control of Methyen

the written of metivers.

the wariation to the Customer.

Where the Price for the Goods contained in any Order for delivery.

4.3.1 to the United Kingdom (excluding Northern Ireland and all Scottish islands) 4.3.1 to the United Natigotin (excluding Northern freland and all scottish Islands) is equal to or greater than £50.00 (fifty pounds sterling) excluding VAT, the Price includes the cost of carriage to the contracted place of delivery;
4.3.2 to the United Kingdom (excluding Northern Ireland and all Scottish islands) is

less than 550.00 (fifty pounds sterling) excluding VAT, a delivery charge of £5.00 (five pounds sterling) will be payable by the Customer to Methven in addition to the

4.3.3 to Northern Ireland, the Republic of Ireland, the Channel Islands or the Isle of Man is equal to or greater than £200.00 (two hundred pounds sterling) excluding VAT, the Price includes the cost of carriage to the contracted place of delivery. van, the Frice includes the Cost of tradage to the Containance place to elevery, 4.34 to Northern Ireland, the Republic of Ireland, the Channel Islands or the Isle of Man is less than £200.00 (two hundred pounds sterling) excluding VAT, a delivery charge of £20.00 (twenty pounds sterling) will be payable by the Customer to Methyen in addition to the Price

and in each case, Methwen will deliver the Goods to the contracted place of delivery by the means most convenient to Methven.

4.4 The Customer will pay the Prices to Methyen in accordance with this

Condition 4. All payments will be made in cleared funds in the currency in which the 6. Risk and Ownership sums payable are expressed on Methwen's invoice.

- 4.5 Payment for Goods by credit or debit card will incur at the time of payment a A.3 Paylinet for Joseph Street of the Goods, or such other rate as notified in writing to the Customer by Methven from time to time.

 Methven will be entitled to invoice the Customer for the Prices for the Goods.
- and any applicable insurance, carriage and delivery costs payable by the Customer in addition to the Prices following dispatch of the Goods to the Customer.

 4.7 Unless otherwise agreed in writing by Methven, each invoice will be payable.
- by the Customer not later than 30 days following the month in which the invoice is issued. Time for payment by the Customer shall be of the essence of the Contract.

 4.8 Notwithstanding any purported contrary appropriation by the Customer,

Methyen will be entitled, by giving written notice to the Customer, to appropriate any payment by the Customer to any invoice issued by Methyen.

4.9 If any sum payable under the Contract is not paid on or before the due date

- for payment Methyen will be entitled to charge the Customer interest on that sum at 4% per annum above the base lending rate from time to time of the Bank of England from the due date until the date of payment (whether before or after idament) compounding annually, such interest to accrue on a daily basis.
- 4.10 Notwithstanding Condition 4.9, Methven may, at its sole discretion and as an alternative to Condition 4.9, claim interest under the Late Payment of Commercial Debts (Interest) Act 1998.
- ssly provided in the Contract or required by law, all 4.11 Save as othery payments to be made by the Customer to Methven under the Contract will be made in full and without any set-off or any deduction or withholding including on account of any counter-claim
- 4.12 Methven will be entitled to invoice and the Customer will pay (within 30 days following the date on which the invoice was issued) the sum of £25.00 or, if greater any sums payable by Methyen to any financial institution as a result of one greater, any sums payagine by metionen to any inflancial institution's cheque clearing process or more cheques falling to pass such financial institution's cheque clearing process at the first attempt.

 4.13 The Customer will pay to Methven all costs, expenses and disbursements
- incurred by Methven (including debt collection costs, agency fees and commissions and legal costs) relating to the recovery by Methven of any amounts not paid when due by the Customer under these Conditions.
- due by the Customer union lives Commons.

 4.14 In the event that Methwen agrees to apply discounted Prices to the
 Customer's Orders of particular Goods for a fixed time period and/or in respect of
 a specified quantity of Goods (a "Fixed Term Quotation") and Methwen provides the Customer with a quotation number in respect of the Fixed Term Quotation, the anplication of the discounted Price to an Order is conditional on the Customer quoting the quotation number and/or the agreed discounted Price at the time of placing such Order. If the Customer falls to quote the quotation number or the agreed discounted price at the time of placing an Order (i) the discounted Prices will not be applied to the Order, and (ii) no credits or other adjustments will be made to

the Price payable for the ordered Goods once the Order has been accepted by Methven. At the end of the period of fixed term pricing, the Price for the Goods will he the Price set out in Methyen's price list in force at the date of dispatch of the ods from Methven to the Custo

5 Delivery

5.1 The Goods will be delivered to the Delivery Point. Where the Delivery Point is a location other than Methven's place of business, the Customer shall be solely responsible for (i) providing Methven with a correct address for delivery, suitable access having regard to the size and nature of the delivery and (ii) no less than 5 Business Days prior to Methven's proposed delivery date, notifying Methven in 5 dosiness Days prior to meturent spripused celevery date, mouthing weather in writing of any changes to the delivery address and the Customer's contact details.

5.2 Any dates quoted for delivery are approximate only. Methyen will use reasonable endeavours to deliver each of the Customer's orders for the Goods

- within the time agreed when the Customer places an Order and, if no time is agreed, then within a reasonable time, but the time of delivery will not be of the essence. If, despite those endeavours, Methven is unable for any reason to fulfil any delivery or performance on the specified date, Methyen will not be in breach of the relevant Contract, nor (for the avoidance of doubt), subject to Condition 9.5. will Methyen have any liability to the Customer for direct, indirect or consequential loss (all three of which terms include pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss) howsoever caused (including as a business, depletion of goodwin and nike logs invosible classed including as a result of negligence) by any delay or failure in delivery. Any delay in delivery will not entitle the Customer to cancel the Order unless and until the Customer has given entitle and ecosomer to clarice the Order of the Studies and the Costomer has given 5 Business Days' written notice to Methyen requiring the delivery to be made and Methyen has not fulfilled the delivery within that period. If the Customer cancels the order in accordance with this Condition 5.2 then:
- 5.21 Mothyon will refund to the Customer any sums which the Customer has naid to Methven in respect of that Order or part of the Order which has been cance
- 5.2.2 The Customer will be under no liability to make any further payments nder Condition 4.3 in respect of that Order or part of the Order which has been cancelled.
- 5.3 Methyen shall not be in breach of Condition 5.2 and, subject to Condition 9.5 shall have no liability to the Customer for any delay in delivery of the Goods or fail ure to deliver the Goods which arises out of or in connection with the Customer's failure to provide Methyen with adequate delivery instructions or other information
- nation to provide meanine with a degradate derivery institutions of under information reasonably required to enable Methven to comply with Condition 5.2.

 5.4 Methven shall be entitled to defer or withhold delivery of the Goods until all monies due from the Customer under the Contract or any other contract between Methyen and the Customer have been received by Methyen.
- 5.5 Where the Delivery Point is Methwen's place of business, (i) the Customer take delivery of the Goods within five Business Days of Methwen giving it notice that the Goods are ready for delivery; (ii) delivery of the Goods will be made during Methven's usual business hours; and (iii) delivery shall be deemed to occur upon the taking of possession of the Goods by the Customer. Where the Delivery Point is not Methyen's place of business, delivery of the Goods will be accented at any time not members piace or business, delivery of the Goods will be accepted at any tim of day and delivery shall be deemed to occur upon commencement of unloading the Goods from the delivery vehicle.

 5.6 The Customer will be responsible for loading or off-loading (as applicable)
- the Goods at the Delivery Point and, where the Delivery Point is not Methwen's place of business, the Customer will provide at its risk and expense adequate and appropriate equipment and manual labour for such loading or off-loading.
- 5.7. Methyen may deliver the Goods by separate instalments. Methyen will be entitled to invoice the Price for each instalment separately in accordance with Condition 4.6.
- 5.8 Each instalment will be a senarate Contract and no cancellation or termination 5.8 Each instalment will be a Separate Contract and no cancellation or termination of any one Contract relating to an instalment will entitle the Customer to repudiate or cancel any other Contract or instalment.
 5.9 In the case of goods to be sent by sea, Methven shall be under no obligation
- er any notice for the purposes of Section 32(3) of the Sale of Goods Act 1979

- 6.1 The risk of damage to or loss of the Goods shall pass to the Customer on
- 6.2 The Customer will inspect the Goods on delivery and will, as soon as po and in any event within seven days from and including the date of delivery, give and in any event within Seven upon from and including the date of derivery, give notice to Methven of any breach or defects in relation to those Goods (including any shortfall in or damage to the Goods).

 6.3 If the Customer does not give notice to Methven under Condition 6.2 in
- respect of any Goods, the Customer will be deemed to have accented such Goods ne expired that you doubt, the cashiner will be deemed to have accepted ascir doubt on expire of the seven day period from and including the date of delivery.

 6.3.1 Legal and beneficial ownership of the Goods shall not pass to the Customer until Methyen has received navment in full in cleared funds for:
- 6.3.2 all sums including any interest and any debit or credit card surcharge due in respect of the Goods; or
- icespects the Goods, 63.3 any other goods or services that Methven has supplied to the Customer.

 6.4 Until title to the Goods has passed to the Customer, the Customer shall:

 6.41 hold the Goods on a fliduciary basis as Methven's ballee;

 6.42 store the Goods (at no cost to Methven) separately from all other goods held
- by the Customer so that they remain identifiable as Methven's property;
 6.4.3 not destroy, remove, deface or obscure any identifying mark or packaging on or relating to the Goods; and
- of relating to the Goods, and 6.4.4 maintain the Goods in satisfactory condition and keep them insured against all risk for their full price from the date of delivery, but the Customer may resell or use the Goods in the ordinary course of its
- but the Customer into least of Boods by the Customer pursuant to this Condition 6.4 will be a sale of the Customer's property on the Customer's own behalf and the Customer will deal as principal when making such a sale.
- 6.5 The Customer's right to possession, use and resale of the Goods will
- 6.5.2 on Methyen giving the Customer written notice that it has any reasonable concerns regarding the financial standing of the Customer; 6.5.3 if the Customer falls to pay any sum due to Methyen under the Contract or any
- other contract between Methyen and the Customer on or before the due date: or 6.5.4 if the Customer encumbers or in any way charges any of the Goods.
 6.6. The Customer grants Methven, its agents, employees and sub-contractors an
- irrevocable licence at any time to enter any premises where the Goods are or may hereocoate incented a riny time to enter any premises where the Coustomer's right to possession, use and resale has terminated, to recover them.

 6.7 If the Customer's right to possession, use and resale of the Goods terminates
- in accordance with Condition 6.5. Methyen will be entitled to issue the Customer with a credit note for all or any part of the price of the Goods together with value added tax thereon.

6.8 In the event that Methven has failed to deliver the Goods by the date on which the Customer received an invoice in respect of the Goods, the Custome must within seven days from and including the date on which the invoice w ceived by the Customer inform Methven that such Goods have not been delivered

- 7.1 If the Customer
- 7.1.1 fails to make any payment when it becomes due
- 7.1.1 Idits to those any payment which a decimal 2.7.1.2 becomes Insolvent;
 7.1.3 commits a material breach of the Contract which cannot be remedied;
 7.1.3 commits a material breach of the Contract which cannot be remedied; 71.4 commits a material breach of the Contract which can be remedied but fails to
- remedy that breach within 30 days of a written notice setting out the breach and requiring it to be remedied being given by Methven,
- without prejudice to any other rights that Methven may have under the Contract or otherwise, Methven may (at its discretion) defer or cancel any further deliveric and/or terminate the Contract immediately by giving written notice to that effect to the Customer
- 7.2 A material broach can be remedied if the Customer can comply with the vant obligation in all respects other than as to time of performance unless time of performance of such obligation is of the essence
- 7.3 Following expiry or termination of the Contract:
 7.3.1 Methven will be entitled to invoice all Prices and any insi ery costs incurred which have not yet been invoiced; and
- 7.3.2 all invoices (including any invoices issued under Condition 7.3.1) will become mmediately due and payable by the Customer.

 7.3.3 Conditions 1, 2, 6, 7.3, 8, 9, 10 and 13 will continue in force, together with any
- other Conditions which expressly or impliedly continue to have effect after expiry or termination of the Contract; and 7.3.4 all other rights and obligations will immediately cease without prejudice
- to any rights, obligations, claims (including claims for damages for breach) and liabilities which have accrued prior to the date of expiry or termination.

 7.4 Methven will be entitled to suspend any deliveries otherwise due to occur.
- following service of a notice specifying a breach under Condition 7.1.4. until eithe the breach is remedied (if applicable) or the Contract terminates, whichever occurs
- 7.5 Subject to Condition 5.2, cancellation and/or deferment of any Order by the Customer will only be accepted (at Methyen's sole discretion) by Methy express written approval of such cancellation and/or deferment to the Custon and in any case on condition that any costs or expenses incurred by Methven up to the date of cancellation and/or deferment and all loss, costs and/or other liabilit resulting to Methven by reason of such cancellation and/or deferment will be immediately (on request by Methven) reimbursed by the Customer to Methven.

- 8.1 Methven will, free of charge, within a period of 12 months from the date of delivery of Goods which are proved to the reasonable satisfaction of Methven to not comply with specification due to defects in materials, workmanship and/or design (other than a design made, furnished or specified by the Customer), repair, or at its option replace, such Goods. This obligation will not apply where:

 8.11 any instructions as to storage of the Goods have not been complied with in all
- espects or the Goods have been otherwise incorrectly stored; or 812 the Customer has failed to notify Methyen of any defect or suspected defect within 7 days of the delivery where the defect should be apparent on reasonable inspection, or within 7 days of the same coming to the knowledge of the Customer
- where the defect is not one which should be apparent on reasonable inspection, and in any event no later than 12 (twelve) months from the date of delivery.

 8.2 Methven will arrange for any such defective or damaged Goods to be collected and will deliver any replacement Goods to the Customer at Methyen's own expense. If Metriven or its carrier is unable to collect the Goods on the date proposed by the carrier due to any act or omission by the Customer then an
- administration fee of £15.00 will be payable by the Customer (which Methyen may deduct from any sums refunded to the Customer) 8.3 Any Goods which have been replaced will belong to Methven. Any repa or replacement Goods will be liable to repair or replacement under the terms
- or replacement doubte with the major to replace to replacement under the terms specified in Condition 8.1 for the unexpired portion of the 12 month period from the original date of delivery of the replaced Goods.

 8.4 Subject to Condition 9.5 the Customer's sole remedy and Methyen's entire liability in respect of (i) Goods which do not comply with specification due to defects
- in materials, workmanship and/or design; and/or (ii) Goods which are other defective, shall be as set out in this Condition 8.

- 9.1 In the event of any breach of Methyen's obligations under Conditions 5.2 or 8
- above, the remedies of the Customer will be limited to damages.

 9.2 Except as set out in these Conditions, all warranties, conditions and other
- terms implied by law (whether by statute, common law or otherwise), are, to the fullest extent permitted by law, excluded from the Contract.

 9.3 Subject to Conditions 9.4 and 9.5, Methven's maximum aggregate liability
- arising out of or in connection with a Contract, whether in contract, tort, misred ation, under statute or otherwise, howspeyer caused including by negligence and also including any liability under an indemnity contained in the Contract and/ arising from a breach of, or a failure to perform or defect or delay in performance of any of Methyen's obligations under the Contract and/or any defect in any of the Goods supplied under the Contract and/or any use made or resale of any of such Goods by the Customer or of any product incorporating any of such Goods by the Customer or of any product incorporating any of such Goods shall be limited to 125% of the aggregate Price paid or payable under the Contract.
- immed to 125% of the aggregate Price paid of pagaba under the Contract.

 9.4. Subject to Condition 9.5, Methyen shall have no liability to the Customer for any loss of profit (direct or indirect); loss of revenue, loss of production or loss of business (in each case whether direct or indirect); loss of goodwill, loss of reputation or loss of opportunity (in each case whether direct or indirect); loss of anticipated savings or loss of margin (in each case whether direct or indirect); loss of of bargain; liability of the Customer to third parties (whether direct or indirect); or bargain, naturity or the Customer to third parts whether time to intimetry, or indirect, consequential or special loss; arising out of or in connection with the Contract, whether in contract, tort, misrepresentation, under statute or otherwise howsoever caused including by negligence and/or arising from a breach of, or a failure to perform or defect or delay in performance of, any of Methven's
- igations under the Contract.

 Nothing in the Contract shall operate to exclude or restrict Methven's liability (if any) to the Customer for breach of its obligations arising under section 12 of the Sale of Goods Act 1979; for breach of its obligations arising under section 2 of the Supply of Goods and Services Act 1982; for death or personal injury resulting from its negligence; for its fraud or fraudulent misrepresentation; or for any matter for which it is not permitted by law to exclude or limit, or to attempt to exclude or limit,

10. Return of Goods

- 10.1 No return of Goods will be accented by Mothyon without prior authori d a return order number being issued by Methven.
- 10.2 In the event the Customer returns any Goods which are not defective, such Goods will be accepted by Methven only if they are returned to Methven in an undamaged resalable condition which requires that the Goods are unused and contained within their original undamaged packaging, and only if:
- Contained within their original nutrainages packaging, and only it.

 10.2 lafter Methven has inspected such Goods, Methven reasonably considers that
 the Goods are in a condition which is no worse than the condition in which the
 Goods were delivered to the Customer; and
- 10 2 2 the Customer has returned the relevant Goods to Methyen ithin 30 days following the date on which the Goods were delivered to the
- 10.3. In the event that the Customer wishes to return non-defective Goods to Methyen following the expliry of the 30 day period set out in Condition 10.2.2 above, Methyen will have absolute sole discretion as to whether it shall offer a refund to the Customer in respect of such Goods.
- 10.4 In relation to any returns made: 10.4.1 under Condition 10.2, Methven will deduct 25% of the aggregate of the plus any surcharge paid under Condition 4.5 for the relevant Goods; and under Condition 10.3 above. Methyen will deduct a
- discretionary restocking fee (which may exceed 25% of the aggregate of the Price plus any surcharge paid under Condition 4.5 for the relevant Goods) plus the cost of carriage, from the sums refunded to the Customer in order to cover
- Methyen's administration and restocking costs.

 10.5 Subject to clause 8, Methyen will not accept any return of (or issue any refund or credit in respect of) non-faulty Goods more than 90 days following the delivery
- 10.6 If Methven receives any returned Goods or other products which: 10.6 Thave not been given prior authorisation for return in accordance with Condition 101
- by Methyen, are found not to be defective; and/or
- 10.63 are received by Methyen more than 90 days following the

livery dat Methyen will be entitled but not obliged to return such Goods to the Customer at weathern will be entitled but not originate to return stant robusts for the Customer's cost and charge to the Customer a £15 (plus VAT) handling fee.

10.7 Methven shall be under no obligation to accept the return of or provide a refund in respect of any Goods ordered to the Customer's Specification except insofar as such Goods are defective in which case Condition 8 shall apply 10.8 If a return of Goods has been agreed by Methven, it will arrange a collection date with its carrier. If Methven or its carrier is unable to collect the Goods on the date proposed by the carrier due to any act or omission by the Customer then an administration fee of £15.00 will be payable by the Custor deduct from any sums refunded to the Customer).

- 11.1 Each party shall comply with applicable requirements of the Data Protection Legislation. This clause 11 is in a didition to and does not replace a party's obliga-tions under the Data Protection Legislation. The terms "Data Controller", "Data Processor", "Data Subject", "Personal Data", "Process' and "Processing" have the meanings prescribed in the Data Protection Legislation.
- 11.2 For the purposes of the Data Protection Legislation, the Customer is the Data Controller and Methyen is the Data Processor. 11.3 Methyen shall:
- 11.3.1 Process Personal Data only on the Customer's written instructions. If Methven is required by any applicable laws to Process Personal Data it shall, to the extent legally permitted, notify the Customer before doing so;
- regainy permitted, noting the catonier before along 30, 1.3.2 have in place appropriate technical and organisational neasures to protect against unauthorised or unlawful Processing of, accidental loss or destruction of or damage to Personal Data, appropriate to the harm that might esult from the unauthorised or unlawful Processing or accidental loss, destruction
- mage and the nature of the data to be protected; 11.3.3not engage another processor without general written authorisation from the Customer and Methyen shall remain fully liable to the Customer for performance of the other processor's obligations to the extent the other processor fails to fulfil their data protection obligations. For the purposes of this clause 11.3.3, the Customer authorises Methven to engage: (i) third party delivery companies and couriers to deliver Goods on Methven's behalf; and (ii) third party invoice processing
- 11.3 4ensure that persons who have access to or Process Personal Data keep the onal Data confidential (either under contractual or statutory obligations); 5 subject to clause 11.6, not transfer Personal Data outside of
- the European Economic Area without notifying the Customer in advance and Methven shall ensure that the transfer is made in accordance with the Data Protection Legislation and that the organisations to which the Personal Data is transferred ensure an adequate level of protection:
- assist the Customer to respond to any request from a Data ubject and to comply with the Customer's obligations under the Data Protect
- 11.3.7 notify the Customer without undue delay of a Personal Data breach (which has the meaning given to it in the Data Protection Legislation); 11.3.8at the Customer's written direction, delete or return Personal Data to the
- Customer on termination of the Contract unless Methyen is required by law to store maintain complete and accurate records and information to
- demonstrate Methyen's compliance with this clause 11.4 Methyen shall immediately inform the Customer if, in Methyen's opinion, an instruction from the Customer infringes the Data Protection Legislation.
- 11.5 If the Customer passes Personal Data about an end-consumer to Methyen for Methyen to Process, the Customer confirms that it has either obtained consent (in accordance with the requirements of the Data Protection Legislation) from the end consumer to pass the Personal Data to Methyen or that the Customer is able to rely on another ground set out in the Data Protection Legislation to pass the end
- to tely of infloring from set out in the base Protection Legislation to pass the end consumer's Personal Data to Methyen.

 11.6 Notwithstanding clause 11.3.5, Methyen may transfer Personal Data to its head office located in New Zealand with company name Methven Limited and registered company address at 41 Jomac Place, Avondale, Auckland 1026, New Zealand. The European Commission has made a finding of adequacy in respect of transfers of Personal Data to New Zealand and the transfer is conducted on that basis.
- 11.7 More information about the ways in which Methyen processes Personal Data about individual contacts at the Customer is set out in Methyen's privacy policy, vailable on its website.
- 11.8 Details of the subject matter, nature and purpose of Processing by Meth Subject and the obligations and rights of the data controller are set out below

- 11.8.1 subject matter of processing: the provision of Goods pursuant to these
- 11.8.2 duration of processing: Personal Data shall be retained by Methyen for the duration of the Order and until these Conditions expire or are terminated. Methyen shall retain Personal Data beyond the end of that period as required by its insurance policies in place for time to time, to enable it to deal with contractual claims under these Conditions and to meet statutory obligations Methyen may retain Personal Data about individual contacts at the Customer's organisation if its included in surveys completed by the Customer, in which case they will be retained for no longer than 3 years from the date of the survey; 11.8.3 nature of processing: Personal Data about individual contacts at the Customer's organisation will be Processed in order to fulfil the order placed by the Customer or the end-consumer in respect of whom Personal Data has been passet to Methven by the Customer. Personal Data about the Customer will be Processed in order to send satisfaction surveys and similar documents to the Custome 11.8.4purpose of processing: for fulfilment of the Customer's Order pursua these Conditions;
- 11.8.5 types of personal data; name; address; e-mail addr elephone number; Methyen's correspondence and communications with the Customer; information about any complaints and enquiries made to Methver the Customer or the end-consumer; information provided by the Customer in its responses to customer satisfaction surveys; and information Methyen recei from other sources, such as publicly available information (for example Companies House or credit reference agencies):
- 1186 categories of data subject: individual contacts at the Customer's organisation and end-consumers in respect of whom Personal Data has been passed to Methven by the Customer; and
- 11.8.7 obligations and rights of the data controller: the obligations and rights of the Customer as set out in the Data Protection Legislation and these Condit

12 Force Majeure

- 12.1 Methven will not be in breach of the Contract or otherwise liable to the Customer for any failure to perform or delay in performing its obligations under the Contract to the extent that such failure or delay is due to a Force Majeure Event. The Customer will continue to pay the prices for any Goods which Methwo continues to supply nowithstanding the occurrence of the Force Majeure Event.
- 12.2. If Mothyon is unable to deliver or the Customer is unable to take deliver 12.2. In weather is unable to desired in the Castonier is unable to take delivery of a material part of the Goods for a period of more than 14 days due to a Force Majeure Event which gives rise to relief from liability under Condition 12.1, Methyen will be entitled to terminate the Contract immediately by giving written notice to that effect to the Customer

13 Miscellaneous

- 13.1 Time will not be of the essence in respect of any obligation with which Methyen is required to comply under the Contract
- 13.2 Methyen's rights and remedies set out in the Conditions are in addition to and not exclusive of any rights and remedies provided by law.
- 13.3 If any term of the Contract is found by any court or body or authority of Impetent jurisdiction to be illegal, unlawful, void or unenforceable, such term will be deemed to be severed from the Contract and this will not affect the remainder of the Contract which will continue in full force and effect.
- 13.4 A delay in exercising or failure to exercise a right or remedy under or in connection with the Contract will not constitute a waiver of, or prevent or restric future exercise of, that or any other right or remedy, nor will the single or partial exercise of a right or remedy prevent or restrict the further exercise of a right or remedy prevent or restrict the further exercise of that or any other right or remedy. A waiver of any right, remedy, breach or default will only be valid if it is in writing and signed by the party giving it and only in the circumstances and for the purpose for which it was given and will not constitute a waiver of any
- other right, remedy, breach or default.

 13.5 The Customer will not be entitled to assign, transfer, charge, ho any person or deal in any other manner with any of its rights under the Contract or to sub-contract any of its obligations under the Contract.

 13.6 Methven will be entitled to assign, transfer, charge, hold on trust for
- person and deal in any other manner with any of its rights under the Contract and to sub-contract any of its obligations under the Contract.
- 13.7 The parties do not intend that any term of the Contract will be enforceable under the Contracts (Rights of Third Parties) Act 1999 by any person other than the
- 13.8 The Contract constitutes the entire agreement between the parties and supersedes any prior agreement or arrangement in respect of its subject matter
- 13.8.1 neither party has entered into the Contract in reliance upon, and it will h no remedy in respect of, any misrepresentation, representation or statement (whether made by the other party or any other person) which is not expressly set out in the Contract;
- the only remedies available for any misreprese breach of any representation or statement which was made prior to entry into the Contract and which is expressly set out in the Contract will be for bre ntract; and
- 13.8.3 nothing in this Condition 13.8 will be interpreted or construed as limiting or excluding the liability of any person for fraud or fraudulent
- misrepresentation.

 13.9 Any notice or other communication required to be given to a party under or in connection with this contract shall be in writing and shall be delivered by hand or sent by pre-paid first-class post or other next working day postal delivery service, at its registered office (if a company) or (in any other case) its principal place of
- 13.10 Any notice or communication shall be deemed to have been received if delivered by hand, on signature of a delivery receipt, or otherwise at 9.00 am on the second Business Day after posting or at the time recorded by the delivery
- 13.11 Conditions 13.9 and 13.10 do not apply to the service of any proceed other documents in any legal action to which the Civil Procedure Rules apply 13.12 The Contract and any non-contractual obligations arising out of or in connec-
- tion with it will be governed by English law.

 13.13 Each party agrees that the courts of England and Wales have exclusive jurisdiction to determine any dispute arising out of or in connection with the Contract (including in relation to any non-contractual obligations).

 13.14 Either party may seek specific performance, interim or final injunctive relief or
- any other relief of similar nature or effect in any court of competent jurisdiction

METHVEN

METHVEN UK LIMITED
Methven Experience Centre
3-3A Stone Cross Court
Yew Tree Way
Golborne
Warrington
United Kingdom
WA3 3JD

f facebook.com/MethvenUK
f facebook.com/DevaByMethven
witter.com/MethvenUK
twitter.com/uk_deva
Instagram.com/methven_uk
pinterest.co.uk/ukmethven

Please note: While every effort is made to ensure that the details in this brochure were correct at the time of printing, Methven reserves the right to alter specifications or product from that shown. This brochure is printed on an environmentally responsible paper, elemental chlorine free.



Please recycle this brochure and all packaging elements after use.

Methven encourages product recycling, please contact your local recycling centre for more details.

