

Granberg InDiago 510KB - 500-1000mm Wall Cabinet Lift (HxD) 660x310mm, Control OPT

£3,786.48 Inc. VAT

Product Code: 510KB


Product Images


























Product Options

| Price Inc. VAT |
|----------------|
| £3,786.48 |
| £3,786.48 |
| £3,786.48 |
| £3,786.48 |
| £3,786.48 |
| £3,786.48 |
| |

Additional Options

| Standard Wired Controls | Alu-design Control Button | £0.00 |
|------------------------------|---|---------|
| | Mini Control Buttons | £0.00 |
| Upgrade to Wireless Controls | Radio Control Mini Buttons | £165.60 |
| | Fixed Radio Control Button, Alu-design | £165.60 |
| | Radio Control Button, Alu-design with Extension Frame | £203.40 |
| | Radio Remote Hand Control - Single Channel | £216.90 |

Description

The Granberg InDiago 510KB is a height adjustable wall cabinet lift for the kitchen.

Fitted inside the cabinet, the lift lowers the cabinet shelves and contents in a diagonal motion to the worktop front below.

This version of the InDiago is suitable for cabinets with an internal depth of 310-400mm and an overall height of 700 or 840mm. The width of the intended cabinet can be selected above, along with a choice of control options.

Key benefits:

- Motorised, steplessly adjustable 540mm downwards and 373mm outwards electric height adjustable wall cabinet lift
- Lowers the cabinet's shelves and contents in a diagonal motion to the worktop front below
- Shelf depth 280mm

- Quiet motors and discreet styling
- Integrated safety feature prevents the movement of the lift in the event of an obstruction
- Doors open automatically as lift is operated doors can also be opened manually if required

Choice of controls:

- Recessed Corded Control Button in Alu-design, with 5m Control Cable (Product Code: 61210)
- Recessed Corded Mini Control Buttons, backlit LED, with 5m Control Cable (Product Code: 61316)
- Recessed Wireless Mini Control Buttons, backlit LED (Product Code: 61375)
- Recessed Wireless Control Button in Alu-design (Product Code: 61370)
- Surface mounting Wireless Control Button in Alu-design with Extension Frame (Product Code: 61370 + 61355)
- Single Channel Remote Control (Product Code: 61395)
- Multi-channel remote controls are also available if you are installing multiple systems, contact us to discuss your requirements

Integrated safety system:

- Each lift is supplied fitted with a safety switch located below the bottom shelf
- This safety switch prevents the lift from moving if it comes into contact with an external source
- The lift also prevents movement if the doors cannot be fully opened
- An audio signal is sounded if the unit encounters any operational issues

Wall cabinet requirments:

- Cabinet width (mm): 500 to 1000mm
- Cabinet height: (mm): 700 to 840mm
- Fits cabinets with inner depth: From 310mm
- For cabinet side thickness (mm): 16 20

Technical details:

- Mechanism height (mm): 660
- Mechanism depth (mm): 310
- For cabinet side thickness (mm): 16 20
- Max load (kg): 40
- Speed (mm / s): 23
- Height adjustment: Motorised, steplessly adjustable 540mm downwards, 373mm outwards
- Electrical connection: Mains plug for 230 V, max 2.5A
- Electronics and motor system "Plug and Play"
- No additional power sockets are required for the remote receiver for the Wireless and Remote Control options

Materials:

- Cabinet lifting system in powder-lacquered aluminium (white)
- Back and ceiling of HDF. Shelves of white melamine (16mm)
- Powder-lacquered sheet metal parts (white)

Warranty:

• 2 year manufacturer warranty

Manufacturer product codes:

• 510KB-050, 510KB-060, 510KB-070, 510KB-080, 510KB-090, 510KB-100

Additional Information

| Manufacturer | Granberg |
|----------------------------|-------------------------------|
| Model | InDiago 510 |
| Style | Cabinet Shelves Lower to User |
| Max. Distance Lowered (mm) | 540 |
| For Cabinet Width (mm) | 500, 600, 700, 800, 900, 1000 |
| For Cabinet Height (mm) | 700, 800 |
| For Cabinet Depth (mm) | 310 - 400 (Internal) |
| Max. Load (kg / St) | 40 / 6.3 |