




Independent 4 Life




Granberg InDiago 510SA - 500-1000mm Wall Cabinet Lift (HxD) 810x260mm, Control OPT


£4,055.40 Inc. VAT

Product Code: 510SA

Product Images







Product Options

Cabinet Width (mm)	Price Inc. VAT
500	£4,055.40
600	£4,055.40
700	£4,055.40
800	£4,055.40
900	£4,055.40
1000	£4,055.40

Additional Options

Standard Wired Controls	Alu-design Control Button	£0.00
	Mini Control Buttons	£0.00
Upgrade to Wireless Controls	Radio Control Mini Buttons	£165.60
	Fixed Radio Control Button, Alu-design	£165.60
	Radio Control Button, Alu-design with Extension Frame	£203.40
	Radio Remote Hand Control - Single Channel	£216.90

Description

The Granberg InDiago 510SA is a height adjustable wall cabinet lift for the kitchen.

Fitted inside the cabinet, the lift lowers the cabinet shelves and contents in a diagonal motion to the worktop front below.

This version of the InDiago is suitable for cabinets with an internal depth of 260-309mm and an overall height of 850mm or above. The width of the intended cabinet can be selected above, along with a choice of control options.

Key benefits:

- Motorised, steplessly adjustable 540mm downwards and 373mm outwards electric height adjustable wall cabinet lift
- Lowers the cabinet's shelves and contents in a diagonal motion to the worktop front below
- Shelf depth 230mm

- Quiet motors and discreet styling
- Integrated safety feature prevents the movement of the lift in the event of an obstruction
- Doors open automatically as lift is operated - doors can also be opened manually if required

Choice of controls:

- Recessed mounting Granberg Corded Control Button in Alu-design, with 5m Control Cable (Product Code: 61210)
- Recessed mounting Granberg Corded Mini Control Buttons, backlit LED, with 5m Control Cable (Product Code: 61316)
- Recessed mounting Granberg Wireless Mini Control Buttons, backlit LED (Product Code: 61375)
- Recessed mounting Granberg Wireless Control Button in Alu-design (Product Code: 61370)
- Surface mounting Granberg Wireless Control Button in Alu-design with Extension Frame (Product Code: 61370 + 61355)
- Granberg Single Channel Remote Control (Product Code: 61395)
- Multi-channel remote controls are also available if you are installing multiple systems, contact us to discuss your requirements

Integrated safety system:

- Each lift is supplied fitted with a safety switch located below the bottom shelf
- This safety switch prevents the lift from moving if it comes into contact with an external source
- The lift also prevents movement if the doors cannot be fully opened
- An audio signal is sounded if the unit encounters any operational issues

Wall cabinet requirements:

- Cabinet width (mm): 500 to 1000mm
- Cabinet height: (mm): 850mm or higher
- Fits cabinets with inner depth: 260 - 309mm
- For cabinet side thickness (mm): 16 - 20

Technical details:

- Mechanism height (mm): 810
- Mechanism depth (mm): 260
- For cabinet side thickness (mm): 16 - 20
- Max load (kg): 40
- Speed (mm / s): 23
- Height adjustment: Motorised, steplessly adjustable 540mm downwards, 373mm outwards
- Electrical connection: Mains plug for 230 V, max 2.5A
- Electronics and motor system "Plug and Play"
- No additional power sockets are required for the remote receiver for the Wireless and Remote Control options

Materials:

- Cabinet lifting system in powder-lacquered aluminium (white)
- Back and ceiling of HDF. Shelves of white melamine (16mm)
- Powder-lacquered sheet metal parts (white)

Warranty:

- 2 year manufacturer warranty

Manufacturer product codes:

- 510SA-050, 510SA-060, 510SA-070, 510SA-080, 510SA-090, 510SA-100
- www.independent4life.co.uk | info@independent4life.co.uk | Tel: 0800 500 3001 | VAT No: 942447711
EORI GB942447711000

Additional Information

Manufacturer	Granberg
Model	InDiago 510
Style	Cabinet Shelves Lower to User
Max. Distance Lowered (mm)	540
For Cabinet Width (mm)	500, 600, 700, 800, 900, 1000
For Cabinet Height (mm)	900, 1000, 1100
For Cabinet Depth (mm)	260 - 309 (Internal)
Max. Load (kg / St)	40 / 6.3