


£280.80 Inc. VAT

AWS Chelsea FL to CLG Grab Pole, Lateral Bar, Smooth SS, 35mm Dia. Custom Lengths up to 2743x950mm - Choice of Finish

Product Code: AWS-0079

1

Product Images





Product Options

| Colour | Price Inc. VAT |
|------------------------------|----------------|
| Mirror Polished Finish (MPF) | £280.80 |
| Sateen Polished Finish (SPF) | £280.80 |

Additional Options

| Step 1: Length of vertical support pole required (max. 2743mm) | £0.00 |
|--|-------|
| Step 2: Height of lateral grab bar from the floor (mm) | £0.00 |
| Step 3: Length of lateral grab bar back to wall (max. 950mm) | £0.00 |

Description

The AWS Chelsea is a premium stainless steel smooth floor to ceiling grab pole with concealed fixing brackets.

Constructed from high quality materials and featuring curved cover plates, the 35mm diameter gives the rail increased strength and stability.

The floor and wall flanges are robustly welded, and the rail is supplied with a loose top flange to make

installation easier. The rail is finished with a hard wearing smooth mirror or sateen polished finish, select as required.

This version of the AWS Chelsea can be supplied up to 2743mm in length, with a horizontal cross bar for lateral support. The horizontal bar can be configured to your exact requirements, including the height off the floor and distance back to the wall for the lateral rail.

Key benefits:

- 304 grade stainless steel support pole with lateral grab rail with a smooth mirror or sateen polished finish
- Concealed fixings with curved stainless steel cover plates
- Bottom and wall flanges welded, supplied with a loose top flange to allow for cutting to the required length on site
- Ideal for wet, damp and moist environments
- Suitable for commercial applications
- Doc M compliant
- Made in Britain

Technical details:

- Specify the max. support pole length (mm): 2743
- Rail diameter (mm): 35
- Flange diameter (mm): 90
- Flange height (mm): 17
- Specify your lateral rail length Max. (mm): 950
- Specify the height off the floor to the centre of the lateral rail
- Fixing holes: Size 8 screws (Fixings not supplied)
- Max. loading (kg): 170

Warranty:

• 3 year manufacturer warranty

Please note:

• Fixings not included - the installer should select the correct fixings for the type of floor, wall and ceiling

Please note:

• This Floor to ceiling pole is a customised product and is **non-returnable**

Additional Information

| Manufacturer | AWS |
|----------------|--|
| Length (mm) | Max. 2743x950 - Specify Length |
| Surface Finish | Smooth |
| Туре | Floor to Ceiling Pole |
| Material | Stainless Steel - Grade 304 |
| Mounting | Wall, Floor, Ceiling |
| Fixings | Concealed |
| Adjustable | Height Adjustable, Sideways Adjustable |