

# AWS Grooved High Flat AL Door THR 76.2 W x 12.7 H - Choice of Length 914 to 3048mm


 From:
 £58.50

 To:
 £506.50

 Inc. VAT
 Inc.

Product Code: 4LA840086

### **Product Images**



## **Product Options**

#### Width x Height x Length ft / mm

500 (127) .187(42) .007(742)	<b>76.2 W x 12.7 H x 3ft / 914mm L</b> 76.2mm wide high flat threshold, 12.7mm high. Aluminium, mill finish. 914mm ( 3ft ) length.	£48.75
50° 127) .187'µ2) .300°(743)	<b>76.2 W x 12.7 H x 4ft / 1219mm L</b> 76.2mm wide high flat threshold, 12.7mm high. Aluminium, mill finish. 1219mm ( 4ft ) length.	£60.65
500 (127) 3.00 <sup>°</sup> (74.2)	<b>76.2 W x 12.7 H x 6ft / 1829mm L</b> 76.2mm wide high flat threshold, 12.7mm high. Aluminium, mill finish. 1829mm ( 6ft ) length.	£84.43
.187/µ2] 3.007/µ2]	<b>76.2 W x 12.7 H x 7ft / 2134mm L</b> 76.2mm wide high flat threshold, 12.7mm high. Aluminium, mill finish. 2134mm ( 7ft ) length.	£96.31
1 500 <sup>-</sup> 1127 187(47) 187(47) 187(47)	<b>76.2 W x 12.7 H x 10ft / 3048mm L</b> 76.2mm wide high flat threshold, 12.7mm high. Aluminium, mill finish. 3048mm (10ft ) length.	£131.94

Aluminium high utility grooved door threshold, designed to stand up to the demands of medium duty traffic as well as temperature extremes.

High flat threshold at 12.7mm in height.

The 4.7mm thick aluminium allows you to drill and screw the threshold into concrete without the difficulties you are likely to find using lighter materials - such as buckling under heavy loads or loose fixing screws.

#### Key benefits:

- For internal and external doors
- Medium duty
- Aluminium mill finish
- Grooved top
- Simple to install
- Pre-drilled fixing holes
- Ideal for commercial and domestic installations
- Non flammable

#### Technical details:

- Choice of Length: 914mm (3 ft), 1219mm (4 ft), 1829mm (6 ft), 2134mm (7 ft) and 3048mm (10 ft)
- Width: 76.2mm (3")
- Height: 12.7mm (0.5")
- Material: 4.7mm (0.187") thick medium gauge aluminium

#### **Installation Instructions:**

- Measure and cut threshold to size as required
- Notch as necessary, to suit door frame
- Caulk underneath and around edges of threshold for moisture control
- Attach threshold to floor surface with screws provided

#### **Previous Product Codes:**

• 4LA840087, 4LA840088, 4LA840089 and 4LA840090

## **Additional Information**

Manufacturer	AWS
Application	12.7mm High Flat
Length (mm / feet)	914 / 3', 1219 / 4', 1829 / 6', 2134 / 7', 3048 / 10'
Width (mm / inches)	76.2 / 3"
Supplied Pre-drilled	Yes