






Independent 4 Life

# AWS Grooved High Flat AL Door THR 101.6 W x 12.7mm H - Choice of Length 914 to 3048mm

From:	£64.02
To:	£561.72
Inc. VAT	


Product Code: 4LA840091

## Product Images




# Product Options

Width x Height x Length ft / mm




**101.6 W x 12.7 H x 3ft / 914mm L** £53.35

101.6mm wide high flat threshold, 12.7mm high. Aluminium, mill finish. 914mm ( 3ft ) length.




**101.6 W x 12.7 H x 4ft / 1219mm L** £66.78

101.6mm wide high flat threshold, 12.7mm high. Aluminium, mill finish. 1219mm ( 4ft ) length.




**101.6 W x 12.7 H x 6ft / 1829mm L** £93.63

101.6mm wide high flat threshold, 12.7mm high. Aluminium, mill finish. 1829mm ( 6ft ) length.



**101.6 W x 12.7 H x 7ft / 2134mm L** £107.05

101.6mm wide high flat threshold, 12.7mm high. Aluminium, mill finish. 2134mm ( 7ft ) length.



**101.6 W x 12.7 H x 10ft / 3048mm L** £147.28

101.6mm wide high flat threshold, 12.7mm high. Aluminium, mill finish. 3048mm ( 10ft ) length.

## Description

Aluminium high utility plain grooved door threshold, designed to stand up to the demands of medium duty traffic as well as temperature extremes.

High flat threshold at 12.7mm in height.

The 4.7mm thick aluminium allows you to drill and screw the threshold into concrete without the difficulties you are likely to find using lighter materials - such as buckling under heavy loads or loose fixing screws.

### Key benefits:

- For internal and external doors
- Medium duty
- Aluminium mill finish
- Grooved top
- Simple to install
- Fixing holes undrilled
- Ideal for commercial and domestic installations
- Non flammable

**Technical details:**

- Choice of Length: 914mm (3 ft), 1219mm (4 ft), 1829mm (6 ft), 2134mm (7 ft) and 3048mm (10 ft)
- Width: 101.6mm (4")
- Height: 12.7mm (0.5")
- Material: 4.7mm (0.187") thick medium gauge aluminium

**Installation Instructions:**

- Measure and cut threshold to size as required
- Notch as necessary, to suit door frame
- Caulk underneath and around edges of threshold for moisture control
- Attach threshold to floor surface with screws provided

**Additional Information**

Manufacturer	AWS
Application	12.7mm High Flat
Length (mm / feet)	914 / 3', 1219 / 4', 1829 / 6', 2134 / 7', 3048 / 10'
Width (mm / inches)	101.6 / 4"
Supplied Pre-drilled	No