




Independent 4 Life

AWS Smooth High Flat AL Door Threshold 101.6 W x 12.7 H - Choice of Length 914 to 3048mm

From:	£78.66
To:	£708.13
Inc. VAT	






Product Code: 4LA840101

Product Images



Product Options

Width x Height x Length (ft / mm)

	101.6 W x 12.7 H x 3ft / 914mm L	£65.55
	101.6 W x 12.7 H x 4ft / 1219mm L	£83.04
	101.6 W x 12.7 H x 6ft / 1829mm L	£118.03
	101.6 W x 12.7 H x 7ft / 2134mm L	£135.53
	101.6 W x 12.7 H x 10ft / 3048mm L	£187.95

Description

Aluminium high flat utility door threshold, designed to stand up to the demands of heavy traffic as well as temperature extremes.

High flat smooth threshold at 12.7mm in height.

The 4.7mm thick aluminium allows you to drill and screw the threshold into concrete without the difficulties you are likely to find using lighter materials - such as buckling under heavy loads or loose fixing screws.

Key benefits:

- Aluminium mill finish
- Smooth top
- Simple to install
- Fixing holes undrilled
- Ideal for commercial and domestic installations
- Non flammable

Technical details:

- Choice of Length: 914mm (3 ft), 1219mm (4 ft), 1829mm (6 ft), 2134mm (7 ft) and 3048mm (10 ft)
- Width: 101.6mm (4")
- Height: 12.7mm (0.5")
- Material: 4.7mm (0.187") thick medium gauge aluminium

Installation Instructions:

- Measure and cut threshold to size as required
- Notch as necessary, to suit door frame
- Caulk underneath and around edges of threshold for moisture control
- Attach threshold to floor surface with screws provided

Previous Product Codes:

- 4LA840102, 4LA840103, 4LA840104 and 4LA840105

Additional Information

Manufacturer	AWS
Application	12.7mm High Flat
Length (mm / feet)	914 / 3', 1219 / 4', 1829 / 6', 2134 / 7', 3048 / 10'
Width (mm / inches)	101.6 / 4"
Height (mm)	12
Supplied Pre-drilled	No