

# AWS Grooved High Flat AL Door THR, for Floorsprings 177.8 W x 12.7 H - Choice of Length 914 to 3048mm

From:

£141.73 £1,339.15

To:

Inc. VAT

Product Code: 4LA840131

# **Product Images**





# **Product Options**

### Width x Height x Length ft / mm

100 Me Maria 100 Me Maria 17.00 year and	177.8 W x 12.7 H x 3ft / 914mm L  177.8mm wide high flat threshold, 12.7mm high. Aluminium, mill finish. 914mm ( 3ft ) length. 4.8mm thick, for use with floor springs (undrilled).	£118.11
182 Marian 182 Marian 1727/164 IIII	177.8 W x 12.7 H x 4ft / 1219mm L  177.8mm wide high flat threshold, 12.7mm high. Aluminium, mill finish. 1219mm ( 4ft ) length. 4.8mm thick, for use with floor springs (undrilled).	£153.15
707 (187 mc) - 7 777 (188 mc)	177.8 W x 12.7 H x 6ft / 1829mm L  177.8mm wide high flat threshold, 12.7mm high. Aluminium, mill finish. 1829mm length. 4.8mm thick, for use with floor springs (undrilled).	£223.21
160 mg 16	177.8 W x 12.7 H x 7ft / 2134mm L  177.8mm wide high flat threshold, 12.7mm high. Aluminium, mill finish. 2134mm ( 7ft ) length. 4.8mm thick, for use with floor springs (undrilled).	£258.25
18 18 18 18 18 18 18 18 18 18 18 18 18 1	177.8 W x 12.7 H x 10ft / 3048mm L  177.8mm wide high flat threshold, 12.7mm high. Aluminium, mill finish. 3048mm (10ft) length. 4.8mm thick, for use with floor springs (undrilled).	£363.24

# **Description**

Aluminium high utility plain grooved door threshold, for use with floor springs.

High flat grooved threshold at 12.7mm in height, constructed from 4.8mm thick aluminium.

## **Key benefits:**

• For internal and external doors

- Heavy duty use
- · Aluminium mill finish
- Grooved top
- Simple to install
- Fixing holes undrilled
- Ideal for commercial and domestic installations
- Non flammable

#### **Technical details:**

• Choice of Length: 914mm (3 ft), 1219mm (4 ft), 1829mm (6 ft), 2134mm (7 ft) and 3048mm (10 ft)

Width: 177.8mm (7")Height: 12.7mm (0.5")

• Material: 4.8mm (0.188") thick aluminium

#### **Installation Instructions:**

- Measure and cut threshold to size as required
- Notch as necessary, to suit door frame
- Caulk underneath and around edges of threshold for moisture control
- Attach threshold to floor surface with screws provided

#### **Previous Product Codes:**

4LA840132, 4LA840133, 4LA840134 and 4LA840135

## **Additional Information**

Manufacturer	AWS
Application	12.7mm High Flat
Length (mm / feet)	914 / 3', 1219 / 4', 1829 / 6', 2134 / 7', 3048 / 10'
Width (mm / inches)	177.8 / 7"
Supplied Pre-drilled	No