





Independent 4 Life

AWS Grooved High Flat AL Door THR, for Floorsprings 177.8 W x 12.7 H - Choice of Length 914 to 3048mm

From: £145.51
To: £1,376.95
Inc. VAT






Product Code: 4LA840131

Product Images



Product Options

Width x Height x Length ft / mm

	177.8 W x 12.7 H x 3ft / 914mm L	£121.26
	177.8 W x 12.7 H x 4ft / 1219mm L	£157.35
	177.8 W x 12.7 H x 6ft / 1829mm L	£229.51
	177.8 W x 12.7 H x 7ft / 2134mm L	£265.60
	177.8 W x 12.7 H x 10ft / 3048mm L	£373.74

Description

Aluminium high utility plain grooved door threshold, for use with floor springs.

High flat grooved threshold at 12.7mm in height, constructed from 4.8mm thick aluminium.

Key benefits:

- For internal and external doors

- Heavy duty use
- Aluminium mill finish
- Grooved top
- Simple to install
- Fixing holes undrilled
- Ideal for commercial and domestic installations
- Non flammable

Technical details:

- Choice of Length: 914mm (3 ft), 1219mm (4 ft), 1829mm (6 ft), 2134mm (7 ft) and 3048mm (10 ft)
- Width: 177.8mm (7")
- Height: 12.7mm (0.5")
- Material: 4.8mm (0.188") thick aluminium

Installation Instructions:

- Measure and cut threshold to size as required
- Notch as necessary, to suit door frame
- Caulk underneath and around edges of threshold for moisture control
- Attach threshold to floor surface with screws provided

Previous Product Codes:

- 4LA840132, 4LA840133, 4LA840134 and 4LA840135

Additional Information

Manufacturer	AWS
Application	12.7mm High Flat
Length (mm / feet)	914 / 3', 1219 / 4', 1829 / 6', 2134 / 7', 3048 / 10'
Width (mm / inches)	177.8 / 7"
Supplied Pre-drilled	No