


From:	£71.23
	£633.89
То:	2033.03
Inc. VAT	

AWS Grooved AL Trans. THR 139.7 W x 6.4 to 12.7mm H - Choice of Length 914 to 3048mm


Product Code: 4LA840176

Product Images

1



Width x Transition rise height x Length (ft / mm)



Description

Aluminium grooved transition door threshold, that bridges from 12.7mm high on one side to 6.4mm high on the other, with a total width of 139.7mm (5.5").

The 3.6mm gauge aluminium allows you to drill and screw the threshold into concrete without the difficulties you are likely to find using lighter materials - such as buckling under heavy loads or loose fixing screws.

Key benefits:

- For internal and external doors
- Aluminium mill finish
- Grooved top
- Simple to install
- Fixing holes undrilled
- Suitable for DDA applications
- Ideal for commercial and domestic installations
- Non flammable

Technical details:

- Choice of Length: 914mm (3 ft), 1219mm (4 ft), 1829mm (6 ft), 2134mm (7 ft) and 3048mm (10 ft)
- Width: 139.7mm (5.5")
- Height: 6.4mm (0.25") on one side, 12.7mm (0.5") on the other
- Material: 3.6mm (0.14") thick medium gauge aluminium

Installation Instructions:

- Measure and cut threshold to size as required
- Notch as necessary, to suit door frame
- Caulk underneath and around edges of threshold for moisture control
- Attach threshold to floor surface with screws provided

Previous Product Codes:

• 4LA840177, 4LA840178, 4LA840179 and 4LA840180

Additional Information

Manufacturer	AWS
Application	Transition
Length (mm / feet)	914 / 3', 1219 / 4', 1829 / 6', 2134 / 7', 3048 / 10'
Width (mm / inches)	139.7 / 5.5"
Transition Height (mm / inches)	12.7 / 0.50"
Supplied Pre-drilled	No