




Independent 4 Life

AWS Grooved AL Trans. THR 177.8 W x 6.4 to 12.7mm H - Choice of Length 914 to 3048mm

From:	£83.47
To:	£756.31
Inc. VAT	

Product Code: 4LA840186

Product Images




Product Options

Width x Transition rise height x Length (ft / mm)



177.8 W x 6.4 to 12.7mm H x 3ft / 914mm £69.56

177.8mm wide transition threshold, 6.4mm high one side, 12.7mm high other side. Aluminium, mill finish. 914mm (3ft) length.



177.8 W x 6.4 to 12.7mm H x 4ft / 1219mm L £88.40

177.8mm wide transition threshold, 6.4mm high one side, 12.7mm high other side. Aluminium, mill finish. 1219mm (4ft) length.



177.8 W x 6.4 to 12.7mm H x 6ft /1829mm L £126.06

177.8mm wide transition threshold, 6.4mm high one side, 12.7mm high other side. Aluminium, mill finish. 1829mm (6ft) length.



177.8 W x 6.4 to 12.7mm H x 7ft / 2134mm L £144.90

177.8mm wide transition threshold, 6.4mm high one side, 12.7mm high other side. Aluminium, mill finish. 2134mm (7ft) length.



177.8 W x 6.4 to 12.7 H x 10ft / 3048mm L £201.34

177.8mm wide transition threshold, 6.4mm high one side, 12.7mm high other side. Aluminium, mill finish. 3048mm (10ft) length.

Description

Aluminium grooved transition door threshold, that bridges from 12.7mm high on one side to 6.4mm high on the other, with a total width of 177.8mm (7").

The 3.6mm gauge aluminium allows you to drill and screw the threshold into concrete without the difficulties you are likely to find using lighter materials - such as buckling under heavy loads or loose fixing screws.

Key benefits:

- For internal and external doors
- Aluminium mill finish
- Grooved top
- Simple to install
- Fixing holes undrilled
- Suitable for DDA applications
- Ideal for commercial and domestic installations
- Non flammable

Technical details:

- Choice of Length: 914mm (3 ft), 1219mm (4 ft), 1829mm (6 ft), 2134mm (7 ft) and 3048mm (10 ft)
- Width: 177.8mm (7")
- Height: 6.4mm (0.25") on one side, 12.7mm (0.5") on the other
- Material: 3.6mm (0.14") thick medium gauge aluminium

Installation Instructions:

- Measure and cut threshold to size as required
- Notch as necessary, to suit door frame
- Caulk underneath and around edges of threshold for moisture control
- Attach threshold to floor surface with screws provided

Additional Information

Manufacturer	AWS
Application	Transition
Length (mm / feet)	914 / 3', 1219 / 4', 1829 / 6', 2134 / 7', 3048 / 10'
Width (mm / inches)	177.8 / 7"
Transition Height (mm / inches)	12.7 / 0.50"
Supplied Pre-drilled	No