

RampCentre NEW Aerolight-Classic Nonfolding Portable Ramp, 76 W x 90 to 150cm L

From:

£301.20

To: Inc. VAT

Product Code: AC6-AC15

Product Images







Product Options

Product Code / Width (cm) x Length



AC6 / 76 W x 60cm / 2ft Length

£251.00

Aluminium Aerolight-Classic ramp is a great portable solution for bridging thresholds, kerbs and small steps and is very stable for pedestrian users. Lightweight, hardwearing, non-slip surface, max. load 400kg (63st). Ramp width, excluding handles 76cm, internal lip width 71.4cm, length 60cm.



AC9 / 76 W x 90cm / 3ft Length

£317.00

Aluminium Aerolight-Classic ramp is a great portable solution for bridging thresholds, kerbs and small steps and is very stable for pedestrian users. Lightweight, hardwearing, non-slip surface, max. load 350kg (55st). Ramp width, excluding handles 76cm, internal lip width 71.4cm, length 90cm.



AC12 / 76 W x 120cm / 4ft Length

£382.00

Aluminium Aerolight-Classic ramp is a great portable solution for bridging thresholds, kerbs and small steps and is very stable for pedestrian users. Lightweight, hardwearing, non-slip surface, max. load 350kg (55st). Ramp width, excluding handles 76cm, internal lip width 71.4cm, length 120cm.



AC15 / 76 W x 150cm / 5ft Length

£448.00

Aluminium Aerolight-Classic ramp is a great portable solution for bridging thresholds, kerbs and small steps and is very stable for pedestrian users. Lightweight, hardwearing, non-slip surface, max. load 350kg (55st). Ramp width, excluding handles 76cm, internal lip width 71.4cm, length 150cm.

Description

The Aerolight-Classic is a great portable solution for bridging thresholds, kerbs and small steps and very

stable for pedestrian users. Available in shorter-lengths where the convenience of a folding ramp is not required.

Lightweight aluminium, hardwearing, non-slip surface, and supports up to 400kg load, dependant on length.

Available in range of lengths 60cm to 150cm (2ft to 5ft).

Key benefits:

- Lightweight
- Colour contrasting edge strips increases visibility for the visually impaired and reduced trip hazard
- Easy to carry and deploy
- Plastic carrying handle
- Full width access ramp
- Anti-slip surface provides excellent grip
- Well suited for public access
- Designed, manufactured, and stocked in the UK
- Range of lengths select above
- Custom sizes available, contact us for more information

Technical details:

- Ramp Width, excluding handles: 76cm (30")
- Internal Lip Width 71.4cm (28.1")
- Materials: Aluminium, stainless steel fixings and plastics

Warranty:

• 1-year manufacturer warranty

Manufacturer product codes:

• AC6, AC9, AC12, AC15

Additional Information

Manufacturer	RampCentre
Ramp Width (cm / inches)	76 / 29.92"
Lip Width (cm / inches)	71.4 / 28.1
Application / Ramp Type	Non-Folding Ramp
Dead Weight (kg / lbs)	0 to 4.99 / 11.00, 5.0 to 9.99 to 11.02 / 21.83
Ramp Material	Aluminium
Handrails	No Handrails