

# RampCentre Permaramporiginal - Standard 76 W x 90 to 240cm Lengths

From:


£398.40 £856.80

To:

Inc. VAT

Product Code: PO9-PO24

## **Product Images**







## **Product Options**

#### Product Code / Width x Length (cm)



#### PO9 / Standard 76 W x 90cm L

£332.00

Standard Permaramp original ramps are non-folding and without handrails. Semi-permanent and relocatable. Ideal for use with single outward opening doors with a timber or uPVC door threshold. Aluminium with the unique Gripdeck surface that offers an excellent all-weather grip surface while also being high heel and pet friendly. Width 76cm (30"). Length 90cm (3ft). Max. load 400kg (63kg). Ramp weight 8.5kg (19lbs).



#### PO12 / Standard 76 W x 120cm L

£404.00

Standard Permaramp-original ramps are non-folding and without handrails. Semi-permanent and relocatable. Ideal for use with single outward opening doors with a timber or uPVC door threshold. Aluminium with the unique Gripdeck surface that offers an excellent all-weather grip surface while also being high heel and pet friendly. Width 76cm (30"). Length 120cm (4ft). Max. load 400kg (63kg). Ramp weight 12kg (26lbs).



#### PO15 / Standard 76 W x 150cm L

£463.00

Standard Permaramp-original ramps are non-folding and without handrails. Semi-permanent and relocatable. Ideal for use with single outward opening doors with a timber or uPVC door threshold. Aluminium with the unique Gripdeck surface that offers an excellent all-weather grip surface while also being high heel and pet friendly. Width 76cm (30"). Length 150cm (5ft). Max. load 400kg (63kg). Ramp weight 15kg (33lbs).

#### PO18 / Standard 76 W x 180cm L





Standard Permaramp-original ramps are non-folding and without handrails. Semi-permanent and relocatable. Ideal for use with single outward opening doors with a timber or uPVC door threshold. Aluminium with the unique Gripdeck surface that offers an excellent all-weather grip surface while also being high heel and pet friendly. Width 76cm (30"). Length 180cm (6ft). Max. load 400kg (63kg). Ramp weight 18.5kg (41lbs).

#### PO21 / Standard 76 W x 210cm L

£619.00



Standard Permaramp-original ramps are non-folding and without handrails. Semi-permanent and relocatable. Ideal for use with single outward opening doors with a timber or uPVC door threshold. Aluminium with the unique Gripdeck surface that offers an excellent all-weather grip surface while also being high heel and pet friendly. Width 76cm (30"). Length 210cm (7ft). Max. load 350kg (55kg). Ramp weight 22kg (49lbs).

#### PO24 / Standard 76 W x 240cm L

£714.00



Standard Permaramp-original ramps are non-folding and without handrails. Semi-permanent and relocatable. Ideal for use with single outward opening doors with a timber or uPVC door threshold. Aluminium with the unique Gripdeck surface that offers an excellent all-weather grip surface while also being high heel and pet friendly. Width 76cm (30"). Length 240cm (8ft). Max. load 300kg (47kg). Ramp weight 25kg (55lbs).

## **Description**

Standard Permaramp®-original ramps are non-folding and without handrails, they are semi-permanent and relocatable. Ideal for use with single outward opening doors with a timber or uPVC door threshold.

Manufactured from aluminium with the unique Gripdeck™ surface that offers an excellent all-weather grip surface while also being high heel and pet friendly.

The standard Original ramp is available in 6x lengths all with a 76cm (30") width.

#### **Key benefits:**

- Ideal for doors with a timber threshold
- Contrasting colour safety edge strips increase visibility for the visually impaired www.independent4life.co.uk | info@independent4life.co.uk | Tel: 0800 500 3001 | VAT No: 942447711
  EORI GB942447711000

- Perfect for single outward opening doors
- Suitable for scooters, mobility walker frames and wheelchairs
- Options for fixing the ramp at the top and bottom for security and safe use
- Gripdeck™ surface with incredible grip with sustained outdoor use
- A wider 90cm (35.4") ramp is also available see (Product Code: POW9-POW24)
- Designed, manufactured and stocked in the UK

#### **Technical details:**

- Width: 76cm (30")Kerb height: 7cm (3")
- Choice of length, select above:
- Product Code: PO9 Length 90cm (3ft), Weight 8.5kg (19lbs), Max. Load 400kg (63st)
- Product Code: PO12 Length 120cm (4ft), Weight 12kg (26lbs), Max. Load 400kg (63st)
- Product Code: PO15 Length 150cm (5ft), Weight 15kg (33lbs), Max. Load 400kg (63st)
- Product Code: PO18 Length 180cm (6ft), Weight 18.5kg (41lbs), Max. Load 400kg (63st)
- Product Code: PO21 Length 210cm (7ft), Weight 22kg (49lbs), Max. Load 350kg (55st)
- Product Code: PO24 Length 240cm (8ft), Weight 25kg (55lbs), Max. Load 300kg (47st)

#### Warranty:

• 2-year manufacturer warranty

### **Additional Information**

Manufacturer	RampCentre
Ramp Width (cm / inches)	76 / 29.92"
Application / Ramp Type	Relocatable Internal / External
Dead Weight (kg / lbs)	10 / 22.05 to 19.99 / 44.07, 20 / 44.09 to 29.99 / 66.11
Ramp Material	Aluminium
Handrails	No Handrails