




Independent 4 Life

RampCentre Permaramp-Adjust - Standard 76 W x 90 to 240cm Lengths

From: £615.60
To: £1,018.80
Inc. VAT

Product Code: PA9-PA24

Product Images



gripdeckTM
technology

Incredible Grip

rain



or

shine



Product Options

Product Code / Width / Length (cm)



PA9 / Standard 76 W x 90cm / 3ft L

£513.00

Standard Permaramp Adjust ramps are height adjustable between 7.5cm (3ins) to 25cm (10ins). A single length ramp that is non-folding and without handrails, they are semi-permanent and relocatable. The telescopic legs can be adjusted to accommodate timber and uPCV thresholds. The height can be adjusted from above. Width 76cm. Length 90cm. Max. load 400kg (63kg). Ramp weight 12.5kg (28lbs).



PA12 / Standard 76 W x 120cm / 4ft L

£582.00

Standard Permaramp Adjust ramps are height adjustable between 7.5cm (3ins) to 25cm (10ins). A single length ramp that is non-folding and without handrails, they are semi-permanent and relocatable. The telescopic legs can be adjusted to accommodate timber and uPCV thresholds. The height can be adjusted from above. Width 76cm. Length 120cm. Max. load 400kg (63kg). Ramp weight 16kg (35lbs).



PA15 / Standard 76 W x 150cm / 5ft L

£645.00

Standard Permaramp Adjust ramps are height adjustable between 7.5cm (3ins) to 25cm (10ins). A single length ramp that is non-folding and without handrails, they are semi-permanent and relocatable. The telescopic legs can be adjusted to accommodate timber and uPCV thresholds. The height can be adjusted from above. Width 76cm. Length 150cm. Max. load 400kg (63kg). Ramp weight 19kg (42lbs).



PA18 / Standard 76 W x 180cm / 6ft L

£698.00

Standard Permaramp Adjust ramps are height adjustable between 7.5cm (3ins) to 25cm (10ins). A single length ramp that is non-folding and without handrails, they are semi-permanent and relocatable. The telescopic legs can be adjusted to accommodate timber and uPCV thresholds. The height can be adjusted from above. Width 76cm. Length 180cm. Max. load 400kg (63kg). Ramp weight 22kg (50lbs).



PA21 / Standard 76 W x 210cm / 7ft L

£781.00

Standard Permaramp Adjust ramps are height adjustable between 7.5cm (3ins) to 25cm (10ins). A single length ramp that is non-folding and without handrails, they are semi-permanent and relocatable. The telescopic legs can be adjusted to accommodate timber and uPCV thresholds. The height can be adjusted from above. Width 76cm. Length 210cm. Max. load 350kg (55kg). Ramp weight 26kg (57lbs).



PA24 / Standard 76 W x 240cm / 8ft L

£849.00

Standard Permaramp Adjust ramps are height adjustable between 7.5cm (3ins) to 25cm (10ins). A single length ramp that is non-folding and without handrails, they are semi-permanent and relocatable. The telescopic legs can be adjusted to accommodate timber and uPCV thresholds. The height can be adjusted from above. Width 76cm. Length 210cm. Max. load 300kg (47kg). Ramp weight 29kg (64lbs).

Description

Standard Permaramp®-Adjust are height adjustable single length ramps that are non-folding and without handrails, they are semi-permanent and relocatable.

The telescopic legs can be adjusted to accommodate different threshold types and have a total height adjustment from between 7.5cm (3ins) to 25cm (10ins).

Ideal for use with single outward opening doors with a timber or uPVC door threshold.

Manufactured from aluminium with the unique Gripdeck™ surface that offers an excellent all-weather grip surface while also being high heel and pet friendly.

The standard Permaramp®-Adjust ramp is available in 6x lengths all with a 76cm (30") width.

Key benefits:

- Easy height adjustment and installation from above
- Designed to clear protruding timber and uPVC door thresholds and sills
- Fix to any firm flat or sloping surface
- Contrasting colour safety edge strips increase visibility for the visually impaired
- Perfect for single outward opening doors
- Suitable for scooters, mobility walker frames and wheelchairs
- Options for fixing the ramp at the top and bottom for security and safe use
- Gripdeck™ surface with incredible grip with sustained outdoor use
- A wider width 90cm (35.4") ramp is also available see (Product Code: PAW9-PAW24)
- Designed, manufactured and stocked in the UK
- Entry flap accessory available to transition right into the property see (Product Code: PE5)

Technical details:

- Width: 76cm (30")
- Kerb height: 7cm (3")
- Choice of length, select above:
- Product Code: PA9 - Length 90cm (3ft), Weight 12.5kg (28lbs), Max. Load 400kg (63st)
- Product Code: PA12 - Length 120cm (4ft), Weight 16kg (35lbs), Max. Load 400kg (63st)
- Product Code: PA15 - Length 150cm (5ft), Weight 19kg (42lbs), Max. Load 400kg (63st)
- Product Code: PA18 - Length 180cm (6ft), Weight 22.5kg (50lbs), Max. Load 400kg (63st)
- Product Code: PA21 - Length 210cm (7ft), Weight 26kg (57lbs), Max. Load 350kg (55st)
- Product Code: PA24 - Length 240cm (8ft), Weight 29kg (64lbs), Max. Load 300kg (47st)

Warranty:

- 2-year manufacturer warranty

Additional Information

Manufacturer	RampCentre
Ramp Width (cm / inches)	76 / 29.92"
Max. Rec. HT. (cm / inches)	Adj. 7.5 / 3" to 25 / 10"
Application / Ramp Type	Relocatable Internal / External
Dead Weight (kg / lbs)	10 / 22.05 to 19.99 / 44.07, 20 / 44.09 to 29.99 / 66.11
Ramp Material	Aluminium
Handrails	No Handrails