




Independent 4 Life

RampCentre Doorline- bridge Threshold Ramp, 70 W - Choice of Lengths 50 to 100 x Heights 4.0 to 10cm

From:	£167.70
To:	£321.52
Inc. VAT	





Product Code: DB4-DB10

Product Images



Product Options

Product Code / Width x Length x Height (cm)

	DB4 / 74 W x 50 L x 4cm H Doorline Bridge offers a solution to difficult timber and uPVC door thresholds, for internal and external applications. Anodised aluminium finish prevents stains and corrosion. Unique safety/comfort carrying holes on the side of the ramp. 70cm wide, height 4cm, length 50cm. Max. load 300kg (47st).	£139.75
	DB6 / 74 W x 58 L x 6cm H Doorline Bridge offers a solution to difficult timber and uPVC door thresholds, for internal and external applications. Anodised aluminium finish prevents stains and corrosion. Unique safety/comfort carrying holes on the side of the ramp. 70cm wide, height 6cm, length 58cm. Max. load 300kg (47st).	£179.01
	DB8 / 74 W x 75 L x 8cm H Doorline Bridge offers a solution to difficult timber and uPVC door thresholds, for internal and external applications. Anodised aluminium finish prevents stains and corrosion. Unique safety/comfort carrying holes on the side of the ramp. 70cm wide, height 8cm, length 75cm. Max. load 300kg (47st).	£230.49
	DB10 / 74 W x 100 L x 10cm H Doorline Bridge offers a solution to difficult timber and uPVC door thresholds, for internal and external applications. Anodised aluminium finish prevents stains and corrosion. Unique safety/comfort carrying holes on the side of the ramp. 70cm wide, height 10cm, length 100cm. Max. load 300kg (47st).	£267.93

Description

Doorline™-Bridge offer a solution to the most difficult of timber and uPVC door thresholds, for internal and

external applications.

Manufactured from aluminium this hard wearing ramp has a satin anodised ribbed finish.

This ramp is lightweight, easy to carry and deploy and has rubber strips to prevent slipping and protect to floor finishes.

Available in four heights 4cm (1.6"), 6cm (2.4"), 8cm (3.1") and 10cm (3.9") all are 70cm (27.56") wide.

Key benefits:

- Ideal for timber and uPVC door thresholds
- Lightweight
- Unique safety/comfort carrying holes on the side of the ramp
- Excellent surface grip
- Anodised aluminium finish prevents stains and corrosion
- Four useful heights
- Designed, manufactured and stocked in the UK
- Custom sizes available, contact us for more information

Technical details:

- All Bridge threshold ramps are 70cm (27.56") wide:

Product Code: DB4

- Height: 4cm (1.6")
- Length: 50cm (20")
- Capacity: 300kg (47st)
- Weight: 3kg (6.6lbs)

Product Code: DB6

- Height: 6cm (2.4")
- Length: 58cm (23")
- Capacity: 300kg (47st)
- Weight: 3.5kg (7.7lbs)

Product Code: DB8

- Height: 8cm (3.1")
- Length: 75cm (29")
- Capacity: 300kg (47st)
- Weight: 5.4kg (11.9lbs)

Product Code: DB10

- Height: 10cm (3.9")
- Length: 100cm (39")
- Capacity: 300kg (47st)
- Weight: 7.6kg (16.8lbs)

Warranty:

- 1-year manufacturer warranty

Manufacturer product codes:

- DB4, DB6, DB8, DB10

Additional Information

Manufacturer	RampCentre
Ramp Width (cm / inches)	70 / 27.6"
Height (mm / inches)	40 / 1.6, 60 / 2.4, 80 / 3.1, 100 / 3.94
Application / Ramp Type	Door Threshold
Dead Weight (kg / lbs)	0 to 4.99 / 11.00, 5.0 to 9.99 to 11.02 / 21.83
Ramp Material	Aluminium
Handrails	No Handrails