

NEW Aerolight-Up&Over Portable Ramp Combo, 76 W x 210cm Length

£1,037.24 Inc. VAT

Product Code: UO21

Product Images

1







Description

The NEW Aerolight®-Up&Over combines the benefits of 1x AX21 Aerolight-Xtra Premium Folding Suitcase 210cm (7ft) length ramp externally and the DM5 Doorline[™]-Multi to overcome uPVC door threshold with ease on the inside. Allowing the user to seamlessly transition right over the threshold.

A versatile and easy ramp solution that is quick to deploy with a maximum internal threshold height of 10cm (3.94 inches) and external maximum height of 26cm (10.24 inches) with a 1:8 gradient.

The folding ramp is easier to store and ideal for situations where ramps cannot be left in place at all times, but storage space is also limited.

Solves most threshold types and heights. Lightweight, hardwearing and a non-slip surfaces that supports up to 300kg maximum load.

Other kits are available in a range of external ramps lengths of 120cm (4ft), 150cm (5ft), 180cm (6ft) and 240cm (8ft).

Aerolight-Xtra Ramp key benefits:

- Lightweight
- Compact storage as the ramp folds and clips together
- Flat hinge on the underside, ensures the best step clearance
- Colour contrasting edge strips increases visibility for the visually impaired and reduced trip hazard
- Easy to carry and deploy
- Plastic carrying handles
- Full width folding access ramp
- Anti-slip surface provides excellent grip
- When folded the wearing surface is on the inside, making carrying, deployment and storage easy
- Designed, manufactured, and stocked in the UK
- Save £'s by buying as a kit

DM5 Doorline[™]-Multi key benefits:

- www.independent4life.co.uk | info@independent4life.co.uk | Tel: 0800 500 3001 | VAT No: 942447711
 - EORI GB942447711000

2

- Extremely lightweight for quick and easy use
- Lightweight aluminium construction with a ribbed and anodised finish
- The front lip has an anti-slip rubber strip that secures on the door threshold and protects the frame
- Comfortable, fold-away, rattle-free handle

Technical details:

- AX21 Max. External height at a 1:8 gradient: 26cm (10.24")
- AX21 External ramp length: 210cm (7ft)
- AX21 Ramp width, excluding handles: 76cm (30")
- AX21 Internal lip width: 71.4cm (28.1")
- DM5 Max. Internal height of door threshold: 10cm (3.94")
- DM5 Internal Ramp length: 57.5cm (23")
- DM5 Ramp width, excluding handles: 70cm (28")
- Maximum capacity of system: 300kg (47st)
- Materials: Aluminium, stainless steel fixings and plastics

Warranty:

• 1-year manufacturer warranty

Note:

• This ramp configuration is not recommended for commercial applications

Additional Information

Manufacturer	RampCentre
Length (cm / foot / inches)	210 / 6ft 8.8"
Ramp Width (cm / inches)	76 / 29.92"
Lip Width (cm / inches)	71.4 / 28.1
Max. Rec. HT. (cm / inches)	GRAD 1:8 - 26 / 10.24", Int. Threshold H 10 / 3.94"
Application / Ramp Type	Relocatable Internal / External
Dead Weight (kg / lbs)	10 / 22.05 to 19.99 / 44.07
Ramp Material	Aluminium
Handrails	No Handrails