

RampCentre Ultralightfolding, Standard 21cm Channel Ramps - 110, 150, 200cm L (Pair)


From:

£442.80

To: Inc. VAT £579.60

Product Code: PF11-PF20

Product Images





Product Options

Product Code / Internal channel width / Length (cm)



PF11 / Standard 21 / 110cm / 3ft 7" L

£369.00

RampCentre Ultralight-folding channel ramps ideal, for those on the move and for bridging door thresholds, these ramps fold in half to make them more compact for storage. Overall length of 110cm (3ft 7"), internal channel width 21cm (8"). Max. load (pair) 300kg (47st). Weight of each half 3.6kg (8lbs). Stored Dimensions L x W x D - 55 x 24.5 x 13cm (22 x 10 x 5"). Supplied in pairs.



PF15 / Standard 21 / 150cm / 4ft 11" L

£427.00

RampCentre Ultralight-folding channel ramps, ideal for those on the move and for bridging door thresholds, these ramps fold in half to make them more compact for storage. Overall length of 150cm (4ft 11"), internal channel width 21cm (8"). Max. load (pair) 300kg (47st). Weight of each half 4.6kg (11lbs). Stored Dimensions L x W x D - 77 x 24.5 x 13cm (22 x 10 x 5"). Supplied in pairs.



PF20 / Standard 21 / 200cm / 6ft 7" L

£483.00

RampCentre Ultralight-folding channel ramps, ideal for those on the move and for bridging door thresholds, these ramps fold in half to make them more compact for storage. Overall length of 200cm (6ft 7"), internal channel width 21cm (8"). Max. load (pair) 250kg (39st). Weight of each half 6kg (14lbs). Stored Dimensions L x W x D - 102 x 24.5 x 13cm (22 x 10 x 5"). Supplied in pairs.

Description

Ultralight-folding[™] channel ramps ideal for those on the move and for bridging door thresholds, these ramps fold in half to make them more compact for storage.

Ideal for kerbs and single steps for wheelchair users, both standard and powered due to the low sides and long bevelled edges.

Available in three sizes with an overall length of 110cm (3ft 7"), 150cm (4ft 11") and 200cm (6ft 7"). **Key benefits:**

- Designed for use with kerbs and single steps
- Can be used to bridge door thresholds
- Increased clearance for scooters and power chairs, due the low kerbs and long bevelled sides
- Compact storage
- Designed, manufactured, and stocked in the UK

Technical details:

- All ramps have an Internal track width of: 21cm (8.27")
- All ramps have a kerb height of: 5cm (2")

Product Code: PF11

- Overall length of: 110cm (3ft 7")
- Stored dimensions: 55 x 24.5 x 13cm (22 x 10 x 5")
- Capacity (Pair): 300kg (47st)Weight each half: 3.6kg (8lbs)

Product Code: PF15

- Overall length of: 150cm (4ft 11")
- Stored dimensions: 77 x 24.5 x 13cm (30 x 10 x 5")
- Capacity (Pair): 300kg (47st)Weight each half: 4.6kg (11lbs)

Product Code: PF20

- Overall length of: 200cm (6ft 7")
- Stored dimensions: 102 x 24.5 x 13cm (40 x 10 x 5")
- Capacity (Pair): 250kg (39st)Weight each half: 6kg (14lbs)

Warranty:

• 2-year manufacturer warranty

Manufacturer product codes:

• PF11, PF15 PF20

Additional Information

Manufacturer	RampCentre
Ramp Width (cm / inches)	Int. Channel 21 / 8.27"
Application / Ramp Type	Channel Ramps (Pair)
Dead Weight (kg / lbs)	0 to 4.99 / 11.00, 5.0 to 9.99 to 11.02 / 21.83
Ramp Material	Aluminium
Handrails	No Handrails