






Independent 4 Life




# Pressalit SELECT TL1 Toilet Lifter, ELECT ADJ, Wired Hand Control, Floor Outlet - Choice of Colour

£6,555.60 Inc. VAT

Product Code: R8212xxx

## Product Images







## Product Options

---

Colour	Price Inc. VAT
Pressalit White 000	£6,555.60
Pressalit Anthracite 112	£6,555.60

## Description

---

Electric height adjustable toilet lifter from the Pressalit SELECT range.

The toilet lifter provides 400mm of continuous adjustment, via the wired hand controller, between 425 - 825mm.

The lifter can be at different heights to suit different users/transfer techniques, powered adjustments with an easy to use controller where frequent adjustments are essential.

The SELECT toilet lifter can be further complimented with fixed or removable backrests or a shower toilet for a bespoke solution.

Includes a Geberit concealed cistern with dual flushing, pre-set at 3/6 litres. The toilet lifters front cover is available in a choice of colours.

This slim version has no support arms and is for floor waste outlets only.

### Key benefits:

- SELECT TL1 toilet lifter, electrically height adjustable, even with the user seated
- The toilet can be raised and lowered 400mm using the wired hand control

- Designed with a minimum of grooves, slots and holes making cleaning fast and effective
- Geberit cistern with dual flushing system pre-set at 3/6 litres
- The toilet pan and toilet seat are not included (order separately)
- Pressalit backrests fixed and removable can be fitted to the front plate (order separately)
- Choice of front cover colour

#### **WC pan compatibility:**

- Toilet lifter WC pan fixings 180mm c/c
- Compatible with the Pressalit Wall hung toilet pans with a 540mm or 700mm projection
- Please contact us to check for compatibility with a shower toilet.

#### **Technical details:**

- Overall width (mm): 555
- Overall depth (mm): 215
- Height Min-Max (mm): 1230-1630
- Height adjustment (mm): 400
- Height adjustment range (mm): 425-825
- Geberit cistern with dual flushing system preset at 3/6 litres
- Geberit dual flushing plate, surface mounted
- Floor waste outlet
- Weight (kg): 60.0
- Maximum user weight (kg): 200
- Maximum load, including user mass and accessories (kg): 235
- Speed, up (mm/s): 12
- Speed, downwards (mm/s): 12
- Noise level (dB): 48

#### **Electrical technical details:**

- Please refer to the PDF download for the installation instructions
- Mains connection (V): 230
- Mains cable length to Transformer (mm): 3500
- Hz: 50-60
- Electrical rating (IP): IPX6
- Power consumption (max. load) (W): 70
- Power consumption (standby) (W): 2
- Actuator (motor): LA31 Careline, (Linak), 4000N, IPX6
- Control box: CB9 Careline, (Linak), IPX6
- Wired remote control: HB3 (Linak), IP66
- Wired controller cable length from control box / transformer (mm): 3500
- Note: Upon installation the 2-pin plug must be removed and hard wired to a fused spur, as per electrical regulations

#### **Materials:**

- Toilet lifter: Mainly constructed of anodised aluminium
- Front plate and Bottom plate: Made of polystyrene (PS)

#### **Declaration of conformity:**

- Complies with the requirements of Council Directive 93/42/EEC concerning medical devices, as last amended by Council Directive 2007/47/EC of 5 September 2007
- It also complies with all relevant requirements in the Council Directive 2006/42/EC (of 17 May 2006) on machinery and the Council Directive 2011/65/EC on RoHS

[www.independent4life.co.uk](http://www.independent4life.co.uk) | [info@independent4life.co.uk](mailto:info@independent4life.co.uk) | Tel: 0800 500 3001 | VAT No: 942447711

EORI GB942447711000

**Warranty:**

- 5 year manufacturer warranty

**Manufacturer product codes:**

- R8212000, R8212112,

**Returns: Please note:**

- Due health and hygiene and infection control this product is non-returnable

**Additional Information**

Manufacturer	Pressalit
Brand / Model	Pressalit / Select
Height ADJ Range (mm)	400
Installation Type	Exposed
Flush Operation	Front Dual Button Flush
Operation	Wired Hand Controller
Waste Outlet Position	Floor
Support Arms	No