





Independent 4 Life

# Methven Thermostatic Bar Shower, Diverter, OH Satinjet Soaker, Aurajet Aio Handset & Smooth Hose

£353.70 Inc. VAT

Product Code: AOKCTSDEF

## Product Images



Aurajet Aio									
Open Outlet Flow (l/min)									
BAR	0.5	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0
BAR	0.5	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0
BAR	0.5	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0
BAR	0.5	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0

AOKCTSDEF

Open Outlet Flow (Bar - l/min)

BAR	0.3	0.5	1.0	2.0	3.0	4.0	5.0
HANDSET FLOW	8.6	10.1	9	9	9	9	9
OVERHEAD FLOW	2.5	4.2	6.8	10.2	12.7	14.9	16.8

Please Note: Flow rate will be dictated by installation configurations.  
Please ensure to check the appropriate flow restrictor information if applicable.



**METHVEN**  
Aurajet™



## The next generation of showering has arrived.

Introducing Aurajet™. Our most advanced, most invigorating shower experience ever, that turns conventional showering on its head.


Invisible nozzles generate individual jets of water that collide against precisely angled surfaces hidden within the contours of the unique halo-shaped showerhead.

The result is a stunning fan of luxuriously dense droplets that delivers a highly efficient shower with 20% more spray force and twice the amount of water contact on your skin than a conventional shower\*. All this adds up to an enveloping warmth that has to be felt to be believed, and a heavenly experience that puts you in a great space, every time you shower.

**20%**  
MORE SPRAY FORCE\*

**2x**  
THE AMOUNT OF SKIN CONTACT\*


### Twice the coverage



TRADITIONAL SHOWER SPRAY

AURAJET™ SPRAY

### Better stimulation of nerve endings



TRADITIONAL SHOWER SPRAY

AURAJET™ SPRAY

The water flow rate is optimised at 9 litres per minute to be water efficient without compromising the luxurious spray performance.

\* Compared to a traditional conventional shower. Flow rate of both products at 9l per minute and tested as per BS 6841 using Appendix 11.





## Description

---

Aurajet Aio Cool to Touch Bar Shower features a sleek minimalist design, and easy to operate with dual outlets, riser and Satinjet overhead soaker.

Water flow rate has been developed to be water efficient, without compromising on water efficiency. Designed to provide you with the maximum comfort, and all-over warmth.

The Satinjet overhead rain shower, uses unique twin-jet technology to create the perfect water pressure and water droplet size, creating over 300,000 water droplets per second.

The advanced Aurajet Aio handset unique design, will leave you feeling refreshed and energised. The nozzles in the handset generate jets of water that collide with each other at precise angles, creating a halo of water.

Thermostatic mixer bar is cool to touch, ideal for families with varying showering abilities.

### Key benefits:

- Thermostatic shower with riser and large stainless-steel soaker
- Innovative and invigorating Aurajet Aio handset, provides you with a whole new showering experience
- Unique, halo shaped head for a designer look
- Ultra-wide coverage - Divert between two overhead and Aio handset
- Limescale resistant - Polymer hydrophobic properties resist the build-up of limescale on the Aurajet Aio handset
- Easy-fit connectors - For quick and simple installation
- Water efficient - Aurajet handset supplied with 9 l/min flow regulator
- Twist-free hose - Easy to use and to clean
- Eco flow control with override facility
- Minimalistic body

### Safety features:

- Valve is safe and cool to touch making it ideal for families

- Thermostatic control - Maintain your preferred temperature setting
- Separate flow and temperature controls
- 38°C temperature stop with override facility
- Anti-scalding - water is prevented from reaching a temperature hot enough to scald
- Cool-to-touch technology - Ensures the bar valve never gets warmer than the mixed water temperature

#### **Approvals:**

- TMV2 approved
- WRAS approved

#### **Technical details:**

- Projection from wall (mm): 72
- Riser rail height (mm): 1160
- Satinjet overhead shower projection from wall (mm): 570
- Satinjet overhead shower diameter (mm): 200
- Inlet connections (mm): 15 Compression
- Outer edge of bar shower (mm): 300
- Min inlet pressure (bar): 1.0
- Max inlet pressure (bar): 5
- Factory pre-set temperature: 38°C

#### **Warranty:**

- 5 Year manufacturer warranty

# Additional Information

Manufacturer	Methven
Shower Type	Direct Fed (Mixer)
Shower Features	Thermostatic Mixers, Dual Shower Systems, Fixed Riser Rail, Flexible Hose and Handset, Shower Head Holder, Overhead Soaker
Fixings	Exposed
Control	Manual Lever
Hose Length (mm) / Application	1500 / Shower Hose
Water Pressure	Low, Normal Mains, High Pressure Systems
Technologies	Thermostatic Control, Aurajet, Satinjet, Safe Touch, Anti-Scald, Exposed Bottom Entry, Exposed Top Entry, Anti-limescale, Easy-fit Connectors
Approvals	WRAS Approved, TMV2 (Domestic Sector)