




Independent 4 Life

Methven Thermostatic TMV2 Bath Shower Mixer with Kit - Chrome

£335.50 Inc. VAT

Product Code: TLVBSM1B


Product Images




Satinjet®

Turn an everyday ritual into a luxurious experience with award-winning Satinjet® technology from Methven.

TLVBSM1B									
Open Outlet Flow (litres/min)									
BAR	0.3	0.5	1.0	2.0	3.0	4.0	5.0		
SPRAY FLOW	12.3	14.4	15.5	19.3	23.5	27	30.4		
HANDSET FLOW	7	8	11	15	19	21	24		





Description

Methven thermostatic TMV2 bath shower mixer maintains your preferred temperature setting, with a 38 degree default safety setting to prevent scalding. The temperature override makes this bath shower mixer ideal for all the family.

The shower offers a full-body shower experience, like no other. Exclusive to Methven Satinjet's colliding twin water jets produce over 300,000 droplets per second for the ultimate shower experience.

Supplied with a adjustable chrome 670mm shower rail kit, single mode Satinjet handset with a 2000mm chrome flexible shower hose.

Key benefits:

- Easy to operate lever handles
- Thermostatic valve with 38°C temperature stop (with override)
- Single mode Sanijet handset, 9 l/min flow regulator
- Water efficient without compromising showering performance
- Chrome adjustable 670mm shower rail kit
- 2000mm chrome flexible shower hose
- Separate flow and temperature controls
- Suitable for High/Mains pressure
- Chrome finish

Satinjet® Handset explained:

- Methven's Satinjet® shower handset is unlike conventional showers
- Twin-jet technology controls the flow creating the optimum water droplet size and pressure, with over 300,000 droplets per second
- The Satinjet® offers a luxury and immersive, full-body shower sensation that transforms your regular shower into an experience like no other

Approvals:

www.independent4life.co.uk | info@independent4life.co.uk | Tel: 0800 500 3001 | VAT No: 942447711
EORI GB942447711000

- TMV2 approved

Technical details:

- Cartridge/Valve Type: Thermostatic
- Suitable for High/Mains Pressure only
- Inlet connections: ¾" BSP
- Working pressures: 1.0 – 5.0 bar
- Hot: Max Operating temperature: 65°C
- Cold Min. Operating temperature: 5°C
- Construction: Brass - Chrome finish

Warranties:

- Deck Mounted Bath Shower Mixer - 5 year warranty
- See PDF download for more information

Additional Information

Manufacturer	Methven
Application	Bath, Shower
Tap Style	Thermostatic, Bath Shower Mixer, Includes Hand Shower, Deck Mixer / Filler Tap
Mounting	Bath
Operation	Turn with Lever
Water Pressure	High Pressure Systems
Approvals	TMV2 (Domestic Sector)
Technologies	Thermostatic Control, Satinjet