




Independent 4 Life

AWS 40mm McAlpine Flex Kitchen Waste Kit, 2x 1000mm Hydraelectric WRAS (PEX) Feeds, 15mm & M8 Adaptors

£96.43 Inc. VAT

Product Code: FLEXKIT1000PEX

Product Images





Description

McAlpine FLEXKIT1 flexible kitchen sink waste kit with 2x 1000mm Hydraelectric WRAS approved (PEX) flexible water hoses for installing kitchen sinks in height adjustable worktop frames, height adjustable islands or static installations where future occasional adjustments may be required.

Designed to comply with the UK's stringent demands in providing flexible hose connections in health care and public service markets.

Key Benefits:

- Flexible plumbing and waste kit, white plastic
- Waste elbow can be cut to length on site to suit waste outlet
- WRAS approved flexible tap tails with Female 1/2 connectors at either end
- Supplied with 2x M8 adapters for copper tap tails
- Reduction in the risks associated with micro bacterial colonisation and potential for cross infections
- The liner is designed to reduce the growth of waterborne micro-organisms compared to other materials
- All materials have been tested and approved to BS 6920 in accordance with Water Regulation Advisory Scheme (WRAS) for both hot and cold water
- The flexible water hoses have a unique green tracer band for easy identification against other materials
- Robust construction with excellent abrasion and crush resistance

Technical details – McAlpine Waste Kit:

- For single waste outlet sinks
- Trouble-free connection
- Supplied with 1½" / 1¼" (40mm / 31.75mm) waste trap inlet reducer (T16)
- 290mm elbow can be cut to length for any installation
- 1½" (40mm) Multifit wastewater outlet
- Flexible waste outlet pipe can be extended from 230mm to 750mm
- The bottle trap can be unscrewed for ease of cleaning

www.independent4life.co.uk | info@independent4life.co.uk | Tel: 0800 500 3001 | VAT No: 942447711

EORI GB942447711000

- Ideal for adjustable height kitchen sinks
- Manufactured from polypropylene
- Colour: White

Technical details – Flexible Water Hoses:

- 2x Flexible PEX braided hoses
- Length (mm): 1000
- Bore (mm): 8
- Hose Ref. DN8
- Connections: 2x Female 1/2 connectors
- Connections: 2x M8 adapters for copper tap tails
- WRAS approved
- Designed for use with hot and cold potable water supplies
- Min. Bend radius 35mm by which the hose can be bent without causing excessive stress to the hose fabric or kink
- Working pressure at 20°C Bar: 12
- Working pressure at 65°C Bar: 6
- Security pressure at 20°C Bar: 18
- Flow rate at 3 Bar (Ltr/Min): 28
- Manufactured with stainless steel over braid and liner manufactured from cross-linked polyethylene

Warranty:

- Flexible hoses: 1 year manufacturer warranty
- 10-year manufacturer warranty, subject to correct installation

Note:

- The critical length is the distance between hose mating faces. This must be 10% greater than the actual distance between the two corresponding fixed mating parts to avoid tensile stress whilst in service
- See PDF Installation instructions for more information

Additional Information

Manufacturer	McAlpine
Component	Flexible Feeds, Flexible Waste
Hose Length (mm) / Application	1000 & 230-750 / Feeds & Waste
Technologies	PEX - Healthcare DN8 Hose
Approvals	WRAS Approved