





Independent 4 Life

# Deva by Methven Dynamic Cool to Touch Bar Shower with Diverter

£357.10 Inc. VAT

Product Code: DCTSDEF

## Product Images



Flow (Bar - l/min, open outlet)

Handheld	Flow 0.5	Flow 0.8	Flow 1.0	Flow 1.5	Flow 2.0
Handheld	6.7	9.8	12.1	14.2	18.9
Overhead					

## Description

---

The Dynamic cool to touch bar shower is of a modern design that will suit any shower room. It is easy to operate, with an integral diverter to the fixed shower head soaker for a drenching shower and 3 mode handset with drench, rain and massage sprays.

Thermostatic mixer bar is cool to touch, ideal for families with varying showering abilities.

### Key benefits:

- Divert between full body overhead or handset
- Thermostatic shower with a fixed 1100mm height Krome overhead soaker
- Hand shower, with adjustable holder
- Three function hand shower, drench, rain, and massage spray
- Double interlocked 1500mm hose
- Suitable for High Pressure only
- Kiwa TMV2 thermostatic cartridge
- Includes easy fit connections

### Safety features:

- Safe cool to touch body making it ideal for families
- Thermostatic control - Maintain your preferred temperature setting
- Separate flow and temperature controls
- 38°C temperature hot stop with override facility

### Approvals:

- Kiwa TMV2 approved
- Kiwa approved

### Technical details:

- Projection from wall (mm): 72
- Riser rail height (mm): 1100
- Handset range of movement (mm): 850
- Overhead shower projection from wall (mm): 570
- Overhead shower diameter (mm): 200
- Inlet connections (mm): 15 Compression
- Outer edge of bar shower (mm): 313
- Min inlet working pressure (bar): 1.5
- Max inlet working pressure (bar): 5.0
- Factory pre-set temperature: 38°C
- Construction: Brass and ABS

### Warranty:

- 5 Year manufacturer warranty

## Additional Information

---

Manufacturer	Deva by Methven
Shower Type	Direct Fed (Mixer)
Shower Features	Shower Head, Shower Control, Adjustable Riser Rail, Overhead Soaker
Fixings	Exposed
Control	Manual Lever
Hose Length (mm) / Application	1500 / Shower Hose
Water Pressure	High Pressure Systems
Technologies	Thermostatic Control, Safe Touch, Temperature Control Lever, Easy-fit Connectors
Approvals	Kiwa Approved, TMV2 (Domestic Sector)