


Granberg Centerlift 960HA for Worktops 1200-2800 x 600mm -White Front

£5,127.84 Inc. VAT

Product Code: 960HA-01

Product Images

















Product Options

Frame Width (mm)	Price Inc. VAT
1180	£5,127.84
1380	£5,176.44
1580	£5,222.88
1780	£5,270.40
1980	£5,484.24
2180	£5,579.28
2380	£5,626.80
2580	£6,481.08
2780	£6,532.92

Additional Options

Standard Wired Controls	Corded Alu-design Control Buttons	£0.00
	Corded Mini Touch Control Buttons	£0.00
Optional Accessories	Safety Key Lock (isolates the wired control buttons)	£62.10
	Remote Control - Single Channel	£337.50
	960H Hose Cover - Anodised Aluminium	£819.10

Description

The Granberg Centerlift 960 is a rise and fall kitchen island with two motorised legs, allowing for maximum space and legroom underneath the worktop.

Floor mounted, it provides height adjustments from 700-1100mm above the floor (excluding worktop) and is controlled by either push button or remote control.

The 960HA compartment frame has a White (RAL 9003) powder coated front to the perimeter. For worktops 600mm deep, and widths from 1200-2800mm.

Key benefits:

- Floor mounted
- 200kg lifting power
- Height adjustment 700-1100mm from the floor
- The sides are preassembled and adjustable sideways to suit the sink and hob
- Perimeter front colour White (RAL 9003) powder coated
- Excludes worktop, allowing the installer to match it to the existing kitchen
- Integrated safety switch

Includes:

- Factory-mounted aluminium system with movable frame brackets
- Floor-mounted motors
- Perimeter safety stop switch prevents the lift's movement in the event of an obstruction

Factory fitted - Choice of control:

- Corded Control Button in Alu-design (Product Code: 61320)
- Corded Mini Control Buttons (Product Code: 61318)
- Please select as required, we will confirm your button location prior to manufacture

Useful information

- Concealed worktop fittings
- Granberg kitchen sinks with a depth of 120mm can be integrated
- Electronics and motor system pre-configured, simple "Plug and Play" setup
- The position of the motors is adjustable to the side (then screwed into the floor)

Recommended accessories:

- Single Channel Radio Remote Hand Control (Product Code: 61385)
- Height adjustable Aluminium Hose cover (Product Code: 61508-06)
- 2 Button Multi-compartment frame (Product Code: 61352)
- Power switch i.e. For use with lighting (Product Code: 61331)
- Safety lock (Product Code: 61360)

Technical details:

- For worktop depth (mm): 600
- Actual frame depth (mm): 580
- Height adjustment: Motorised, step-less adjustment by 400mm, from 700-1100mm above the floor (excluding worktop)
- Max load (kg): 200
- Lift speed (mm/sec): 30
- Electrical connection: Plug for 230 V, 2x 5A
- Plumbing connections: Connection is made with flexible hoses (not included)
- IP-class: IP 20
- Facia front height (mm): 103
- Material: Aluminium frame

Warranty:

• 2 year manufacturer warranty

Please note:

• Due to the custom nature of this product, it is made-to-order and is therefore non-returnable

Manufacturer product codes:

• 960HA-120-01, 960HA-140-01, 960HA-160-01, 960HA-180-01, 960HA-200-01, 960HA-220-01, 960HA-240-01, 960HA-260-01, 960HA-280-01

Additional Information

Manufacturer	Granberg
Aluminium Front Finish	White - RAL 9003
Frame Depth (mm)	580
Frame Width (mm)	1180, 1380, 1580, 1780, 1980, 2180, 2380, 2580, 2780
Height Adjustment (mm)	400
Max. Load (kg / St)	200 / 31.5
Model	Centerlift 960H