


# Maxxus Former, 10m<sup>2</sup> Paint on Tanking Kit, Purus Minimax 2-part Waste - Choice of Size & Grids

£501.47 Inc. VAT

Product Code: ML

# **Product Images**




















# **Product Options**

Floor Former Size (mm)	Price Inc. VAT
900x900	£501.47
1000x1000	£501.47
1135x770	£501.47
1200x800	£501.47
1200x900	£501.47
1200x1200	£501.47
1300x800	£501.47
1400x900	£501.47
1450x1150	£538.91
1500x800	£501.47
1650x900	£633.04
1800x800	£652.91

# **Additional Options**

Purus code / Stainless steel grid option	7138358 / 155x155mm Art Deco Grate	£0.00
	7138360 / 155x155mm Drop Design Grate	£0.00
	52728 / 130x130mm Tile Insert Tray / Grate	£0.00
	153872-843 / 155x155mm Black PVD Grid	£85.50
	153872-842 / 155x155mm Copper PVD Grid	£85.50
	153872-845 / 155x155mm Brushed Brass PVD Grid	£85.50

# **Description**

The Maxxus is a strong 22mm thick wet room floor former tray suitable for wooden and concrete floors.

With an offset waste and totally flat underside, the Maxxus is easy to install and is incredibly strong.

The deck is supplied with the Purus 2-part Minimax horizontal outlet waste, 10m<sup>2</sup> liquid tanking kit and a choice of the tile insert, 155mm square tiling frames with Standard grid designs or luxury PVD coated colours.

## **Key benefits:**

- For tiled flooring
- Suitable for timber and concrete floors
- Strong and durable base yet only 22mm thick
- Vacuum formed GRP
- Made from 50% recycled materials and is 100% recyclable
- Solid right through no pockets or hollow cavities
- Creates a level access floor with no step
- Built in gradients for water removal to the waste
- Accepts 470kg (75 stone) loading over 400mm joist centres
- Self-supporting no requirement for additional support underneath
- May be trimmed down to any size
- The Minimax waste projects only 80mm below Maxxus deck
- Gravity or Pumped Purus Minimax Two-part waste with 47 Litres/minute flow rate
- Removable sprung NOOD water trap
- The NOOD no-odour water trap which will not allow any foul air to escape even if the gully dries out
- Removable stainless-steel Tile Insert tray or Grid options
- Suitable for underfloor heating
- Choice of size

#### Installation:

- Totally flat underside and recessed screw holes allow for easy fixing
- Simply rotate to place the drain hole in the ideal position
- Easy to use paint on system
- Ready to use, no mixing required
- Dries into a flexible sheet membrane

#### Kit contents:

- 1x Maxxus floor former
- 1x Standard Purus stainless steel square grid (see options below)
- 1x Purus Minimax 2-part horizontal wet floor waste Gulley with NOOD (no-odour) water trap (Product Code: 52719)
- 1x Pipe reducer for the waste outlet, 2" to 1½" (50mm to 40mm)
- 8kg paint on tanking system, covers 7 to 10m<sup>2</sup> in two coats
- 1x 1 litre primer for porous surfaces
- 1x 10m tape for wall/floor joint and other gaps
- 2x Internal corners
- 2x Pipe collars
- 1x 75mm brush

## Standard - Grid options:

- Purus PK155 Stainless Steel Art Deco Grate for Tiled Floors, 155x155mm (Product Code: 7138358)
- Purus PK155 Stainless Steel Drop Grate for Tiled Floors, 155x155mm (Product Code: 52719)
- Purus Tile Adapter with Stainless Steel Tile Insert Grate 130x130mm (Product Code: 52728)
- - Purus Tile Adapter Height: 12mm (external); 10mm (internal)

#### **Luxury PVD coated Chess design grid upgrade:**

by increasing wear, scratch and corrosion resistance making its durability far superior to conventional coating methods such as electroplating or powder-coating.

- - Purus 6mm stainless steel grid with frame 150x150mm Copper colour
- - Purus 6mm stainless steel grid with frame 150x150mm Black colour
- - Purus 6mm stainless steel grid with frame 150x150mm Brushed Brass colour

### **Warranty:**

• 25 year manufacturer guarantee

## Manufacturer product codes:

• ML934, ML930, ML931, ML941, ML929, ML936, ML932, ML935, ML1411, ML933, ML942, ML1808

## **Additional Information**

Manufacturer	Maxxus
Brand / Model	Maxxus
Size (mm)	900x900, 1000x1000, 1135x770, 1200x800, 1200x900, 1200x1200, 1300x800, 1400x900, 1450x1150, 1500x800, 1650x900, 1800x800
Floor Former Thickness (mm)	22
Waste Option / Floor Finish	Purus Minimax 2-part Gravity / Pumped - Vinyl
For Floor Finish	Tiled Flooring
Optional Waste Type	Gravity Waste, Pumped Waste
Flow Rate / l/min	47