



# Kessebohmer iMove Pull-down Shelves, 600mm Wall CAB 2 Tier - Anthracite/Oak

## Product Images



www.independent4life.co.uk | info@independent4life.co.uk | Tel: 0800 500 3001 | VAT No: 942447711  
EORI GB942447711000



CLOSE




iMove lock function

© KESSELHNER



Example shows 1 Tier Max. 8kg.  
(2 Tier Max. 4 + 4 Kg = 8kg)





## Additional Options

**Optional - iMove extension handle**

Extension Handle - 300x124x15mm

£38.83

## Description

The Kesseböhmer iMove range has been designed with style in mind. A perfect way to access any wasted space in high cabinets.

The iMove range is a sleek and minimalistic way to bring items down to a reachable level for a standing user.

[www.independent4life.co.uk](http://www.independent4life.co.uk) | [info@independent4life.co.uk](mailto:info@independent4life.co.uk) | Tel: 0800 500 3001 | VAT No: 942447711

EORI GB942447711000

**Please note** this product is not designed to be used by people in a seated position.

**Key benefits:**

- Pull-down 2 tier trays for wall cabinets
- Grab handle, below the bottom tray
- Drop-down height of 340mm
- Concealed hinges
- Metal frame with anthracite/ oak finish
- Optional extension handle to increase reach range - 300x124x15mm

**iMove Lock Function:**

- To reach the lowest loading position, the user must swing the fitting over a certain resistance
- This allows the fitting to engage and stay in the holding position
- Delivered factory set at the lightest level
- If the unladen tray disengages from the holding position, the user can increase the holding force using the switch
- Note: Adjusting this lever does not change the permitted maximum load.

**Technical details:**

- Number of trays: Two
- For wall cabinet width (mm): 600
- Min. clear internal cabinet depth required (mm): 267
- Height of installation in cupboard (mm): 595
- Tray drop down height / minimum height required from worktop (mm): 340mm
- Tray width (mm): 556
- Max. load per tray (kg): 4
- Finish: Powder coated
- Materials: Metal and oak wood
- Finish: Anthracite/ Oak

**Note:**

- The wall cabinet must be securely fixed to the wall
- Some physical effort is required to pull down this shelf, particularly when the shelf is empty
- Important: The drilling pattern supplied with product must be used - failure to do so may cause fitting issues
- For cabinets with a door, we recommend the fitting of 110° hinges (not included) to allow unobstructive movement of the mechanism

**Manufactures Warranty**

- Kesseböhmer 10-year warranty

## Additional Information

---

Manufacturer	Kesseböhmer
Max. Distance Lowered (mm)	340
Number of Tiers	Two Tier
For Cabinet Width (mm)	600
Frame Colour	Anthracite/Oak