


From:	£2,690.94
То:	£5,403.54
10.	
Inc. VAT	

# Renaissance Valens 1700x750 / 945mm Pshaped, RH Walk-in Easy Access Bath - OPT Accessories

Product Code: REN0008-RH

### **Product Images**

1











### **Product Options**

#### Bath Size / Handing




#### Valens Shower Bath (1700x750 / 945mm P-shaped Shower Area) - RH

£2,041.50

Fully formed acrylic walk-in P shaped bath with an electronic operating tempered safety glass bath door. Right-handed. 1700mm length x 750mm width (945mm at widest point). 583mm bath height. Max. step in height 205mm. Optional bath wastes and tempered safety glass shower screen.

### Step 1) Optional extras





### Step 2) Delivery

INISSAN

#### **Bluetooth Wireless Audio System**

Bluetooth Audio System, with a built-in speaker system that uses the bath as an amplifier, allowing you to stream music from any Bluetooth enabled device. The chrome knob is for the volume control.

THE PR OF THE BATH	<b>Standard 1x Person Curb-side Delivery</b> UK Mainland - Standard One Man bath Delivery, for Curb side delivery only.	£145.00
THE PRAISSANCE MOO	UK Mainland - Two Man Delivery into the Premises / 1st Floor Bathroom - Talis, Valens and Lenis Baths Only UK Mainland - Two Man Delivery into the Premises / 1st Floor Bathroom - Talis, Valens and Lenis baths Only. Subject to access.	£195.00

### Description

The Renaissance Valens is a modern, easy access walk-in P shaped shower bath with electronically operated door.

It is the perfect choice for when you wish to improve access in your existing bathroom without sacrificing on style or the comfort of a relaxing soak.

The Valens can also be fitted with an optional 6mm clear tempered safety glass shower screen, which folds easily into or out of the bath.

This version of the Valens is right handed, and measures 1700mm in length.

### Key benefits:

- Low threshold step entry allows easy access
- Electronic bath door operated by touch button
- Indicator "Blue" light shows when the bath door is fully sealed
- Bath door and optional shower screen are made from 6mm clear tempered safety glass
- Magnet on upper bath screen sits neatly over door magnet

### Space planning:

- Right handed
- Length (mm): 1700
- Width at widest point (mm): 945
- Width at narrowest point (mm): 750
- Max. Floor to door entry height (mm): 205
- Overall height of bath (mm): 583
- Fully moulded front panel with a detachable plinth for easy access during installation and maintenance
- For more information, please see dimensions images and 'PDF download' tab
- Optional Shower screen material: 6mm clear tempered safety glass
- Height of shower screen (mm): 1560

### **Electrical requirements:**

- 230V AC supply requires a RDC with a 3A waterproof switched fused spur (not supplied)
- Note: The backup battery requires a continuous power supply to maintain the batteries condition
- All electrical installations should be performed by a suitable qualified electrician

### **Optional extras:**

- Lever Pop Up Waste Operated by an easy-to-use lever handle on the overflow
- Overflow filler with Click Clack Waste. The bath is filled from the overflow plate. This should be plumbed to a thermostatic mixing valve
- 6mm clear tempered safety glass shower screen
- 12 Jet, Three Speed, Air Spa System
- Pair of Chromotherapy Colour-Changing Lights
- Bluetooth Wireless Sound System

### Warranty:

- Door seal, Electrical and all moving parts have a 12 month guarantee
- Bath shell has a 25 year manufacturer guarantee against material and manufacturing defects

### Please note:

- Due to the custom nature of this product, it is made-to-order and is therefore non-returnable
- Taps are not supplied
- The unit must be installed in accordance with current Electrical Regulations

## **Additional Information**

Manufacturer	Renaissance Baths
Model	Valens
Length (mm)	1700
Width (mm)	750/945
Step-in Height (mm)	205
Technologies	Dvividing Shower Door, Electronic Door Lock, 12 Jet, Three Speed, Air Spa System, Still Water, Bluetooth Sound System, Chromotherapy 2x Lights