


From:	£2,289.00
То:	£4,914.84
Inc. VAT	


# Renaissance Talis 1700x800mm RH Easy Access Bath, White Styrene Panels, 80mm Entry Option - OPT Accessories

Product Code: REN0001-RH

# **Product Images**











**Colour Changing Lights** 



12 Jet, Three Speed Air Spa



Bluetooth Audio System



## **Product Options**

### Bath Size / Handing




### Renaissance Talis 1700x800mm Easy Access Bath w/ White Styrene Front Panel and Ultra Low Level Entry Option - Right Handed

£1,728.00

Rectangular walk-in shower bath with electronic door operation. Right handed. Battery back up system. Optional shower screen. 1700mm length x 800mm width. Styrene plastic panels. Extra low level 80mm step entry access can be achieved.

### Step 1) Optional extras





### 2x Chromotherapy Colour-changing Lights

Factory fitted, chromotherapy underwater colour-changing lights, relaxes the user while bathing. 2x control settings; one allows the colours to change continually, the other holds it on a specific colour. £390.00

£715.00

# Buetooth Audio System Buetooth Buetooth Buetooth Audio System Diagoon System

### Step 2) Delivery

### **Bluetooth Wireless Audio System**

Bluetooth Audio System, with a built-in speaker system that uses the bath as an amplifier, allowing you to stream music from any Bluetooth enabled device. The chrome knob is for the volume control.

THE PRINCIPAL OF THE BATHE	<b>Standard 1x Person Curb-side Delivery</b> UK Mainland - Standard One Man bath Delivery, for Curb side delivery only.	£145.00
THE PR OF THE BATTRE	<b>UK Mainland - Two Man Delivery into the Premises / 1st</b> <b>Floor Bathroom - Talis, Valens and Lenis Baths Only</b> UK Mainland - Two Man Delivery into the Premises / 1st Floor Bathroom - Talis, Valens and Lenis baths Only. Subject to access.	£195.00

# Description

The Renaissance Talis is a luxury design rectangular walk-in shower bath with electronically operated door.

The bath is supplied with a white styrene plastic (front) panel, with the option to add additional end panels.

The Talis can also be supplied with a 6mm thick toughened glass shower screen, which fits neatly onto the bath edge.

This version of the Talis is right handed, and can be lowered by cutting down the white styrene front panel by 115mm and recessing into the floor to achieve an ultra-low level step entry of approx. 80mm.

### Key benefits:

- Option for Low threshold step entry allows easy access of 80mm
- Door swings into bath for maximum access controlled via electronic touch button and magnetic door lock
- Stylish chrome finish to door hinges
- Battery back up in case of power failure supported by an audible alarm
- Water sensor ensures the door remains inactive until water has passed below a certain level
- White styrene panel (standard plastic material) with easy access fixings for maintenance
- Supplied with side (front) panel End panels available as extras
- Control box can be repositioned on installation if required for ease of access
- Supplied with adjustable feet for levelling bath on installation
- CE Compliant, manufactured in the UK

### Space planning:

- Right handed
- Length (mm): 1700
- Width (mm): 800
- Standard Floor to door entry height (mm): 165
- Standard Bath Height (mm): 510
- Maximum Bath Step-in Height (mm): 205
- Ultra Low Floor to door entry height (mm): 80
- Ultra Low Floor Option Bath Height (mm): 425
- Tub depth (mm): 400
- Water volume (litres): 233
- Shower screen material: 6mm Toughened clear glass
- Length of shower screen (mm): 705
- Overall length of shower screen including wall profile (mm): 780
- Height of shower screen wall profile (mm): 1400

### **Electrical requirements:**

- 230V AC supply requires a RDC with a 3A waterproof switched fused spur (not supplied)
- Note: The backup battery requires a continuous power supply to maintain the batteries condition
- All electrical installations should be performed by a suitable qualified electrician

### **Optional extras:**

- Lever Pop Up Waste Operated by an easy-to-use lever handle on the overflow
- Overflow filler with Click Clack Waste. The bath is filled from the overflow plate. This should be plumbed to a thermostatic mixing valve
- White styrene end panel(s)
- 6mm thick toughened glass shower screen
- 12 Jet, Three Speed, Air Spa System
- Pair of Chromotherapy Colour-Changing Lights
- Bluetooth Wireless Sound System

### Warranty:

- Door seal, Electrical and all moving parts have a 12 month guarantee
- Bath shell has a 25 year manufacturer guarantee against material and manufacturing defects

### Please note:

- Due to the custom nature of this product, it is made-to-order and is therefore non-returnable
- Taps are not supplied
- The unit must be installed in accordance with current Electrical Regulations www.independent4life.co.uk | info@independent4life.co.uk | Tel: 0800 500 3001 | VAT No: 942447711

# **Additional Information**

Manufacturer	Renaissance Baths
Model	Talis
Length (mm)	1700
Width (mm)	800
Step-in Height (mm)	165 Can be Reduced to 80
Technologies	12 Jet, Three Speed, Air Spa System, Still Water, Bluetooth Sound System, Chromotherapy 2x Lights