






Independent 4 Life

AKW Tuff Form Wet Room Floor Former - Choice of Size & Waste


£167.83 Inc. VAT

Product Code: TUFFFORM

Product Images




AKW Tuff Form® Former only: 21015



Compatible shower screens:




AKW Tuff Form® Former only: 21018



Compatible shower screens:




AKW Tuff Form® Former only: 21027



Compatible shower screens:




AKW Tuff Form® Former only: 21028



Compatible shower screens:




AKW Tuff Form® Former only: 21036



Compatible shower screens:




AKW Tuff Form® Former only: 21045



Compatible shower screens:



AKW Tuff Form® Former only: 21050



Compatible shower screens:



Product Options

Floor Former Size (mm)	Price Inc. VAT
900x900	£167.83
1000x1000	£167.83
1135x770	£167.83
1200x900	£167.83
1200x1200	£174.55
1300x820	£174.55
1400x900	£174.55
1500x820	£174.55
1500x1200	£390.19
1800x820	£223.07

Additional Options

AKW Code / Waste options	25106 / TF 75 Gravity Waste for Vinyl Flooring	£20.97
	LB00101 / TF 75 Gravity Waste for Tiled Flooring	£46.90
	25414 / Silentflow Pumped Waste for Vinyl Flooring	£52.34
	25124 / GW50 Gravity Waste for Vinyl Flooring	£27.16
	25129 / GW19 Gravity Waste for Vinyl Flooring	£27.16
	25418-UK / DW90 Low Depth Gravity Waste for Tiled Flooring	£46.61
	25419-UK / Low Height Dry Waste with TF Vinyl Floor Adaptor	£46.61
	25498-UK / GW90 Low height Gravity Waste for Tiled Flooring	£66.58
	25499-UK / GW90 Low Depth Gravity Waste for Vinyl Flooring	£66.58

Description

The AKW Tuff Form Level Best floor former for creating level access wet rooms.

www.independent4life.co.uk | info@independent4life.co.uk | Tel: 0800 500 3001 | VAT No: 942447711

EORI GB942447711000

Easy to install, it is suitable for timber or concrete installations, and can be rotated and trimmed to size if required.

Key benefits:

- Creates a complete level access wet room shower area once completed with vinyl flooring or tiled flooring when a tanking kit is also used
- Very strong at only 22mm thick - can withstand loads of up to 381kg (60 stone)
- Suitable for both wooden and screed floor installations
- Fully recyclable - made from reusable plastic
- Choice of size:

Technical details:

- Thickness (mm): 22
- Waste hole diameter: 160mm
- Load capacity (kg): 381
- Materials: GRP
- European Fire Safety Rating: CFI-s2

Installation:

- Unhanded with offset waste position to avoid joists
- Can be cut to length or trimmed to within 150mm of the waste without losing any strength integrity
- Pre-formed fixing holes
- Ribbed design on the underside eliminates slippage or float during installations

Waste options:

- For waste options search for the following product codes
- 25106, LB00101, 25414, 25124, 25129, 25418-UK, 25419-UK, 25498-UK, 25499-UK

Warranty:

- Lifetime manufacturer guarantee

Manufacturer product codes:

- 21000, 21002, 21006, 21008, 21012, 21014, 21015, 21018, 21020, 21027, 21028, 21029, 21030, 21036, 21038, 21045, 21046, 21050, 21052

Additional Information

Manufacturer	AKW / Contour
Brand / Model	AKW - Tuff Form
Size (mm)	900x900, 1000x1000, 1135x770, 1200x900, 1200x1200, 1300x820, 1400x900, 1500x820, 1500x1200, 1800x820
Floor Former Thickness (mm)	22
Waste Option / Floor Finish	AKW GW19 Gravity Waste - Vinyl, AKW GW50 Gravity Waste - Vinyl, AKW GW90 Low Depth Gravity - Vinyl, AKW GW90 Low Depth (Dry) Gravity - Vinyl, AKW DW90 Low Depth Gravity - Tiled, AKW GW90 Low Height Gravity - Tiled, AKW TF75 Gravity - Vinyl, AKW TF75 Gravity - Tilled, AKW PGTF Pumped - Vinyl, AKW Silentflow Pumped Waste - Vinyl
For Floor Finish	Vinyl Flooring
Optional Waste Type	Gravity Waste, Pumped Waste
Flow Rate / l/min	45