




Independent 4 Life

Purus SS Channel Drain 100, Vinyl Floor Chess Grid, End Outlet, 800-2500mm Lengths

Product Code: CH1080-25VE

From: £986.40
To: £1,672.80
Inc. VAT

Product Images





Product Options

Channel 100 - Length (mm) / Outlet / Grid type



Purus SS Channel Drain 100, Vinyl Floor Chess Grid, End Outlet - 800mm

£822.00

800mm length Purus 100 stainless steel channel drain with a chess grid, ideal for shower areas, changing rooms, hotels, and leisure facilities with Vinyl sheet flooring. For installation in timber or concrete/screed floors. Heel-safe, suitable for bare-foot areas. End outlet with a choice of 3x plastic wastes, horizontal and vertical outlets. Or upgrade to the Acid proof stainless steel vertical 75mm outlet.



Purus SS Channel Drain 100, Vinyl Floor Chess Grid, End Outlet - 1000mm

£841.00

1000mm length Purus 100 stainless steel channel drain with a chess grid, ideal for shower areas, changing rooms, hotels, and leisure facilities with Vinyl sheet flooring. For installation in timber or concrete/screed floors. Heel-safe, suitable for bare-foot areas. End outlet with a choice of 3x plastic wastes, horizontal and vertical outlets. Or upgrade to the Acid proof stainless steel vertical 75mm outlet.



Purus SS Channel Drain 100, Vinyl Floor Chess Grid, End Outlet - 1200mm

£1,119.00

1200mm length Purus 100 stainless steel channel drain with a chess grid, ideal for shower areas, changing rooms, hotels, and leisure facilities with Vinyl sheet flooring. For installation in timber or concrete/screed floors. Heel-safe, suitable for bare-foot areas. End outlet with a choice of 3x plastic wastes, horizontal and vertical outlets. Or upgrade to the Acid proof stainless steel vertical 75mm outlet.



Purus SS Channel Drain 100, Vinyl Floor Chess Grid, End Outlet - 1500mm

£972.00

1500mm length Purus 100 stainless steel channel drain with a chess grid, ideal for shower areas, changing rooms, hotels, and leisure facilities with Vinyl sheet flooring. For installation in timber or concrete/screed floors. Heel-safe, suitable for bare-foot areas. End outlet with a choice of 3x plastic wastes, horizontal and vertical outlets. Or upgrade to the Acid proof stainless steel vertical 75mm outlet.



Purus SS Channel Drain 100, Vinyl Floor Chess Grid, End Outlet - 2000mm

£1,142.00

2000mm length Purus 100 stainless steel channel drain with a chess grid, ideal for shower areas, changing rooms, hotels, and leisure facilities with Vinyl sheet flooring. For installation in timber or concrete/screed floors. Heel-safe, suitable for bare-foot areas. End outlet with a choice of 3x plastic wastes, horizontal and vertical outlets. Or upgrade to the Acid proof stainless steel vertical 75mm outlet.



Purus SS Channel Drain 100, Vinyl Floor Chess Grid, End Outlet - 2500mm

£1,262.00

2500mm length Purus 100 stainless steel channel drain with a chess grid, ideal for shower areas, changing rooms, hotels, and leisure facilities with Vinyl sheet flooring. For installation in timber or concrete/screed floors. Heel-safe, suitable for bare-foot areas. End outlet with a choice of 3x plastic wastes, horizontal and vertical outlets. Or upgrade to the Acid proof stainless steel vertical 75mm outlet.

Purus outlet



PR640 / Low Side 50mm Outlet, 30l/min Flow Rate

Purus 100 low side outlet with 30l/min flow rate, 50mm outlet with 40mm solvent weld reducer. Includes spring loaded Nood no-odour trap. Plastic body.



PR639 / Standard 50mm Outlet, 60l/min Flow Rate

Purus 100 standard outlet with 60l/min flow rate, 50mm outlet with 40mm solvent weld reducer. Includes spring loaded Nood no-odour trap.



PR539 / Vertical 75mm Outlet, 78l/min Flow Rate

Purus 100 vertical outlet with 78l/min flow rate, 75mm outlet. Includes water trap seal. Plastic body.



PR536 / Stainless Steel Vertical 110mm

£132.00

Purus 100 vertical outlet with 78l/min flow rate, 110mm outlet. Includes water trap seal. 1.4404 acid-resistant stainless steel body.

Description

Purus stainless steel Channel 100 drain with a Chess grid for vinyl sheet flooring in shower wet areas that require longer continuous channel drains. Available in a range of lengths 800 to 2500mm, end outlet, choice of 3x plastic wastes with horizontal and vertical outlets. Or upgrade to the Acid-resistant stainless steel body vertical outlet. See below for more information.

Custom made lengths are available by special order, if required please contact us.

Key benefits:

- 800-2500mm lengths

- Manufactured from Premium quality 304 stainless steel
- For vinyl sheet flooring
- For installation in timber and concrete floors
- End waste outlet
- Stainless steel Chess Grid
- Heel-safe ideal for bare-foot areas
- Horizontal and vertical plastic bodied wastes, with spring loaded Nood no-odour water trap
- Vertical acid-resistant stainless steel vertical waste also available
- For shower areas, changing rooms, leisure facilities and hotels
- Special order lengths, 600, 900, 1100 and 1400mm
- Bespoke custom sizes available - please contact us
- Made in Sweden
- See PDF installation instructions for more information

Outlet options:

Horizontal Low - PR640:

- 30l/min flow rate
- 50mm outlet
- Includes 40mm solvent weld reducer
- Spring loaded Nood no-odour trap
- Plastic body

Horizontal Standard - PR639:

- 60l/min flow rate
- 50mm outlet
- Includes 40mm solvent weld reducer
- Water seal trap
- Plastic body

Vertical 75 - PR539:

- 78l/min flow rate
- 75mm outlet
- Water seal trap
- Plastic body

Vertical 110 - PR536:

- 78l/min flow rate
- 110mm outlet
- Water seal trap
- 1.4404 Acid-resistant stainless steel body

Warranty:

- 5 years – Must be installed in accordance with the installation instructions, and all maintenance instructions are adhered to

Product codes:

- Centre outlet: CH1080VE, CH1010VE, CH1012VE, CH1015VE, CH1020VE, CH1025VE

Additional Information

Manufacturer	Purus
Configuration	800mm Linear / Channel Drain, 1000mm Linear / Channel Drain, 1200mm Linear / Channel Drain, 1500mm Linear / Channel Drain, 2000mm Linear / Channel Drain, 2500mm Linear / Channel Drain
Installation	Concrete / Screed Floors, Timber Floors
Application	Screed Floors, Timber Floors
Waste Depth / Outlet Position	End Outlet
Flow Rate / l/min	30, 60, 78
Floor Finish	Vinyl Sheet Flooring
Grate Material / Finish	Stainless Steel / Chess Grid