




Independent 4 Life

AKW Braddan Level Access, Recessed, Semi-recessed or Surface Mounted SHWR Tray - Choice of Size, Waste, OPT Ramps

£360.00 Inc. VAT



Product Code: BRADDAN

Product Images





Braddan Shower Tray: Concrete Floor Installation

Braddan installed on concrete floor. Features the AKW Standard 50mm Pumped Waste, alternatively, the factory-fitted AKW Upward Discharge Waste can be specified. Ramp available (40mm).



Braddan Shower Tray: Screeded Floor Installation

Braddan installed in a screed on concrete beams or solid concrete using an AKW M11 DigiPump with a factory fitted AKW Upward discharge waste.




SMC Tray

Sheet molding compound (SMC) is a high-strength composite material comprising primarily a thermosetting resin, filler(s), and fiber reinforcement.




GRP Tray

Glass reinforced plastic (GRP) is made of synthetic resin as main basic material and glass fiber or other product as reinforced material, processed into a solid material by molding and setting.



Braddan Cut-to-Length Kit


Cut-to-Length kit included with 1800x700mm SMC
1800 x 700 Trim-to-length Braddan trays are manufactured from SMC, supplied with a separate end cap. If the tray needs to be reduced in size to fit into an alcove the end cap then needs to be sealed to the cut end prior to the tiling flange being fitted.



Braddan Cut-to-Length Kit

1800 x 820 Trim-to-length Braddan trays are manufactured from GRP.

Supplied with trim-to-length kit comprising two lengths of aluminium extrusion. The first piece is secured to the underside of the cut end of the tray. This is then secured over the first and sealed on top of top of the tray prior to tiling to provide a water tight seal.





Product Options

Tray Size (mm)	Price Inc. VAT
800x800	£374.40
820x820	£374.40
900x900	£374.40
1000x700	£360.00
1000x800	£360.00
1000x1000	£360.00
1100x800	£360.00
1200x650	£360.00
1200x700	£360.00
1200x760	£367.20
1200x820	£391.20
1200x900	£391.20
1300x700	£360.00
1300x820	£391.20
1400x900	£417.60
1420x700	£386.40
1420x820	£417.60
1500x700	£391.20
1500x820	£422.40
1600x700	£409.20
1700x700	£428.40
1800x700	£428.40
1800x820	£463.20
1800x900	£463.20

Additional Options

AKW Code / Waste option	25125 / 19mm Standard Gravity Waste (GW19)	£11.32
	25126 / TDTW 50 Gravity Waste	£11.32
	25122 / Standard (15mm) pumped Waste	£11.32
	25405 / PW50 (22mm) JG Standard Pumped Waste	£11.32
AKW Code / Optional aluminium ramp kits (per Tray)	25000 / 20mm Straight Ramp (length 1800mm)	£28.89
	25001 / 20mm Corner Ramp (900x900mm tray only)	£28.89
	25002 / 40mm Straight Ramp (length 1800mm)	£45.59
	25003 / 40mm Corner Ramp (900x900mm tray only)	£45.59

Description

The AKW Braddan shower tray is available in a large range of sizes and offers easy installation. The tray is 40mm thick and can be installed in a corner or alcove and is suitable for concrete, screeded and wooden floors. Create a level access, semi-recessed or a surface-mounted, low-level threshold step-in shower tray area.

The trays are unhandled with a centre waste outlet with a choice of gravity and pumped wastes.

The 1800mm long trays are supplied with a 'trim to length' kit, allowing up to 300mm to be cut off. Note: trimmed trays are only suitable for alcove installations, not corners.

Create the perfect shower room with the addition of a compatible AKW shower enclosure or door set from the Larenco, Level Best, Silverdale® and Standard Screens ranges.

Key benefits:

- Suited to all floor types: Concrete, screeded and wooden floors
- Can be installed as a full level-access, semi-recessed or surface-mounted step-in shower enclosure (order shower doors or screen separately)
- The tray creates a visually defined showering area useful for those with visual impairment
- Slip resistance textured surface a safer showering experience for the user
- Excellent water drainage with a 35mm fall inside the tray
- 40mm thick multi-purpose tray
- Integral added strength for extra peace of mind
- No under tray foaming is needed for quick and easy installation
- Weight limit: 30 stone/190kg
- Non-handed shower trays for both left or right-handed installations
- Choice of gravity or pumped wastes
- The 1800mm trays can be cut down to 1500mm, supplied with a trim to length kit
- Three separate tiling upstands supplied. Ensures a watertight seal between tray and tiles and secure

fitting of tray

- Pipe duct kits available to avoid the re-routing of existing pipework (order separately)
- Optional ramps: 20mm and 40mm straight/corner kits for semi-recessed and surface-mounted installations

Waste options:

19mm Standard Gravity Waste (GW19)

- AKW Product Code: 25125
- 19mm water trap
- Built in strainer - Catches hair and debris which can be removed for cleaning
- Top access, easy to clean
- Depth below tray: 93mm
- Lifetime Warranty

TDTW 50 Gravity Waste

- AKW Product Code: 25126
- 50mm water trap
- Built in strainer - Catches hair and debris which can be removed for cleaning
- Top access, easy to clean
- Depth below tray: 124mm
- Lifetime Warranty

Standard (15mm) pumped Waste

- AKW Product Code: 25122
- To be used in conjunction with a AKW DigiPump shower waste pump
- Top access, easy to clean
- 15mm John Guest Speedfit Outlet for easy installation
- Depth below tray: 36mm
- Pump not included

PW50 (22mm) JG Standard Pumped Waste

- AKW Product Code: 25405
- To be used in conjunction with a AKW DigiPump shower waste pump
- Top access, easy to clean
- 22mm outlet
- John Guest Speedfit Outlet for easy installation
- Depth below tray: 44mm
- Pump not included

Technical details:

- Tray height: 40mm
- Material composition:
 - - GRP (Glass-reinforced plastic) all trays except:
 - - SMC (sheet moulded compound) 1200x700; 1200x820; 1300x700 & 1420x700mm
- Weight limit: 30 stone/190kg
- Fall to Waste: 35mm
- Suitable for Gravity and Pumped wastes
- Screen Compatibility: Larenco, Level Best, Silverdale® and Standard Screens