



Independent 4 Life

AKW Low Height Dry Waste w/ TF Tiled Floor Adaptor

£55.93 Inc. VAT

Product Code: 25418-UK


Product Images



16-006-037
Dry Waste Non Return Valve



16-006-058
Pipe Adaptor Kit



Description

This compact AKW gravity waste has a shallow 48mm depth making it ideal for installations with limited floor depths, solid floors or shallow joints.

The waste will not dry out with occasional use, the trap always retains water aiding in the prevention of bad odour backflow, this version has a tile adapter and insert for use with tiled flooring.

Key benefits:

- Suitable for floor formers with a Ø 90mm waste hole
- Suits AKW Tuff Form and Tuff Form8 floor formers
- Non return valve preventing bad odour Backflow
- Universal pipe fitment, includes adaptors for push fit & solvent weld pipes
- 90mm threaded waste fitting, allows for easy shower tray installation
- Top access - Easy to open for cleaning purposes
- Good seals and location - For easy installation and watertight fitting
- High flow rate (27 l/min with 15mm head and 1m of pipe)
- 135 degree angled pipe adapter
- Overall depth 53mm
- Meets the performance requirements of British Standards - Ensures product is fully compliant and safe for site requirements

Warranty:

- Lifetime Warranty (please refer to AKW's terms and conditions)

Additional Information

Manufacturer	AKW / Contour
Configuration	Gravity Waste
Compatible Tray or Former	AKW - Tuff Form, AKW - Tuff Form8
Installation	Floor Formers
Application	Floor Former
Waste Diameter (mm)	90
Waste Outlet / Depth (mm)	Horizontal
Flow Rate / l/min	27