




Independent 4 Life

AKW Tuff Form8 Floor Former – Multiple Sizes & Optional Waste Outlet

£231.60 Inc. VAT


Product Code: TUFFFORM8

Product Images




Tuff Form Shower Tray: Wooden Floor Installation

Tuff Form® installed on wooden joists. Features the AKW 15/15 Gully Waste.




Tuff Form Shower Tray: Concrete Floor Installation



Tuff Form® is installed into a screed for complete level access on a concrete floor. Features the AKW 15/15 Pumped Gully Waste.





Tuff Form® Former: Bathroom for Life Installation


Tuff Form® offers superior strength and rigidity which can support a bath and toilet. Installed with a Bath to Tray Adapter, this provides an easy upgrade from a conventional bathroom to a wet room showering area when needed.





Note: Select the waste required on the product page





Product Options

Floor Former Size (mm)	Price Inc. VAT
900x900	£231.60
1000x1000	£231.60
1135x770	£231.60
1200x1200	£265.20
1300x820	£231.60
1400x900	£231.60
1500x820	£231.60
1500x1200	£352.80
1800x820	£242.40

Additional Options

AKW Code / Waste options - Vinyl Flooring	25106 / TF75 Gravity waste	£22.68
	25414 / SilentFlow+® Waste Pump (PGTF) with 22mm Outlet	£56.63
	08GT52-R / McAlpine TSG52 Round Vinyl Gully	£74.69
	08CTW01 / CTW01 Shower Trap	£32.96
	25408 / TF75 Bottom Outlet Waste	£29.16
	GW90-2 Low Depth Gravity Waste, Dry Waste for Vinyl Flooring	£45.00
	GW90-2 Low Depth Gravity Waste for Vinyl Flooring	£72.00
AKW Code / Waste options - Tiled Flooring	LB00101 / SS-TF75 Stainless Steel Gravity Waste	£50.74
	25418-UK / DW90 Low Depth Dry Shower Waste – with Tuff Form® Tiled Floor Adaptor	£50.40
	GW90-2 Low height Gravity Waste for Tiled Flooring	£72.00

Description

The AKW Tuff Form 8 floor former creates level access wet rooms with a large size of options.

Easy to install, it is suitable for timber or concrete installations, and can be rotated and trimmed to size if required.

Key benefits:

- Rotatable waste frame position
- Suitable for use with underfloor heating
- Creates a complete level access wet room shower area once completed with vinyl safety sheet flooring or tiled flooring when a tanking kit is also used (not included)
- Very strong at only 22mm thick - can withstand loads of up to 381kg (60 stone)
- High strength GRP
- Suitable for both wooden and concrete floor installations
- Recyclable
- Choice of size:

Technical details:

- Thickness (mm): 22
- 1:16 gradient
- Load capacity (kg): 381

- Materials: SMC-GRP
- BS EN 14527 approval

Installation:

- Trimmable to within 150mm of the waste
- Pre-formed fixing holes
- Ribbed design on the underside eliminates slippage or float during installations
- Please see installation instructions for further information

Waste options:

- Waste options for vinyl safety sheet flooring - search for the following product codes:
- 25106, 25414, 25124, 25129, 25419-UK, 25499-UK
- Waste options for tiled flooring - search for the following product codes:
- LB00101, 25498-UK, 25418-UK

Warranty:

- Lifetime manufacturer guarantee

Manufacturer product codes:

- 21130, 21131, 21132, 21133, 21134, 21135, 21136, 21137, 21138

Additional Information

Manufacturer	AKW / Contour
Brand / Model	AKW - Tuff Form8
Size (mm)	900x900, 1000x1000, 1135x770, 1200x1200, 1300x820, 1400x900, 1500x820, 1500x1200, 1800x820
Floor Former Thickness (mm)	22
Waste Option / Floor Finish	Contour CTW01 Gravity - Vinyl, AKW GW19 Gravity Waste - Vinyl, AKW GW50 Gravity Waste - Vinyl, AKW GW90 Low Depth Gravity - Vinyl, AKW GW90 Low Depth (Dry) Gravity - Vinyl, AKW DW90 Low Depth Gravity - Tiled, AKW GW90 Low Height Gravity - Tiled, AKW TF75 Gravity - Vinyl, AKW TF75 Gravity - Tilled, AKW TF75 Gravity Bottom Outlet - Vinyl, McAlpine TSG52 Round Gully, Gravity - Vinyl, AKW PGTF Pumped - Vinyl, AKW Silentflow Pumped Waste - Vinyl
Floor Finish	Vinyl Flooring, Tiled Flooring
Optional Waste Type	Gravity Waste