




Independent 4 Life

Granberg Basicline 403-10 Manual Height ADJ Bracket, Basin, Waste Kit - OPT Taps & Flexible Hoses

£1,203.12 Inc. VAT

Product Code: 403-10-05

Product Images







Additional Options

Product Code / Optional Mixer Tap & 2x 500mm PEX Hoses	425-105 / FMM Tap, 150mm lever (Not UK - WRAS or TMV approved)	£293.40
	425-106 / FMM Tap, 150mm lever, 1.5m hose hand shower (Not UK - WRAS or TMV approved)	£468.90
	425-110 / FMM Infrared tap, 6V battery (Not UK - WRAS or TMV approved)	£414.00
	IT1005CP-F / Inta Tap, 140mm lever (TMV & WRAS Approved)	£195.41
	IT1006CP-F / Inta Tap, 190mm lever (TMV & WRAS Approved)	£217.90

Description

The Granberg Basicline 403 is a wall mounted manual washbasin lift.

Stylish and discreet, the entire system can be manually moved to the required height and locked into place.

This version includes the 425-010 washbasin.

Key benefits:

- Complete height adjustable basin system
- Wheelchair accessible washbasin with shallow bowl, generous flat surfaces and easy-to-grip sides
- Manual adjustment using a socket wrench
- Track design gives it step-less 250mm height adjustment
- Depth of leg room under the washbasin (mm): 586
- Free space below the unit for plumbing connections
- Low level (can be installed beneath a mirror or cabinet)

Includes:

- Granberg Basicline 403-1 washbasin bracket
- Granberg 425-010 washbasin with overflow and plug
- Granberg 425-331 flexible drain hose with water trap

Optional taps with 2x 500mm PEX flexible hoses:

- Granberg FMM 425-105 basin mixer tap (Shown product images), 150mm lever and PEX hoses
- Granberg FMM 425-106 basin mixer tap, 150mm lever, 1.5m hose hand shower and PEX hoses
- Granberg FMM 425-110 infrared basin mixer tap (6V battery), temperature control and PEX hoses
- Please note: The FMM taps are not UK - TMV rated or WRAS approved for commercial applications
- Inta IT1005CP Sequential TMV3 mixer tap, 140mm lever and PEX hoses - (WRAS Approved)
- Inta IT1006CP Sequential TMV3 mixer tap, 190mm lever and PEX hoses - (WRAS Approved)

Technical details:

- Total width (mm): 600

- Height of wall bracket (mm): 508
- Depth of wall bracket (mm): 38
- Total depth from front of basin to wall (mm): 586
- Width of washbasin (mm): 600
- Depth of basin (mm): 550
- Distance from front edge to tap lever (mm): 330
- Height from top of basin to floor when mounted at the recommended height (mm): 660-910 (adjustable)
- Max load (kg): 100

<

Warranty:

- 2 year manufacturer warranty

Additional Information

Manufacturer	Granberg
Bracket Range	Granberg BASICLINE 403
Bracket Operation	Manual
Bracket Adjustment	Bolt Adjustment
Height Adjustment (mm)	250
For Wash Basin Range	BASICLINE 425-010
Bracket Mounting	Wall
Safety Stop	No