



Independent 4 Life


# Granberg Basicline 403-15 Manual Height ADJ Bracket, Basin, Waste Kit - OPT Taps & Flexible Hoses


£1,505.52 Inc. VAT

Product Code: 403-15-05

## Product Images

---







## Additional Options

---

<b>Product Code / Optional Mixer Tap &amp; 2x 500mm PEX Hoses</b>	425-105 / FMM Tap, 150mm lever (Not UK - WRAS or TMV approved)	£293.40
	425-106 / FMM Tap, 150mm lever, 1.5m hose hand shower (Not UK - WRAS or TMV approved)	£468.90
	425-110 / FMM Infrared tap, 6V battery (Not UK - WRAS or TMV approved)	£414.00
	IT1005CP-F / Inta Tap, 140mm lever (TMV & WRAS Approved)	£195.41
	IT1006CP-F / Inta Tap, 190mm lever (TMV & WRAS Approved)	£217.90

## Description

---

The Granberg Basicline 403 is a wall mounted manual washbasin lift.

Stylish and discreet, the entire system can be manually moved to the required height and locked into place.

This version includes the 425-015 washbasin.

### Key benefits:

- Complete height adjustable basin system
- Wheelchair accessible washbasin with shallow bowl and integrated gripping slots
- Manual adjustment using a socket wrench
- Track design gives it step-less 250mm height adjustment
- Depth of leg room under the washbasin (mm): 586
- Free space below the unit for plumbing connections
- Low level (can be installed beneath a mirror or cabinet)

### Includes:

- Granberg Basicline 403-1 washbasin bracket
- Granberg 425-015 Solid surface material with integrated grabrails, without overflow or plug
- Granberg 425-331 flexible drain hose with water trap

### Optional taps with 2x 500mm PEX flexible hoses:

- Granberg FMM 425-105 basin mixer tap (Shown product images), 150mm lever and PEX hoses
- Granberg FMM 425-106 basin mixer tap, 150mm lever, 1.5m hose hand shower and PEX hoses
- Granberg FMM 425-110 infrared basin mixer tap (6V battery), temperature control and PEX hoses
- Please note: The FMM taps are not UK - TMV rated or WRAS approved for commercial applications
- Inta IT1005CP Sequential TMV3 mixer tap, 140mm lever and PEX hoses - (WRAS Approved)
- Inta IT1006CP Sequential TMV3 mixer tap, 190mm lever and PEX hoses - (WRAS Approved)

### Technical details:

- Total width (mm): 600

- Height of wall bracket (mm): 508
- Depth of wall bracket (mm): 38
- Total depth from front of basin to wall (mm): 586
- Width of washbasin (mm): 600
- Depth of basin (mm): 550
- Distance from front edge to tap lever (mm): 315
- Height from top of basin to floor when mounted at the recommended height (mm): 650-900 (adjustable)
- Max load (kg): 100

**Warranty:**

- 2 year manufacturer warranty

## Additional Information

---

Manufacturer	Granberg
Bracket Range	Granberg BASICLINE 403
Bracket Operation	Manual
Bracket Adjustment	Bolt Adjustment
Height Adjustment (mm)	250
For Wash Basin Range	BASICLINE 425-015
Bracket Mounting	Wall
Safety Stop	No