


£2,021.76 Inc. VAT

Granberg Basicline 406-03 Gas Sprung Height ADJ Bracket, Basin, Waste Kit - OPT Taps & Flexible Hoses

Product Code: 406-03-05

Product Images

1











Product Code / Optional Mixer Tap & 2x 500mm PEX Hoses	425-105 / FMM Tap, 150mm lever (Not UK - WRAS or TMV approved)	£293.40
	425-106 / FMM Tap, 150mm lever, 1.5m hose hand shower (Not UK - WRAS or TMV approved)	£468.90
	425-110 / FMM Infrared tap, 6V battery (Not UK - WRAS or TMV approved)	£414.00
	IT1005CP-F / Inta Tap, 140mm lever (TMV & WRAS Approved)	£195.41
	IT1006CP-F / Inta Tap, 190mm lever (TMV & WRAS Approved)	£217.90

Description

The Granberg Basicline 406 is a wall mounted manual washbasin lift with gas spring.

Stylish and discreet, the entire system can be manually moved to the required height and locked into place.

This version includes the 425-003 washbasin.

Key benefits:

- Complete height adjustable basin system
- Manual operation with gas spring for occasional height adjustments
- Bracket provides 190mm of adjustment in 12mm increments
- Wheelchair accessible round washbasin with tapered front edge
- Depth of leg room under the washbasin (mm): 660
- Practical storage shelf behind the washbasin 120mm deep
- Free space below the unit for plumbing connections
- Low level (can be installed beneath a mirror or cabinet)

Includes:

- Granberg Basicline 406 washbasin lift
- Granberg 425-003 porcelain washbasin with overflow and plug
- Flexible drain hose with water trap 425-331

Optional:

- Granberg 425-105 basin mixer tap and 500mm flexible feeds
- Please note: This tap is not TMV rated or WRAS approved for commercial applications

Technical details:

- Width (mm): 602
- Height when mounted at the recommended height (mm): 673 863 (adjustable)
- Total depth from front of basin to wall (mm): 660
- Width of washbasin (mm): 600
 - www.independent4life.co.uk | info@independent4life.co.uk | Tel: 0800 500 3001 | VAT No: 942447711 EORI GB942447711000

- Depth of basin (mm): 550
- Distance from front edge to mixer tap lever (mm): 324
- Height from top of basin to floor when mounted at the recommended height (mm): 652-842 (adjustable)
- Note: Assistance is required to push the rear of the basin on the downward stroke
- The adjustment toggle, is left hand mounted (this cannot be changed)
- Max. load basin (kg): 50

Warranty:

• 2 year manufacturer warranty

Additional Information

Manufacturer	Granberg
Bracket Range	Granberg BASICLINE 406
Bracket Operation	Gas Assisted
Bracket Adjustment	Manual Pull-out Button
Height Adjustment (mm)	190
For Wash Basin Range	BASICLINE 425-003
Bracket Mounting	Wall
Safety Stop	No