




Independent 4 Life

# EASA Elegance LH Full Height Door - Custom Size (A) Min. 500, Max. 1000mm

£764.40 Inc. VAT

Product Code: L4L

## Product Images





## Additional Options

<b>Overall width of (A) left-hand door (min. 500, max. 1000mm)</b>		£0.00
<b>Wall profile compensator</b>	Square - Shower Trays or Floor Tiles	£0.00
	Coved - Vinyl Safety Sheet Flooring	£0.00
<b>Type of door handle</b>	Door Knob	£0.00
	Large Easy Grip Handle	£70.00
<b>Installation type</b>	Inline (Alcove)	£0.00
	Corner	£0.00
<b>Optional - Upgrade to Privacy Glazing</b>	Frosted Glass	£40.00

## Description

Left-hand EASA 1900mm full-height door, manufactured to your custom width (A) between 500-1000mm.

The stylish design adds a touch of elegance and sophistication to the shower area. The doors are well-designed with 6mm thermally toughened safety glass, which is three times stronger than non-tempered glass.

The door is designed with convenience in mind, with a standard door knob that can be upgraded to a large easy grip ergonomic handle. Manufactured from high-quality materials that are easy to clean and maintain with a glass anti-limescale coating.

EASA specialise in the design and manufacture of shower enclosures to suit those with disabilities, reduced mobility and multi-generational living.

The full door can be used on its own or configured with other EASA Elegance doors and fixed panels to create your own bespoke assisted easy access shower enclosure.

### Key benefits:

- The glass is anti-limescale, for easier cleaning
- Adjustable wall profile
- The stainless steel standard door knob, can be upgraded to a large easy grip ergonomic handle
- Customisable total width (mm): 500-1000
- 100% recyclable

### Components:

- 1x left-hand custom width full-height door
- 6mm toughened safety glass
- 1x stainless-steel wall compensator, with chrome cover cap
- Includes a door knob with a satin anodised finish
- Upgrade to an ergonomic handle

- Seals and gaskets reduce the risk of water leakage and ensure a watertight seal
- Water deflectors on the bottom of the door help to further mitigate water leakage
- The wall profile has a 180-degree door hinge

#### Technical details:

- Door height (mm): 1900
- Wall compensator height (mm): 1920
- Wall profile adjustment for off plumb walls of +15mm to -24mm
- Customizable total door width (Min./Max. mm): 500 to 1000
- Please contact us if you require a custom height
- Optional - Frosted toughened glass for increased privacy

#### Compatibility:

- Can be retro-fitted onto a wet room floor or a shower tray with a 40mm flat perimeter
- Wall compensator for shower trays/tiled floors or coved vinyl sheet safety flooring

#### Accreditations:

- EU Construction Products Regulation (EU) No 305/2011 (CPR)
- BS EN 14428: 2015 + A1: 2018 Shower Enclosures/Doors
- BS EN 12150-1: 2015 + A1: 2019 Glass in building. Thermally toughened soda lime silicate safety glass
- BS EN 12600: 2002 Glass in building. Pendulum test. Impact test method and classification for their flat glass

#### Warranties:

- Accessories have a two-year warranty
- Lifetime warranty against manufacturing and material defects, excluding normal wear and tear in general domestic applications
- The rubber door seals are not covered by the warranty

#### Please note:

- This full height shower door is custom made and **non-returnable**
- The minimum width (A) the "door" can be manufactured to is **500mm** and the maximum overall width is **1000mm**
- Please ensure accurate dimensions are taken from tile face to tile face or
- The free width of your "flat perimeter" of your wet room floor or a shower tray

# Additional Information

Manufacturer	Easa Group
Height (mm)	1900
Shape	Full HT Door (Left)
Tray Size (mm)	Custom Tray / Former Size
Handing	Left Hand
Front - ADJ Size (mm)	Custom Size 500 to 1000
Door Entry Width (mm)	Custom Width
For Installation On	Trays / Vinyl or Tiled Floors
Glass Thickness (mm)	6
Glazing	Clear - Toughened Safety Glass (TSG)
Finish	Chrome / Stainless Steel