




Independent 4 Life

AKW SmartCare Plus White 8.5kW Wireless w/ M11 Pump & Silentflow+

£988.80 Inc. VAT

Product Code: 29028WH

Product Images





Description

The AKW 8.5kW SmartCare Plus white electric shower with an M11 pump and silentflow+ waste. This electric shower is expertly designed, encompassing a multitude of features designed to aid with personal or assisted showering; features, such as the option to control the shower by the remote control, via an app (Android or iPhone) or the shower with the raised tactile "+" and "-" buttons for the flow rate and temperature.

The shower has also been designed to assist the installer with simple but thoughtful features such as 8 different electric and water entry points, dual power blocks for right or left-hand wiring and a footprint that covers most manufacturer models; this reduces the chances of having to re-tile if retrofitting.

For added reassurance when showering, the included 934mm riser bar has a 150kg maximum load allowing it to double as a grab bar if needed.

Key benefits:

- Designed to help users with dementia and visual impairments
- Electronic thermostatic Temperature and Flow Control
- Audible temperature and flow indicators
- Thermostatic control and phased/auto shutdown
- Raised tactile symbols for temperature and flow
- LED illuminated flow and temperature indicators
- On/off button memorises last settings
- Easy push button controls for power, temperature and flow
- Push button shower head slider
- Easy one handed operation
- Controls are closely grouped together
- Can be fully controlled via the app
- Includes a 3 mode shower head
- Rounded surfaces for added safety if the user falls in the shower
- An eco-flow option for optimum water usage

- Easily adjustable for multi-user environment and removeable for carer
- Smooth anti-kink 2m silver hose
- Activated by flow sensor which is required for use with dual feed showers
- Easy to setup and configure ensuring full drainage of shower trays as the pump automatically adjusts to variations in water supply
- Removeable soap dish

Choice of control:

- Raised tactile symbols for temperature and flow
- LED illuminated flow and temperature indicators
- Remote control has a range of 10 metres
- Bluetooth smart wireless control (Optional)
- iShower app for Android and iPhone

Includes AKW 15mm Female John Guest to 22mm Male Plastic Reducer (Product Code 25195):

- Reduces the 22mm outlet to 15mm for Digipumps

Includes Silentflow+ PGTF 22mm Pumped Waste for Vinyl Flooring (Product Code: 25414):

- Pumped waste gully
- For use with AKW Tuff Form floor formers and vinyl flooring
- 22mm outlet pipe
- 48mm depth below tray
- Integrated baffles reduce the noise escaping from the chambers within the waste
- Grate opens for easy cleaning and rodding
- Grate is secured to the waste with bayonet fixings or you can screw the grate down
- Quiet performance at all flow rates
- Compatible with all AKW Pumps

Technical details:

- Height (mm): 380
- Width (mm): 230
- Depth (mm): 85
- Footprint Height (mm): 345
- Footprint Width (mm): 210
- Riser rail (mm): 934
- Riser colour: White
- Output (kW): 8.5
- Stand-by power consumption: < 0.5W
- Supply rating: 35/40A
- 8 cable entry points: top, bottom, rear and side and left or right
- Supply: Mains pressure cold water feed
- Inlet water temperature range: 3°C – 28°C
- 8 water entry points: top, bottom, rear and side and left or right
- Inlet connections: 15mm pipe
- Outlet connection: ½" BSP male
- Optimal minimum dynamic pressure: 1 bar
- Minimum maintained pressure: 0.5 bar
- Maximum pressure: 10.0 bar
- Residual current device: 30mA (must be fitted)
- Water ingress rating: IPX4

Approvals:

- WRAS Approved
- BEAB Care Approved
- BEAB Approved
- RNIB Approved

Manufacturer warranty:

- 5 year manufacture warranty

Additional Information

Manufacturer	AKW / Contour
Shower Type	Electric
Shower Features	Thermostatic Mixers, Shower Head, Shower Control, Fixed Riser Rail, Flexible Hose and Handset, Shower Head Holder
Fixings	Concealed
Control	Remote Control, Push Button, Smart Phone App (Android or iPhone)
Hose Length (mm) / Application	2000 / Shower Hose
Water Pressure	Normal Mains
Technologies	Thermostatic Control, Phased Shutdown, Anti-Scald, Mains Operated, Bluetooth Wireless, Wireless / Wired Pump Control, Remote Control
Approvals	BEAB Care Mark, BEAB Approved, RNIB Mark, UKCA Mark, CE Mark, WRAS Approved