




Independent 4 Life


# Purus Minimax 2-Part Wet Floor Gulley, Horiz Outlet - OPT Security Fixings

£57.24 Inc. VAT

Product Code: 52719

## Product Images





## Additional Options

**Product Code / Optional security fixings**

7138417 / Purus fixings for plastic grate

£4.90

## Description

This Purus gully has been specifically designed for use with timber floors and floor formers.

It can be plumbed prior to the installation of the floor former, making it Ideal for domestic and commercial

wet rooms.

**Key benefits:**

- Strong - capable of supporting a sustained load of 470kg (75 Stone)
- NOOD sprung water trap, prevents foul air escaping. The weight of the water opens the trap
- The NOOD water trap is removable for easy cleaning
- Easy to clean
- 197mm overall diameter
- Overall depth of 89mm
- Horizontal 50mm outlet with pre-fitted 1 $\frac{1}{2}$ " / (40mm) UK adapter solvent welded connector
- Flow rate 48 litres per minute, according to EN 1253

**Compatibility:**

- Vinyl flooring - The clamping ring retains the vinyl flooring, see PDF installation instructions
- Tiled flooring - The clamping ring retains the Fabric or Butyl Drain Gasket that should be bonded in place as part of your tanking system, see PDF installation instructions
- Can be used with a shower waste pump that has an external flow switch, requires 15mm pipework from the waste outlet

**Options:**

- Security fixing screws to prevent the removal of the grate - select if required
- Can be upgraded to a stainless-steel grate - Purus circular grates available separately
- Suitable for tiled flooring with the addition of a Purus Tile Adapter or square stainless-steel grate and drain gaskets - available separately

# Additional Information

Manufacturer	Purus
Configuration	Gravity or Pumped Waste
Compatible Tray or Former	AKW - Tuff Form, AKW - Tuff Form8, AKW / Contour - ShowerDec, Maxxus
Installation	Floor Formers, Concrete / Screed Floors, Timber Floors
Application	Floor Former, Screed/Timber Floors w/ Purus Plate 130, Has Lockable Grate
Waste Diameter (mm)	200
Waste Outlet / Depth (mm)	Horizontal
Flow Rate / l/min	48
Floor Finish	Tiled Flooring, Vinyl Sheet Flooring
Grate Material / Finish	Plastic / White