

# Purus Mini Brage 110 Vertical Outlet - OPT Security Fixings

£69.35 Inc. VAT

Product Code: 7113538UK

## **Product Images**









## **Additional Options**

**Product Code / Optional security fixings** 

7138417 / Purus fixings for plastic grate

£4.90

### **Description**

The Purus Mini Brage 110 is a shower waste suitable for wet room floor formers, such as the AKW and Maxxus floor formers.

130mm in diameter, it features a 110mm bottom / vertical connection to the soil pipe.

#### **Technical details:**

- Flow rate 48 litres per minute
- Connection: Bottom, 110mm
- Overall diameter: 197mm
- NOOD sprung water trap, prevents foul air escaping. The weight of the water opens the trap
- The NOOD water trap is removable for easy cleaning
- Material: Plastic (Polypropenplast)
- Can be mounted in the Purus Plate 130 (Product Code: 7133681) that assists with building in falls for screed and timber floors, when not using a floor former

#### **Compatibility:**

- Vinyl flooring The clamping ring retains the vinyl flooring, see PDF installation instructions
- Tiled flooring The clamping ring retains the Fabric or Butyl Drain Gasket that should be bonded in place as part of your tanking system, see PDF installation instructions

#### **Options:**

- Security fixing screws to prevent the removal of the grate select above if required
- Can be upgraded to a stainless-steel grate Purus circular grates available separately
- Suitable for tiled flooring with the addition of a Purus tile adapter or square stainless-steel grate available separately

## **Additional Information**

Manufacturer  Configuration  Gravity Waste  Compatible Tray or Former  AKW - Tuff Form, AKW - Tuff Form8, Maxxus  Installation  Floor Formers, Concrete / Screed Floors, Timber Floors  Application  Floor Former, Screed/Timber Floors w/ Purus Plate 130, Has Lockable Grate  Waste Diameter (mm)  200  Waste Outlet / Depth (mm)  Vertical
Compatible Tray or Former  AKW - Tuff Form, AKW - Tuff Form8, Maxxus  Installation  Floor Formers, Concrete / Screed Floors, Timber Floors  Application  Floor Former, Screed/Timber Floors w/ Purus Plate 130, Has Lockable Grate  Waste Diameter (mm)  200  Waste Outlet / Depth (mm)  Vertical
Installation Floor Formers, Concrete / Screed Floors, Timber Floors  Application Floor Former, Screed/Timber Floors w/ Purus Plate 130, Has Lockable Grate  Waste Diameter (mm) 200  Waste Outlet / Depth (mm) Vertical
Application  Floor Former, Screed/Timber Floors w/ Purus Plate 130, Has Lockable Grate  Waste Diameter (mm)  200  Waste Outlet / Depth (mm)  Vertical
Waste Diameter (mm)  Waste Outlet / Depth (mm)  Has Lockable Grate  Vertical
Waste Outlet / Depth (mm) Vertical
Fl. D. (1/2)
Flow Rate / I/min 48
Floor Finish Tiled Flooring, Vinyl Sheet Flooring
Grate Material / Finish Plastic / White