

Geberit AquaClean Mera Comfort WC Complete Solution, Wall-hung WC -Bright Chrome-plated

£7,405.18 Inc. VAT

Product Code: 146.210.21.1

Product Images





Description

The Geberit AquaClean Mera Comfort WC Complete Solution, Wall-hung WC, bright chrome plated. Provides female and oscillating washing improving hygiene for all users, this version of the AquaClean Mera puts emphasise on comfort rather than just hygiene with its orientation lights, seat heating and a warm air dryer. 4 user profiles give the user their ideal experience all easily control able from a simple to use remote or mobile app.

Eco-friendly, shower toilets help reduce wood consumption and water consumption since the production of toilet paper is on average 2,350 litres per year whilst using the AquaClean Mera Comfort is 850 litres of water a year.

Key benefits:

- Adjustable settings for user preference
- Improved personal hygiene cleaning with water not paper
- Hybrid hot water system with continuous flow heater and storage
- WhirlSpray Shower Technology
- Nozzle has pre and post rinsing with fresh water
- Rimless WC Ceramic Pan with TurboFlush
- Remote control & remote control app
- 4 programmable user profiles
- Orientation lights activate on approach
- Orientation lights can be set to 7 different colours
- Adjustable shower pressure settings
- Adjustable shower water temperature
- Adjustable spray arm position
- Adjustable oscillating spray
- Lady shower
- Lady shower has a separate nozzle in a parked position
- Seat heating

- · Seat heating adjustments
- Warm air drying
- Warm air dryers intensity is adjustable
- Warm air dryer arm can be extended
- Warm air dryer temperature adjustable
- Odour extraction unit
- Soft opening/closing lid
- Quick-release lid
- User detection
- Descaling function
- Economy mode
- Pre-mounted sound installation
- Compatible with Geberit Monolith
- Compatible with the Geberit Home App

Technical details:

- Colour: Bright chrome-plated
- Weight Load: 150kg
- Height (mm): 380
- Width (mm): 395
- Length (mm): 590
- Protection Degree: IPX4
- Protection Class: I
- Nominal voltage: 230 V AC
- Mains frequency: 50Hz
- Power consumption: 2000 W
- Power consumption on standby: < 0.5
- Flow pressure: 0.5 10 Bar
- Operating Temperature: 5 40°C
- Water temperature adjustment range: 34 40°C
- Water Temperature Pre-set: 37°C
- Calculated flow rate: 0.03 l/s
- Min. flow pressure: 0.5 bar
- Spray time: 30 50s
- Economy mode < 0.5 W
- Spray intensity 5 levels
- Spray arm 5 positions
- Dryer intensity 5 levels
- 4 User profiles
- Mains connection required
- Mains connection with flexible three-core sheathed cable, on the right side is hidden behind the WC ceramic
- Water supply connection on the left is hidden behind the WC ceramic
- Approved in accordance with (DIN) EN 1717 / (DIN) EN 13077

Scope of Delivery:

- Water supply connection set for Sigma and Omega concealed cisterns 12cm, installation height of 112cm
- Connection set for WC
- Female sockets for the mains connection
- Spray shield

- 125ml of descaling agent
- Cleaning Set
- remote control with wall-mounted case and battery CR2032
- Fastening materials

Manufacturer warranty:

• 2 year manufacture warranty

Please note:

- Due to the hygiene reasons this product is non-returnable
- Geberit will extend the warranty by one year provided that it is installed by a registered installation company and if you register the model you have purchased on their website or you send the supplied warranty card within 90 working days of the installation

Geberit Home App:

The Geberit Home App allows you to control and adjust the Geberit AquaClean shower toilets, the app can be used to register your model for a 1 year warranty extension.

- Adjusts device settings
- Users can call up user manuals digitally
- Access service and contact information
- Access care and maintenance information
- Conveniently order consumables
- Perform maintenance using step by step instructions using the app
- Firmware can be updated using the app

DOWNLOAD NOW



Apple App Store



Google Play Store

Additional Information

Manufacturer Geberit Brand / Model Geberit / AquaClean Mera Comfort Can Be Combined With Pre-wall Mounting Frames, Geberit Monolith Front of Wall Cisterns, Pressalit Toilet Lifters Colour Bright Chrome-plated Style / Type Wall-hung Shower Toilet Max. Load (kg / St) 150 / 23.5 Technical Info. Power Supply: 230 V / 50-60hz, Water Temp Factory Settings - 37°C Installed WC Pan Height (mm) N/A (Wall Hung) Warranty 2 Year Standard Flush Operation Remote Control / Mobile App Control Seat Length (mm) 590 Seat Width (mm) 350 Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Detection, Orientation Light, Quick Release Function, Quick-release Lid, Soft Closing, Soft Opening, Automatic Lid Opening, Seat Heating, Spray, Intensity Settings, 15 Spray Arm Positions, Oscillating Spray, Nozzle Auto Cleaning, Dryer Arm Extendable, 5 Dryer Arm Positions, Adjustable Dryer Temperature, 5 Dryer Intensity, Sering, WhirlSpray, Rimless WC Ceramic Pan with TurboFlush, Odour Extraction Unit, Economy Mode, Descaling Function		
Can Be Combined With Pre-wall Mounting Frames, Geberit Monolith Front of Wall Cisterns, Pressalit Toilet Lifters Colour Bright Chrome-plated Style / Type Wall-hung Shower Toilet Max. Load (kg / St) 150 / 23.5 Technical Info. Power Supply: 230 V / 50-60hz, Water Temp Factory Settings - 37°C Installed WC Pan Height (mm) N/A (Wall Hung) Warranty 2 Year Standard Flush Operation Remote Control / Mobile App Control Seat Length (mm) 590 Seat Width (mm) Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Detection, Orientation Light, Quick Release Function, Quick-release Lid, Soft Closing, Soft Opening, Automatic Lid Opening, Seat Heating, Seat Heating Adjustable, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Oscillating Spray, Nozzle Auto Cleaning, Dryer Arm Extendable, 5 Dryer Arm Positions, Adjustable Dryer Temperature, 5 Dryer Intensity Settings, WhirlSpray, Rimless WC Ceramic Pan with TurboFlush, Odour	Manufacturer	Geberit
Colour Bright Chrome-plated Style / Type Wall-hung Shower Toilet Max. Load (kg / St) 150 / 23.5 Technical Info. Power Supply: 230 V / 50-60hz, Water Temp Factory Settings - 37°C Installed WC Pan Height (mm) N/A (Wall Hung) Warranty 2 Year Standard Flush Operation Remote Control / Mobile App Control Seat Length (mm) 590 Seat Width (mm) 350 Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Detection, Orientation Light, Quick Release Function, Quick-release Lid, Soft Closing, Soft Opening, Automatic Lid Opening, Seat Heating, Seat Heating Adjustable, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Oscillating Spray, Nozzle Auto Cleaning, Dryer Arm Extendable, 5 Dryer Arm Positions, Adjustable Dryer Temperature, 5 Dryer Intensity Settings, WhirlSpray , Rimless WC Ceramic Pan with TurboFlush, Odour	Brand / Model	Geberit / AquaClean Mera Comfort
Style / Type Wall-hung Shower Toilet Max. Load (kg / St) 150 / 23.5 Technical Info. Power Supply: 230 V / 50-60hz, Water Temp Factory Settings - 37°C Installed WC Pan Height (mm) N/A (Wall Hung) Warranty 2 Year Standard Flush Operation Remote Control / Mobile App Control Seat Length (mm) 590 Seat Width (mm) 350 Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Detection, Orientation Light, Quick Release Function, Quick-release Lid, Soft Closing, Soft Opening, Automatic Lid Opening, Seat Heating, Seat Heating Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Oscillating Spray, Nozzle Auto Cleaning, Dryer Arm Extendable, 5 Dryer Arm Positions, Adjustable Dryer Temperature, 5 Dryer Intensity Settings, WhirlSpray , Rimless WC Ceramic Pan with TurboFlush, Odour	Can Be Combined With	
Max. Load (kg / St) Technical Info. Power Supply: 230 V / 50-60hz, Water Temp Factory Settings - 37°C Installed WC Pan Height (mm) N/A (Wall Hung) Warranty 2 Year Standard Flush Operation Remote Control / Mobile App Control Seat Length (mm) 590 Seat Width (mm) 350 Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Detection, Orientation Light, Quick Release Function, Quick-release Lid, Soft Closing , Soft Opening, Automatic Lid Opening, Seat Heating, Seat Heating, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Oscillating Spray, Nozzle Auto Cleaning, Dryer Arm Extendable, 5 Dryer Arm Positions, Adjustable Dryer Temperature, 5 Dryer Intensity Settings, WhirlSpray , Rimless WC Ceramic Pan with TurboFlush, Odour	Colour	Bright Chrome-plated
Technical Info. Power Supply: 230 V / 50-60hz, Water Temp Factory Settings - 37°C Installed WC Pan Height (mm) N/A (Wall Hung) Warranty 2 Year Standard Flush Operation Remote Control / Mobile App Control Seat Length (mm) 590 Seat Width (mm) 350 Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Detection, Orientation Light, Quick Release Function, Quick-release Lid, Soft Closing, Soft Opening, Automatic Lid Opening, Seat Heating, Seat Heating, Seat Heating, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Oscillating Spray, Nozzle Auto Cleaning, Dryer Arm Extendable, 5 Dryer Arm Positions, Adjustable Dryer Temperature, 5 Dryer Intensity Settings, WhirlSpray, Rimless WC Ceramic Pan with TurboFlush, Odour	Style / Type	Wall-hung Shower Toilet
Installed WC Pan Height (mm) N/A (Wall Hung) Warranty 2 Year Standard Flush Operation Remote Control / Mobile App Control Seat Length (mm) 590 Seat Width (mm) 350 Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Detection, Orientation Light, Quick Release Function, Quick-release Lid, Soft Closing , Soft Opening, Automatic Lid Opening, Seat Heating, Seat Heating Adjustable, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Oscillating Spray, Nozzle Auto Cleaning, Dryer Arm Extendable, 5 Dryer Arm Positions, Adjustable Dryer Temperature, 5 Dryer Intensity Settings, WhirlSpray , Rimless WC Ceramic Pan with TurboFlush, Odour	Max. Load (kg / St)	150 / 23.5
Warranty 2 Year Standard Flush Operation Remote Control / Mobile App Control Seat Length (mm) 590 Seat Width (mm) 350 Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Detection, Orientation Light, Quick Release Function, Quick-release Lid, Soft Closing, Soft Opening, Automatic Lid Opening, Seat Heating, Seat Heating Adjustable, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Oscillating Spray, Nozzle Auto Cleaning, Dryer Arm Extendable, 5 Dryer Arm Positions, Adjustable Dryer Temperature, 5 Dryer Intensity Settings, WhirlSpray, Rimless WC Ceramic Pan with TurboFlush, Odour	Technical Info.	
Flush Operation Remote Control / Mobile App Control Seat Length (mm) 590 Seat Width (mm) 350 Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Detection, Orientation Light, Quick Release Function, Quick-release Lid, Soft Closing, Soft Opening, Automatic Lid Opening, Seat Heating, Seat Heating Adjustable, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Oscillating Spray, Nozzle Auto Cleaning, Dryer Arm Extendable, 5 Dryer Arm Positions, Adjustable Dryer Temperature, 5 Dryer Intensity Settings, WhirlSpray, Rimless WC Ceramic Pan with TurboFlush, Odour	Installed WC Pan Height (mm)	N/A (Wall Hung)
Seat Length (mm) 590 Seat Width (mm) 350 Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Detection, Orientation Light, Quick Release Function, Quick-release Lid, Soft Closing, Soft Opening, Automatic Lid Opening, Seat Heating, Seat Heating Adjustable, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Oscillating Spray, Nozzle Auto Cleaning, Dryer Arm Extendable, 5 Dryer Arm Positions, Adjustable Dryer Temperature, 5 Dryer Intensity Settings, WhirlSpray, Rimless WC Ceramic Pan with TurboFlush, Odour	Warranty	2 Year Standard
Seat Width (mm) Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Detection, Orientation Light, Quick Release Function, Quick-release Lid, Soft Closing, Soft Opening, Automatic Lid Opening, Seat Heating, Seat Heating Adjustable, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Oscillating Spray, Nozzle Auto Cleaning, Dryer Arm Extendable, 5 Dryer Arm Positions, Adjustable Dryer Temperature, 5 Dryer Intensity Settings, WhirlSpray, Rimless WC Ceramic Pan with TurboFlush, Odour	Flush Operation	Remote Control / Mobile App Control
Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Detection, Orientation Light, Quick Release Function, Quick-release Lid, Soft Closing, Soft Opening, Automatic Lid Opening, Seat Heating, Seat Heating Adjustable, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Oscillating Spray, Nozzle Auto Cleaning, Dryer Arm Extendable, 5 Dryer Arm Positions, Adjustable Dryer Temperature, 5 Dryer Intensity Settings, WhirlSpray, Rimless WC Ceramic Pan with TurboFlush, Odour	Seat Length (mm)	590
Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Detection, Orientation Light, Quick Release Function, Quick-release Lid, Soft Closing, Soft Opening, Automatic Lid Opening, Seat Heating, Seat Heating Adjustable, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Oscillating Spray, Nozzle Auto Cleaning, Dryer Arm Extendable, 5 Dryer Arm Positions, Adjustable Dryer Temperature, 5 Dryer Intensity Settings, WhirlSpray, Rimless WC Ceramic Pan with TurboFlush, Odour	Seat Width (mm)	350
	Technologies	Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Detection, Orientation Light, Quick Release Function, Quick-release Lid, Soft Closing, Soft Opening, Automatic Lid Opening, Seat Heating, Seat Heating Adjustable, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Oscillating Spray, Nozzle Auto Cleaning, Dryer Arm Extendable, 5 Dryer Arm Positions, Adjustable Dryer Temperature, 5 Dryer Intensity Settings, WhirlSpray, Rimless WC Ceramic Pan with TurboFlush, Odour