

Geberit AquaClean Mera Classic WC Complete Solution, Wall-hung WC -Bright Chrome-plated

£5,588.80 Inc. VAT

Product Code: 146.200.21.1

Product Images





Description

The Geberit AquaClean Mera Classic WC Complete Solution, Wall-hung WC, Bright Chrome-plated. Provides female and oscillating washing improving hygiene for all users, puts emphasise upon hygiene with its adjustable hygiene settings for example spray, dryer and lady shower. 4 user profiles give the user their ideal experience all easily control able from a simple to use remote or mobile app.

Eco-friendly, shower toilets help reduce wood consumption and water consumption since the production of toilet paper is on average 2,350 litres per year whilst using the AquaClean Mera Classic is 850 litres of water a year.

Key benefits:

- Adjustable settings for user preference
- Improved personal hygiene cleaning with water not paper
- WhirlSpray Shower Technology
- Hybrid hot water system with continuous flow heater and storage
- Nozzle has pre and post rinsing with fresh water
- Rimless WC Ceramic Pan with TurboFlush
- Remote control & remote control app
- 4 programmable user profiles
- Adjustable shower pressure settings
- Adjustable shower water temperature
- Adjustable spray arm position
- Adjustable oscillating spray
- Lady shower
- Lady shower has a separate nozzle in a parked position
- Warm air drying
- Warm air dryers intensity is adjustable
- Warm air dryer arm can be extended
- Warm air dryer temperature adjustable

- Odour extraction unit
- Soft opening/closing lid
- · Quick-release lid
- User detection
- Descaling function
- Economy mode
- Pre-mounted sound installation
- Compatible with the Geberit Home App
- Compatible with the Geberit Monolith

Technical details:

• Colour: Bright chrome-plated

Weight Load: 150kgHeight (mm): 380Width (mm): 395Length (mm): 590

• Protection Degree: IPX4

Protection Class: I

Nominal voltage: 230 V ACMains frequency: 50Hz

• Power consumption: 2000 W

• Power consumption on standby: < 0.5

• Flow pressure: 0.5 – 10 Bar

• Operating Temperature: 5 - 40°C

• Water temperature adjustment range: 34 – 40°C

• Water Temperature Pre-set: 37°C

Calculated flow rate: 0.03 l/sMin. flow pressure: 0.5 bar

• Spray time: 30 – 50s

• Economy mode < 0.5 W

- Spray intensity 5 levels
- Spray arm 5 positions
- Dryer intensity 5 levels
- 4 User profiles
- Mains connection required
- Mains connection with flexible three-core sheathed cable, on the right side is hidden behind the WC ceramic
- Water supply connection on the left is hidden behind the WC ceramic
- Approved in accordance with (DIN) EN 1717 / (DIN) EN 13077

Scope of Delivery:

- Water supply connection set for Sigma and Omega concealed cisterns 12cm, installation height of 112cm
- Connection set for WC
- Female sockets for the mains connection
- Spray shield
- 125ml of descaling agent
- Cleaning Set
- Remote control with wall-mounted case and battery CR2032
- Fastening materials

Manufacturer warranty:

• 2 year manufacture warranty

Please note:

- Due to the hygiene reasons and the custom nature of this item, this product is non-returnable
- Geberit will extend the warranty by one year provided that it is installed by a registered installation company and if you register the model you have purchased on their website or you send the supplied warranty card within 90 working days of the installation

Geberit Home App:

The Geberit Home App allows you to control and adjust the Geberit AquaClean shower toilets, the app can be used to register your model for a 1 year warranty extension.

- Adjusts device settings
- Users can call up user manuals digitally
- Access service and contact information
- Access care and maintenance information
- Conveniently order consumables
- Perform maintenance using step by step instructions using the app
- Firmware can be updated using the app

DOWNLOAD NOW



Apple App Store



Google Play Store

Additional Information

Manufacturer	Geberit
Brand / Model	Geberit / AquaClean Mera Classic
Can Be Combined With	Pre-wall Mounting Frames, Geberit Monolith Front of Wall Cisterns, Pressalit Toilet Lifters
Colour	Bright Chrome-plated
Style / Type	Wall-hung Shower Toilet
Max. Load (kg / St)	150 / 23.5
Technical Info.	Power Supply: 230 V / 50-60hz, Water Temp Factory Settings - 37°C
Installed WC Pan Height (mm)	N/A (Wall Hung)
Warranty	2 Year Standard
Flush Operation	Remote Control / Mobile App Control
Seat Length (mm)	590
Seat Width (mm)	350
Technologies	Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Detection, Quick-release Lid, Soft Closing, Soft Opening, 5 Spray Intensity Settings, 5 Spray Arm Positions, Oscillating Spray, Nozzle Auto Cleaning, Dryer Arm Extendable, 5 Dryer Arm Positions, Adjustable Dryer Temperature, 5 Dryer Intensity Settings, WhirlSpray, Rimless WC Ceramic Pan with TurboFlush, Odour Extraction Unit, Economy Mode, Descaling Function