





Independent 4 Life


# Geberit AquaClean Sela WC Complete Solution, Wall-hung WC - White

£3,980.57 Inc. VAT

Product Code: 146.220.11.1

## Product Images





## Description

The Geberit AquaClean Sela WC Complete Solution, Wall-hung WC with a white cover panel and white ceramic. Provides female and oscillating washing improving hygiene for all users, the AquaClean Sela puts emphasis on user hygiene with rear and female washing, oscillating spray and adjustable spray arm position. 4 user profiles give the user easy control from a simple to use remote or mobile app.

Eco-friendly, economy mode feature ensures that the toilet consumes no more than 0.5 watts causing a household to save around 212 rolls of toilet paper.

### Key benefits:

- Adjustable settings for user preference
- Improved personal hygiene - cleaning with water not paper
- WhirlSpray Shower Technology
- Water heating by a continuous flow heater
- Nozzle has pre and post rinsing with fresh water
- Rimless WC Ceramic Pan with TurboFlush
- Remote control & remote control app
- 3 programmable user profiles
- Orientation light
- Orientation lights activate based on brightness sensor
- Adjustable shower intensity settings
- Adjustable spray arm position
- Adjustable shower temperature
- Oscillating spray
- Lady shower
- Soft opening/closing
- Quick release function
- User detection
- Descaling function

- Economy mode
- Compatible with Geberit Monolith
- Compatible with Geberit Home App

#### **Technical details:**

- Colour: White cover panel and White ceramic
- Weight Load: 150kg
- Height (mm): 390
- Width (mm): 375
- Length (mm): 565
- Protection Degree: IPX4
- Protection Class: I
- Nominal voltage: 230 V AC
- Mains frequency: 50Hz
- Power consumption: 1850 W
- Power consumption on standby: < 0.5
- Flow pressure: 0.5 – 10 Bar
- Operating Temperature: 5 – 40°C
- Water temperature adjustment range: 34 – 40°C
- Water Temperature Pre-set: 37°C
- Calculated flow rate: 0.02 l/s
- Min. flow pressure: 0.5 bar
- Spray time: 50s
- Economy mode < 0.5 W
- Spray intensity – 5 levels
- Spray arm - 5 positions
- 4 User profiles
- Mains connection required
- Mains connection with flexible three-core sheathed cable, on the right side is hidden behind the WC ceramic
- Water supply connection on the left is hidden behind the WC ceramic
- Approved in accordance with (DIN) EN 1717 / (DIN) EN 13077

#### **Scope of delivery:**

- Water supply connection set for Sigma and Omega concealed cisterns 12 cm, installation height 112 cm
- Connection set for WC, ø 90 mm
- Female sockets for the mains connection
- Spray shield
- 125ml of descaling agent
- Cleaning Set
- Remote control with wall-mounted case and battery CR2032
- Sound insulation set
- Fastening materials

#### **Manufacturer warranty:**

- 2 year manufacture warranty

#### **Please note:**

- Due to the hygiene reasons this product is non-returnable
- Geberit will extend the warranty by one year provided that it is installed by a registered installation

company and if you register the model you have purchased on their website or you send the supplied warranty card within 90 working days of the installation

### **Geberit Home App:**

The Geberit Home App allows you to control and adjust the Geberit AquaClean shower toilets, the app can be used to register your model for a 1 year warranty extension.

- Adjusts device settings
- Users can call up user manuals digitally
- Access service and contact information
- Access care and maintenance information
- Conveniently order consumables
- Perform maintenance using step by step instructions using the app
- Firmware can be updated using the app

## **DOWNLOAD NOW**



Apple App Store



Google Play Store

# Additional Information

|                              |  |
|------------------------------|--|
| Manufacturer                 | Geberit  |
| Brand / Model                | Geberit / AquaClean Sela   |
| Can Be Combined With         | Pre-wall Mounting Frames, Geberit Monolith Front of Wall Cisterns  |
| Colour                       | White  |
| Style / Type                 | Wall-hung Shower Toilet  |
| Max. Load (kg / St)          | 150 / 23.5   |
| Technical Info.              | Power Supply: 230 V AC / 50 Hz, Water Temp Range - 34-40°C   |
| Installed WC Pan Height (mm) | N/A (Wall Hung)  |
| Warranty                     | 2 Year Standard  |
| Flush Operation              | Remote Control / Mobile App Control  |
| Seat Length (mm)             | 565  |
| Seat Width (mm)              | 330  |
| Technologies                 | Mains Operated, Rear Washing, Lady Shower, Remote Control, Mobile App, Programmable User Profiles x 4, User Detection, Orientation Light, Quick-release Lid, Soft Closing , Soft Opening, Adjustable Spray Position, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Oscillating Spray, Nozzle Auto Cleaning, WhirlSpray , Rimless WC Ceramic Pan with TurboFlush, Economy Mode, Descaling Function |