






Independent 4 Life

# Geberit AquaClean Tuma Comfort WC Complete Solution, Wall-hung WC - White

£3,405.67 Inc. VAT

Product Code: 146.290.11.1

## Product Images





## Description

---

The Geberit AquaClean Tuma Comfort WC Complete Solution, Wall-hung WC with white cover and white ceramic. Designed with a focus on user comfort with a heated seat, dryer and odour extraction. Improves hygiene with separate rear and lady shower. Controlled via app or remote control with 4 user profiles for user preferences.

Eco-friendly, economy mode feature ensures that the toilet consumes no more than 0.5 watts causing a household to save close to 212 rolls of toilet paper per year and close to 50 pounds.

### Key benefits:

- Improved personal hygiene - cleaning with water not paper
- Rimfree ceramic pan
- App controlled
- Remote controlled
- Whirlspray technology
- Nozzle has pre and post rinsing with fresh water
- Oscillating spray
- Separate lady shower nozzle with a protected a protected park position
- Adjustable spray arm position
- Spray arm can be extended
- Adjustable water temperature
- Spray intensity adjustable
- Heated seat
- Seats heat can be adjusted by the Geberit home app
- Dryers temperature can be adjusted by the Geberit home app
- Shower water temperature can be adjusted by the Geberit home app
- Lid has a quick release function
- Soft opening/closing lid
- User detection

- Descaling function
- Odour extraction
- Economy mode
- Compatible with Geberit Monolith
- Compatible with Geberit Home App

#### **Technical details:**

- Colour: White
- Weight Load: 150kg
- Height of pan at front (mm): 280
- Overall height (mm): 446
- Width (mm): 360
- Length (mm): 553
- Seat height (mm): 30
- Protection Degree: IPX4
- Protection Class: I
- Nominal voltage: 230 V AC
- Mains frequency: 50Hz
- Power consumption: 2000 W
- Power consumption on standby: < 0.5
- Flow pressure: 0.5 – 10 Bar
- Operating Temperature: 5 – 40°C
- Water temperature adjustment range: 34 – 40°C
- Water Temperature Pre-set: 37°C
- Calculated flow rate: 0.02 l/s
- Min. flow pressure: 0.5 bar
- Spray time: 50s
- Economy mode < 0.5 W
- Spray intensity – 5 levels
- Spray arm - 5 positions
- 4 User profiles
- Mains connection required
- Mains connection with flexible three-core sheathed cable, on the right side is hidden behind the WC ceramic
- Water supply connection on the left is hidden behind the WC ceramic
- Approved in accordance with (DIN) EN 1717 / (DIN) EN 13077

#### **Scope of Delivery:**

- Water supply connection set for Sigma and Omega concealed cisterns 12cm, installation height of 112cm
- Connection set for WC
- Female sockets for the mains connection
- Spray shield
- 125ml of descaling agent
- Cleaning Set
- Remote control with wall-mounted case and battery CR2032
- Sound insulation set
- Fastening materials

#### **Manufacturer warranty:**

- 2 year manufacture warranty
- www.independent4life.co.uk | info@independent4life.co.uk | Tel: 0800 500 3001 | VAT No: 942447711  
EORI GB942447711000

**Please note:**

- Due to the hygiene reasons this product is non-returnable
- Geberit will extend the warranty by one year provided that it is installed by a registered installation company and if you register the model you have purchased on their website or you send the supplied warranty card within 90 working days of the installation

**Geberit Home App:**

The Geberit Home App allows you to control and adjust the Geberit AquaClean shower toilets, the app can be used to register your model for a 1 year warranty extension.

- Adjusts device settings
- Users can call up user manuals digitally
- Access service and contact information
- Access care and maintenance information
- Conveniently order consumables
- Perform maintenance using step by step instructions using the app
- Firmware can be updated using the app

**DOWNLOAD NOW**

Apple App Store



Google Play Store

## Additional Information

Manufacturer	Geberit
Brand / Model	Geberit / AquaClean Tuma Comfort
Can Be Combined With	Pre-wall Mounting Frames, Geberit Monolith Front of Wall Cisterns, Pressalit Toilet Lifters
Colour	White
Style / Type	Wall-hung Shower Toilet
Max. Load (kg / St)	150 / 23.5
Technical Info.	Power Supply: 230 V / 50-60hz, Water Temp Factory Settings - 37°C
Installed WC Pan Height (mm)	N/A (Wall Hung)
Warranty	2 Year Standard
Flush Operation	Remote Control / Mobile App Control
Seat Length (mm)	360
Seat Width (mm)	390
Technologies	Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Detection, Quick-release Lid, Soft Closing , Soft Opening, Seat Heating, Seat Heating Adjustable, Adjustable Spray Position, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Spray Arm Extendable, Oscillating Spray, Nozzle Auto Cleaning, Adjustable Dryer Temperature, WhirlSpray , Rimfree WC Ceramic Pan, Odour Extraction Unit, Economy Mode, Descaling Function