

# Geberit AquaClean Tuma Comfort WC Complete Solution, Wall-hung WC -Brushed Stainless Steel

£2,368.80 Inc. VAT

Product Code: 146.290.FW.1

### **Product Images**





### **Description**

The Geberit AquaClean Tuma Comfort WC Complete Solution features a sleek, wall-hung design with a Brushed Stainless Steel cover and white ceramic, emphasising user comfort with a temperature-adjustable heated seat. It enhances hygiene with separate rear and lady showers, alongside a warm air dryer.

Eco-friendly, economy mode feature ensures that the toilet consumes no more than 0.5 watts causing a household to save close to 212 rolls of toilet paper per year and close to 50 pounds.

This eco-friendly model includes an economy mode consuming less than 0.5 watts, potentially saving up to 212 rolls of toilet paper annually.

It boasts advanced features like Whirlspray technology, adjustable spray arm positions, and app-controlled settings for water temperature, spray intensity, and seat heating. The toilet also offers odour extraction, a quick-release lid.

Compatible with the Geberit Monolith, an installation system that conceals plumbing and cisterns behind a sleek panel, designed for easy installation, space efficiency, and creating a modern bathroom aesthetic. Compatible with the Geberit Home App for enhanced functionality, allowing users to manage settings, access manuals, service details, and order consumables conveniently.

A range of flush plates are available, with circular or rectangular buttons in various finishes to match the aesthetic of your bathroom

EORI GB942447711000

The package includes essential accessories for installation and maintenance.

#### **Key benefits:**

#### **Key benefits:**

- Improved personal hygiene cleaning with water not paper
- Rimfree ceramic pan
- App controlled
- Remote controlled www.independent4life.co.uk | info@independent4life.co.uk | Tel: 0800 500 3001 | VAT No: 942447711

- Whirlspray technology
- Nozzle has pre and post rinsing with fresh water
- Oscillating spray
- Separate lady shower nozzle with a protected a protected park position
- Adjustable spray arm position
- Spray arm can be extended
- Adjustable water temperature
- Spray intensity adjustable
- Heated seat
- Seats heat can be adjusted by the Geberit home app
- Dryers temperature can be adjusted by the Geberit home app
- Shower water temperature can be adjusted by the Geberit home app
- Lid has a quick release function
- Soft opening/closing lid
- User detection
- Descaling function
- Odour extraction
- Economy mode
- Compatible with Geberit Monolith
- Compatible with Geberit Home App

#### **Technical details:**

- Design Cover: Brushed stainless steel
- WC Ceramic appliance: White
- Weight Load: 150kg
- Height of pan at front (mm): 280
- Overall height (mm): 446
- Width (mm): 360
- Length (mm): 553
- Protection Degree: IPX4
- Protection Class: I
- Nominal voltage: 230 V AC
- Mains frequency: 50Hz
- Power consumption: 2000 W
- Power consumption on standby: < 0.5
- Flow pressure: 0.5 10 Bar
- Operating Temperature: 5 40°C
- Water temperature adjustment range: 34 40°C
- Water Temperature Pre-set: 37°C
- Calculated flow rate: 0.02 l/s
- Min. flow pressure: 0.5 bar
- Spray time: 50s
- Economy mode < 0.5 W
- Spray intensity 5 levels
- Spray arm 5 positions
- 4 User profiles
- Mains connection required
- Mains connection with flexible three-core sheathed cable, on the right side is hidden behind the WC ceramic
- Water supply connection on the left is hidden behind the WC ceramic
- Approved in accordance with (DIN) EN 1717 / (DIN) EN 13077
   www.independent4life.co.uk | info@independent4life.co.uk | Tel: 0800 500 3001 | VAT No: 942447711
   EORI GB942447711000

#### **Scope of Delivery:**

- Water supply connection set for Sigma and Omega concealed cisterns 12cm, installation height of 112cm
- Connection set for WC
- Female sockets for the mains connection
- Spray shield
- 125ml of descaling agent
- Cleaning Set
- Remote control with wall-mounted case and battery CR2032
- Sound insulation set
- Fastening materials

#### Manufacturer warranty:

• 2 year manufacture warranty

#### Please note:

- Due to the hygiene reasons, this product is non-returnable
- Geberit will extend the warranty by one year provided that it is installed by a registered installation company and if you register the model you have purchased on their website or you send the supplied warranty card within 90 working days of the installation

#### **Geberit Home App:**

The Geberit Home App allows you to control and adjust the Geberit AquaClean shower toilets, the app can be used to register your model for a 1 year warranty extension.

- Adjusts device settings
- Users can call up user manuals digitally
- Access service and contact information
- Access care and maintenance information
- Conveniently order consumables
- Perform maintenance using step by step instructions using the app
- Firmware can be updated using the app

### DOWNLOAD NOW





Google Play Sto

Manufacturer       Geberit         Brand / Model       Geberit / AquaClean Tuma Comfort         Can Be Combined With       Pre-wall Mounting Frames, Geberit Monolith Front of Wall Cisterns, Pressallt Toilet Llifters         Colour       Brushed Stainless Steel, White         Style / Type       Wall-hung Shower Toilet         Max. Load (kg / St)       150 / 23.5         Technical Info.       Power Supply: 230 V / 50-60hz, Water Temp Factory Settings - 37°C         Installed WC Pan Height (mm)       N/A (Wall Hung)         Warranty       2 Year Standard         Flush Operation       Remote Control / Mobile App Control         Seat Length (mm)       360         Seat Width (mm)       390         Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Recognition, Quick-release Lid, Soft Closing, Soft Opening, Seat Heating, Seat Heating Adjustable App, Programmable User Profiles x 9, User Recognition, Quick-release Lid, Soft Closing, Soft Opening, Seat Heating, Seat Heating Spray Position, Adjustable Dryer Temperature, WhirlSpray, Rimfree WC Ceramic Pan, Odour Extraction Unit, Economy Mode, Descaling Function		
Can Be Combined With  Pre-wall Mounting Frames, Geberit Monolith Front of Wall Cisterns, Pressalit Toilet Lifters  Colour  Brushed Stainless Steel, White  Style / Type  Wall-hung Shower Toilet  Max. Load (kg / St)  150 / 23.5  Technical Info.  Power Supply: 230 V / 50-60hz, Water Temp Factory Settings - 37°C  Installed WC Pan Height (mm)  N/A (Wall Hung)  Warranty  2 Year Standard  Flush Operation  Remote Control / Mobile App Control  Seat Length (mm)  360  Seat Width (mm)  390  Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Recognition, Quick-release Lid, Soft Closing , Soft Opening, Seat Heating, Seat Heating Adjustable, Adjustable, Adjustable, Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Spray Arm Extendable, Oscillating Spray, Nozzle Auto Cleaning, Adjustable Dryer Temperature, WhirlSpray, Rimfree WC Ceramic Pan, Odour Extraction	Manufacturer	Geberit
Colour Brushed Stainless Steel, White  Style / Type Wall-hung Shower Toilet  Max. Load (kg / St) 150 / 23.5  Technical Info. Power Supply: 230 V / 50-60hz, Water Temp Factory Settings - 37°C  Installed WC Pan Height (mm) N/A (Wall Hung)  Warranty 2 Year Standard  Flush Operation Remote Control / Mobile App Control  Seat Length (mm) 360  Seat Width (mm) 390  Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Recognition, Quick-release Lid, Soft Closing , Soft Opening, Seat Heating, Seat Heating Adjustable Spray Position, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Spray Arm Extendable, Oscillating Spray, Nozzle Auto Cleaning, Adjustable Dryer Temperature, WhirlSpray , Rimfree WC Ceramic Pan, Odour Extraction	Brand / Model	Geberit / AquaClean Tuma Comfort
Style / Type Wall-hung Shower Toilet  Max. Load (kg / St) 150 / 23.5  Technical Info. Power Supply: 230 V / 50-60hz, Water Temp Factory Settings - 37°C  Installed WC Pan Height (mm) N/A (Wall Hung)  Warranty 2 Year Standard  Flush Operation Remote Control / Mobile App Control  Seat Length (mm) 360  Seat Width (mm) 390  Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Recognition, Quick-release Lid, Soft Closing, Soft Opening, Seat Heating, Seat Heating Adjustable, Adjustable Spray Position, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Spray Arm Extendable, Oscillating Spray, Nozzle Auto Cleaning, Adjustable Dryer Temperature, WhirlSpray , Rimfree WC Ceramic Pan, Odour Extraction	Can Be Combined With	
Max. Load (kg / St)  Technical Info.  Power Supply: 230 V / 50-60hz, Water Temp Factory Settings - 37°C  Installed WC Pan Height (mm)  N/A (Wall Hung)  Warranty  2 Year Standard  Flush Operation  Remote Control / Mobile App Control  Seat Length (mm)  360  Seat Width (mm)  390  Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Recognition, Quick-release Lid, Soft Closing , Soft Opening, Seat Heating, Seat Heating Adjustable, Adjustable Spray Position, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Spray Arm Extendable, Oscillating Spray, Nozzle Auto Cleaning, Adjustable Dryer Temperature, WhirlSpray , Rimfree WC Ceramic Pan, Odour Extraction	Colour	Brushed Stainless Steel, White
Technical Info.  Power Supply: 230 V / 50-60hz, Water Temp Factory Settings - 37°C  Installed WC Pan Height (mm)  N/A (Wall Hung)  Warranty  2 Year Standard  Flush Operation  Remote Control / Mobile App Control  Seat Length (mm)  360  Seat Width (mm)  390  Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Recognition, Quick-release Lid, Soft Closing , Soft Opening, Seat Heating, Seat Heating Adjustable, Adjustable Spray Position, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Spray Arm Extendable, Oscillating Spray, Nozzle Auto Cleaning, Adjustable Dryer Temperature, WhirlSpray , Rimfree WC Ceramic Pan, Odour Extraction	Style / Type	Wall-hung Shower Toilet
Installed WC Pan Height (mm)  Warranty  2 Year Standard  Flush Operation  Remote Control / Mobile App Control  Seat Length (mm)  360  Seat Width (mm)  Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Recognition, Quick-release Lid, Soft Closing , Soft Opening, Seat Heating Adjustable, Adjustable Spray Position, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Spray Arm Extendable, Oscillating Spray, Nozzle Auto Cleaning, Adjustable Dryer Temperature, WhirlSpray , Rimfree WC Ceramic Pan, Odour Extraction	Max. Load (kg / St)	150 / 23.5
Warranty  2 Year Standard  Flush Operation  Remote Control / Mobile App Control  Seat Length (mm)  360  Seat Width (mm)  390  Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Recognition, Quick-release Lid, Soft Closing , Soft Opening, Seat Heating, Seat Heating Adjustable, Adjustable Spray Position, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Spray Arm Extendable, Oscillating Spray, Nozzle Auto Cleaning, Adjustable Dryer Temperature, WhirlSpray , Rimfree WC Ceramic Pan, Odour Extraction	Technical Info.	
Flush Operation  Remote Control / Mobile App Control  Seat Length (mm)  360  Seat Width (mm)  390  Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Recognition, Quick-release Lid, Soft Closing, Soft Opening, Seat Heating, Seat Heating Adjustable, Adjustable Spray Position, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Spray Arm Extendable, Oscillating Spray, Nozzle Auto Cleaning, Adjustable Dryer Temperature, WhirlSpray, Rimfree WC Ceramic Pan, Odour Extraction	Installed WC Pan Height (mm)	N/A (Wall Hung)
Seat Length (mm)  360  Seat Width (mm)  390  Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Recognition, Quick-release Lid, Soft Closing, Soft Opening, Seat Heating, Seat Heating Adjustable, Adjustable Spray Position, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Spray Arm Extendable, Oscillating Spray, Nozzle Auto Cleaning, Adjustable Dryer Temperature, WhirlSpray, Rimfree WC Ceramic Pan, Odour Extraction	Warranty	2 Year Standard
Seat Width (mm)  Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Recognition, Quick-release Lid, Soft Closing, Soft Opening, Seat Heating, Seat Heating Adjustable, Adjustable Spray Position, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Spray Arm Extendable, Oscillating Spray, Nozzle Auto Cleaning, Adjustable Dryer Temperature, WhirlSpray, Rimfree WC Ceramic Pan, Odour Extraction	Flush Operation	Remote Control / Mobile App Control
Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Recognition, Quick-release Lid, Soft Closing, Soft Opening, Seat Heating, Seat Heating Adjustable, Adjustable Spray Position, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Spray Arm Extendable, Oscillating Spray, Nozzle Auto Cleaning, Adjustable Dryer Temperature, WhirlSpray, Rimfree WC Ceramic Pan, Odour Extraction	Seat Length (mm)	360
Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Recognition, Quick-release Lid, Soft Closing, Soft Opening, Seat Heating, Seat Heating Adjustable, Adjustable Spray Position, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Spray Arm Extendable, Oscillating Spray, Nozzle Auto Cleaning, Adjustable Dryer Temperature, WhirlSpray, Rimfree WC Ceramic Pan, Odour Extraction	Seat Width (mm)	390
	Technologies	Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Recognition, Quick-release Lid, Soft Closing, Soft Opening, Seat Heating, Seat Heating Adjustable, Adjustable Spray Position, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Spray Arm Extendable, Oscillating Spray, Nozzle Auto Cleaning, Adjustable Dryer Temperature, WhirlSpray, Rimfree WC Ceramic Pan, Odour Extraction

## **Additional Information**