






Independent 4 Life

Geberit AquaClean Tuma Comfort WC Complete Solution, Wall-hung WC - Brushed Stainless Steel

£3,493.01 Inc. VAT

Product Code: 146.290.FW.1

Product Images





Description

The Geberit AquaClean Tuma Comfort WC Complete Solution, Wall-hung WC with Brushed Stainless Steel and white ceramic. Designed with a focus on user comfort with a heated seat, dryer and odour extraction. Improves hygiene with separate rear and lady shower. Controlled via app or remote control with 4 user profiles for user preferences.

Eco-friendly, economy mode feature ensures that the toilet consumes no more than 0.5 watts causing a household to save close to 212 rolls of toilet paper per year and close to 50 pounds.

Key benefits:

- Improved personal hygiene - cleaning with water not paper
- Rimfree ceramic pan
- App controlled
- Remote controlled
- Whirlspray technology
- Nozzle has pre and post rinsing with fresh water
- Oscillating spray
- Separate lady shower nozzle with a protected a protected park position
- Adjustable spray arm position
- Spray arm can be extended
- Adjustable water temperature
- Spray intensity adjustable
- Heated seat
- Seats heat can be adjusted by the Geberit home app
- Dryers temperature can be adjusted by the Geberit home app
- Shower water temperature can be adjusted by the Geberit home app
- Lid has a quick release function
- Soft opening/closing lid
- User detection

- Descaling function
- Odour extraction
- Economy mode
- Compatible with Geberit Monolith
- Compatible with Geberit Home App

Technical details:

- Design Cover: Brushed stainless steel
- WC Ceramic appliance: White
- Weight Load: 150kg
- Height of pan at front (mm): 280
- Overall height (mm): 446
- Width (mm): 360
- Length (mm): 553
- Protection Degree: IPX4
- Protection Class: I
- Nominal voltage: 230 V AC
- Mains frequency: 50Hz
- Power consumption: 2000 W
- Power consumption on standby: < 0.5
- Flow pressure: 0.5 – 10 Bar
- Operating Temperature: 5 – 40°C
- Water temperature adjustment range: 34 – 40°C
- Water Temperature Pre-set: 37°C
- Calculated flow rate: 0.02 l/s
- Min. flow pressure: 0.5 bar
- Spray time: 50s
- Economy mode < 0.5 W
- Spray intensity – 5 levels
- Spray arm - 5 positions
- 4 User profiles
- Mains connection required
- Mains connection with flexible three-core sheathed cable, on the right side is hidden behind the WC ceramic
- Water supply connection on the left is hidden behind the WC ceramic
- Approved in accordance with (DIN) EN 1717 / (DIN) EN 13077

Scope of Delivery:

- Water supply connection set for Sigma and Omega concealed cisterns 12cm, installation height of 112cm
- Connection set for WC
- Female sockets for the mains connection
- Spray shield
- 125ml of descaling agent
- Cleaning Set
- Remote control with wall-mounted case and battery CR2032
- Sound insulation set
- Fastening materials

Manufacturer warranty:

- 2 year manufacture warranty
- www.independent4life.co.uk | info@independent4life.co.uk | Tel: 0800 500 3001 | VAT No: 942447711
EORI GB942447711000

Please note:

- Due to the hygiene reasons, this product is non-returnable
- Geberit will extend the warranty by one year provided that it is installed by a registered installation company and if you register the model you have purchased on their website or you send the supplied warranty card within 90 working days of the installation

Geberit Home App:

The Geberit Home App allows you to control and adjust the Geberit AquaClean shower toilets, the app can be used to register your model for a 1 year warranty extension.

- Adjusts device settings
- Users can call up user manuals digitally
- Access service and contact information
- Access care and maintenance information
- Conveniently order consumables
- Perform maintenance using step by step instructions using the app
- Firmware can be updated using the app

DOWNLOAD NOW

Apple App Store



Google Play Store

Additional Information

Manufacturer	Geberit
Brand / Model	Geberit / AquaClean Tuma Comfort
Can Be Combined With	Pre-wall Mounting Frames, Geberit Monolith Front of Wall Cisterns, Pressalit Toilet Lifters
Colour	Brushed Stainless Steel, White
Style / Type	Wall-hung Shower Toilet
Max. Load (kg / St)	150 / 23.5
Technical Info.	Power Supply: 230 V / 50-60hz, Water Temp Factory Settings - 37°C
Installed WC Pan Height (mm)	N/A (Wall Hung)
Warranty	2 Year Standard
Flush Operation	Remote Control / Mobile App Control
Seat Length (mm)	360
Seat Width (mm)	390
Technologies	Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Recognition, Quick-release Lid, Soft Closing , Soft Opening, Seat Heating, Seat Heating Adjustable, Adjustable Spray Position, Adjustable Shower Spray Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Spray Arm Extendable, Oscillating Spray, Nozzle Auto Cleaning, Adjustable Dryer Temperature, WhirlSpray , Rimfree WC Ceramic Pan, Odour Extraction Unit, Economy Mode, Descaling Function