






Independent 4 Life

AKW Vettora Thermostatic Shower Mixer Valve

£191.30 Inc. VAT

Product Code: 25657

Product Images



Description

Thermostatic anti-scalding bar shower valve with an accessibility focused design seen in features such as the easy to grip temperature and flow handles for users with limited dexterity, easily adjustable push button handset allowing for flexible shower head positioning and independent flow and temperature control operation.

The valve is ideal for environments with vulnerable users especially the elderly and children. Excellent safety features and approvals.

Key benefits:

- Multi-function shower head gives user choice of spray patterns
- Easily adjustable push button handset allows for flexible shower head positioning
- Easy to grip temperature and flow handles for users with limited dexterity
- Flow and temperature controls operate independently for safer use
- Temperature override button offers flexibility
- Rounded edges and corners help prevent injuries
- Included soap dish provides easy accessibility for shower accessories

Approvals:

- WRAS approved
- TMV2 approved
- BMA approved

Safety:

- Rounded edges and corners
- Anti-scald technology - water is prevented from reaching a temperature hot enough to scald

Technical details:

- Water pressure: 0.2 – 5 bar
- Fitting dimension: 150mm inlet centres
- Water entry point: Back
- Inlet connectors: ¾" BSP
- Max. static pressure: 10 bar
- Valve type: Thermostatic bar mixer valve with independent flow and temperature control
- Max. mixed water temperature for TMV2 valve is 41°C for shower application
- Max. pre-set temperature: 38°C
- Max. pressure difference between hot and cold supply: 1 Bar
- Maximum flow: 34 L/m at 3 bars

Warranty:

- Note the shower hose and handset are not included
- Lifetime manufacturer guarantee and a 10 year guarantee on the cartridge and all mechanical moving parts

Additional Information

Manufacturer	AKW / Contour
Shower Type	Direct Fed (Mixer)
Shower Features	Thermostatic Mixers
Fixings	Concealed
Control	Manual Lever
Water Pressure	Normal Mains
Technologies	Thermostatic Control, Anti-Scald, Temperature Control Lever
Approvals	WRAS Approved, TMV2 (Domestic Sector)