



Independent 4 Life

AKW GW90 Low Height Wet Waste w/ TF Tiled Floor Adaptor (UK)

£79.90 Inc. VAT

Product Code: 25498-UK

Product Images



Description

This AKW low depth gravity waste with TF filed floor adaptor offers easy installation and cleaning, low Profile and Tuff form shower trays on solid floor installations or where height restrictions are an issue. Suitable for trays with a 90mm waste hole. 27 litre per minute. Top access provides ease of cleaning and maintenance.

53mm water trap with adaptor makes it suitable for push fit pipe or solvent weld pipes.

Key benefits:

- Ideal for solid floors or shallows joists installations
- Easy installation, cleaning and maintenance
- Top access 53mm water trap depth (seal)
- Top access allows for easy cleaning and maintenance
- Water trap prevents bad odour backflow
- Built-in filter catches hair and debris allowing for removal during cleaning
- Depth below trap: 68mm
- Overall depth: 53mm
- Waste diameter: 90mm
- Approx. flow rate 27 litres per minute
- Suitable for push fit pipe (with the included adaptor)
- Suitable for solvent weld pipe (with the included adaptor)
- 15mm head and 1m of pipe
- For Tuff form

Warranty:

- Lifetime Warranty (please refer to AKW's terms and conditions)

Additional Information

| | |
|---------------------------|--|
| Manufacturer | AKW / Contour |
| Configuration | Gravity Waste |
| Compatible Tray or Former | AKW - Tuff Form, AKW - Tuff Form8 |
| Installation | Floor Formers, Concrete / Screed Floors, Timber Floors |
| Application | Floor Former, Screed Floors, Timber Floors |
| Waste Diameter (mm) | 90 |
| Waste Outlet / Depth (mm) | Horizontal |
| Flow Rate / l/min | 27 |
| Floor Finish | Tiled Flooring |
| Grate Material / Finish | Stainless Steel / Wave |