




Independent 4 Life


# Geberit AquaClean Mera Care WC Complete Solution, Floor-standing WC - OPT WC Lid

£3,607.20 Inc. VAT

Product Code: 146.242.11.1

## Product Images






Remote control

Touchless control panel

**Rear side of the remote control**


You can access system settings and additional functions from the rear side of the remote control.



- 1 Battery compartment
- 2 LCD display
- 3 <up>/<down>, <left>/<right> arrow keys

**Front side of the remote control**


All functions for daily use can be operated from the front side of the remote control.



- 1 <Shower> button
- 2 <->/<+> buttons
- 3 <left>/<right> arrow keys
- 4 <Lady shower> button
- 5 <Dryer> button
- 6 <Toilet flush> button
- 7 <User profile> buttons



## Lateral control panel

The shower toilet functions of the device can be operated from the lateral control panel on the shower toilet.



- 1 <up>/<down> buttons: decrease or increase the spray intensity
- 2 Status LED
- 3 <Shower> button: start or stop the anal shower or the Lady shower

**i** The buttons of the control panel are designed ergonomically. Each button has an individual, tangible surface form.



## Additional Options

Product Code / Optional lid

243.211.11.1 / Mera WC Lid - White Alpine

£197.21

## Description

The Geberit AquaClean Mera Care WC Complete Solution, a floor-standing shower toilet developed for independent living with carers and end user requirements in mind.

Building on the huge success of the AquaClean 8000plus Care model, the Mera Care comes with a host of new features and innovations to aid both the WC user and their carers.

### **Key benefits:**

- Rimless ceramic pan
- TurboFlush flush technology
- Flushed by button on the remote control or by the button on top of the cistern
- WhirlSpray shower technology with individual spray arm position - provides a comfortable clean whilst saving water
- Adjustable oscillating spray (automatic forward and reverse motion of the spray arm)
- Extendible Lady shower nozzle integrated into the spray nozzle with individual spray arm position
- Adjustable shower arm to suit your seating position
- Automatic shower arm cleaning before and after each shower procedure
- Adjustable water temperature
- Hybrid hot water system with continuous flow heater and storage water heater
- Dryer functionality via dryer arm - fully extendable with unlimited programme duration to suit you
- Descaling programme
- Odour extraction with a ceramic honeycomb filter
- SoftClosing WC seat, fixed, for absorption of lateral forces. QuickRelease function
- Programmable with 4 x user profiles
- User recognition - can be set to "Barrier-free mode" for use with shower chairs
- Free Geberit AquaClean app - Please refer to User Guide for more information see "Installation and Help Guides" tab
- Can be used as a standard flush toilet in the event of a power cut
- Commissioning undertaken by the installer

### **Controls included:**

- Remote control - easy-to-operate, ergonomically designed - with magnetic wall-mounted holder
- Touchless wall control panel - easy to activate panel with only ONE sensor button to start the shower program, including flush
- Lateral control panel with status LED - The shower toilet functions of the device can be operated from the lateral control panel on the shower toilet

### **Scope of delivery:**

- Female socket for mains connection
- User manual
- Spray shield
- Descaling agent, 125 ml
- Cleaning set
- Connection set for WC, ø 90 mm
- Remote control with wall-mounted case and battery CR2032
- Fastening material
- Wall-mounted control panel for touchless activation

### **Technical details:**

- Set at installation - Height adjustable frame (mm): 445, 465, 485, 505 and 525
- Seat height adjustment of between 44 and 56cm
- Protection class: I
- Protection degree: IPX4
- Power cord length (mm): 600

- Nominal voltage: 230 V AC
- The unit must be wired to a fused spur: 10 or 13amp
- Mains frequency (Hz): 50
- Power consumption (W): 2000
- Power consumption standby (W): ≤ 0.5
- Requires mains fed supply with a flow pressure (bar) of: 0.5-10
- Operating temperature (°C): 5-40
- Water temperature adjustment range (°C): 34-40
- Washing time per activation (secs): 30-50
- Maximum load WC seat (kg/ St): 190 / 29.91
- Outlet: Rear or Side - Refer to installation instructions - "Installation and Help Guides" tab
- Approval in accordance with (DIN) EN 1717 / (DIN) EN 13077
- Cladding of the flushing cistern: High-pressure laminate with a white finish
- This product must be installed by a certified electrician in accordance with current regulations

#### **Optional extra:**

- Seat lid - supplied easy to install on site, without tools (Product Code: 243.211.11.1)
- The lid is not recommended if you are side transferring or using a hoist
- Note: The lid is not strong enough to be used as a Seat

#### **Warranty:**

- Easy registration of your Geberit AquaClean Mera shower toilet via the free Geberit AquaClean App
- 5 years manufacturer warranty - parts and labour - Note: The Mera must be registered with Geberit within 90 days of purchase/installation for the 5-year warranty
- Otherwise the manufacturer warranty is 3 years

#### **Geberit Home App:**

The Geberit Home App allows you to control and adjust the Geberit AquaClean shower toilets, the app can be used to register your model for a 2 year warranty extension.

- Adjusts device settings
- Users can call up user manuals digitally
- Access service and contact information
- Access care and maintenance information
- Conveniently order consumables
- Perform maintenance using step by step instructions using the app
- Firmware can be updated using the app

## **DOWNLOAD NOW**



Apple App Store



Google Play Store

## Additional Information

---

Manufacturer	Geberit
Brand / Model	Geberit / AquaClean Mera Care
Colour	White
Style / Type	Care - Floor-standing Shower Toilet
Max. Load (kg / St)	190 / 30
Technical Info.	Power Supply: 230 V / 50-60hz, Operating Temp Range - 5-40°C, Water Temp Range - 34-40°C, Washing Time - 30-50 Seconds
Installed WC Pan Height (mm)	445, 465, 485, 505 & 525 (With Seat)
Warranty	2 Year Standard, 5 Year Standard
Flush Operation	Fixed Side Control Buttons, Remote Control / Mobile App Control , OPT - Wireless Touch Pad Controls
Technologies	Mains Operated, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Mobile App, Programmable User Profiles x 4, User Detection, OPT - WC Lid, Soft Closing , Adjustable Water Temp, 5 Spray Intensity Settings, 5 Spray Arm Positions, Oscillating Spray, Nozzle Auto Cleaning, Dryer Arm Extendable, 5 Dryer Arm Positions, Adjustable Dryer Temperature, WhirlSpray , Rimless WC Ceramic Pan with TurboFlush, Odour Extraction Unit, Descaling Function