






Independent 4 Life

£1,842.98 Inc. VAT

Geberit Monolith for Wall-hung WC, 114 cm, Front: Stoneware Slate Look, Sides: Black Chrome ALU

Product Code: 131.031.00.5

Product Images



Description

Geberit Monolith for wall-hung WC pans, installed height of 114 cm (1140mm). A stylish dual flush, self-supporting concealed cistern that is fully insulated against condensation. The front panel is made of stoneware slate look with Black Chrome brushed aluminium side profiles.

Designed for exclusive mounting of the Geberit AquaClean wall-hung WC complete solutions, Geberit wall-hung Selnova and iCon WC pans, Geberit AquaClean Enhancement solutions with accessories, in front of drywalls or solid walls, for mounting on finished floors.

Additional application purposes:

- Ideal for renovations, conversions, and new buildings
- For wall inlets with inlet of height > 23 cm
- For replacing low-level and half-high level exposed cisterns
- For replacing wall-hung WCs with close-coupled exposed cistern
- For replacing wall-hung WCs with pressure flushing valve
- For replacing wall-hung WCs with concealed cistern with maximum service opening height < 109 cm
- For compensating the offset between the WC connections and wall drains using a stepped straight connector for wall-hung WCs

Key benefits:

- Dual flush
- Adjustable flush volume
- Self-supporting
- Cistern, fully insulated against condensation
- Compensation of dimensional tolerances possible
- Fastening height WC ceramic appliance 35 ± 1 cm
- Height-adjustable up to 7 cm
- Water supply connection at the rear centre or on the bottom
- Left/right water supply connections possible with accessories (not included)

Technical details:

- Front cladding: Stoneware slate look
- Side cladding finish: Black Chrome brushed aluminium
- Height (mm): 1140 plusmn; 10
- Width (mm): 505
- Depth (mm): 106
- Flow pressure: 0.1-10 bar
- Max. operating water temperature: 25°C
- Flush volume, factory setting: 6 & 3 l
- Flush volume large, adjustment range: 4.5 / 6 l
- Small flush volume: 3 l
- Calculated flow rate: 0.11 l/s
- Max. flow pressure for calculated flow rate: 0.5 bar

Scope of Delivery:

- Water supply connection set with 2 angle stop valves 1/2"
- Flush bend extension 160 mm
- Sleeve made of EPDM, \varnothing 44 / 55 mm
- Straight connector made of PE-HD, \varnothing 90 mm

- Adaptor socket made of PE-HD, ø 90 / 110 mm
- 2 threaded rods M12
- Base cover
- Support frame
- Fastening material for drywall
- Fastening material
- Fastening material for installation in front of concealed cisterns

Manufacturer warranty:

- 2-year manufacture warranty

Please note:

- Due to the hygiene reasons, this product is non-returnable
- The colour and structure of natural stoneware products may vary
- Geberit will extend the warranty by one year if installed by a registered installation company and if you register on Geberit's website or return the supplied warranty card within 90 working days of the installation

Additional Information

| | |
|-----------------------|---|
| Manufacturer | Geberit |
| Brand / Model | Geberit / Monolith |
| Can Be Combined With | Geberit AquaClean Sela WH WC Complete, Geberit AquaClean Mera Comfort WH WC Complete, Geberit AquaClean Mera Classic WH WC Complete, Geberit Selnova WH WC, Premium, Geberit iCon WH WC, Geberit AquaClean Tuma Classic WH WC Complete, Geberit AquaClean Tuma Comfort WH WC Complete, Geberit AquaClean WC Enhancement Solutions with Accessories, Conversion Set for Geberit AquaClean WC Enhancement |
| Colour | Stoneware Slate Look |
| Frame Size (mm) | Frame Height: 1140 |
| Technical Info. | Factory Setting - Small Flush: 3 l, Flush Volume Factory Setting - 6 and 3 l, Flush Volume Large Adjustment Range - 4.5 / 6 l |
| Waste Outlet Position | Wall - Rear |
| Warranty | 2 Year Standard |
| Flush Operation | Top Dual Push Button Flush |
| Technologies | Dual Flush |